



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



RDSS - GIS ABSTRACT MEASUREMENT

Firm Name - M/s Kishore Infrastructures Pvt. Ltd

PACKAGE NO. - 5

CIRCLE	DIVISION	DC	FEEDER ID	TASK NAME	ERP PROJECT ID	MB NUMBER	DATE OF MEASUREMENT
Singrauli	Waidhan O&M	Bargawan	219277	FSP Old 11KV Feeder: 11KV Majhigawan Non AG Feeder	905231	1	18-08-2025

ITEM WISE QUANTITY DETAILS

S.NO.	SCH NO	ITEM CODE	DESCRIPTION	ITEM UNIT	BOQ QUANTITY	CURRENT MB QUANTITY	TOTAL MB QUANTITY	BALANCE MB QUANTITY
1	RD-C-1.2	E9401122	EARTHING FOR PCC POLE 4.00 MM-8 SWG G.I WIRE- 0.8 KG, PER POLE)	KGS	55.104	32	32	23.104
2	RD-C-1.2	I1102004	AAAC RABBIT CONDUCTOR 0.05 SQ. INCH (55 SQ.MM. AL.EQ.)	KM	15.252	6.15	6.15	9.102
3	RD-C-1.2	I2109004	JOINTING SLEEVES (ALUMINIUM) FOR RABBIT CONDUCTOR	NO	30	0	0	30
4	RD-C-1.2	I2113001	ALUMINIUM BINDING WIRE AND TAPE	KGS	14.76	8.4	8.4	6.36
5	RD-C-1.2	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	162.36	66	66	96.36
6	RD-C-1.2	I2116004	ANTI CLIMBING DEVICE (BARBED WIRE 3.5 KG) GS 2.5 MM DIA (12 SWG)	NO	69	31	31	38
7	RD-C-1.2	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	69	40	40	29



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



9	RD-C-1.2	I2146003	11 KV TOP CLAMPS 65X65X6MM ANGLE TYPE	NO	69	46	46	23
10	RD-C-1.2	I2147001	BACK CLAMP FOR 140 KG PCC POLE MS FLAT 50X6 MM	SET	118	48	48	70
11	RD-C-1.2	I2147025	BACK CLAMP GALVANIZED MS FLAT 50X6 (DRG.NO.DISCOM/EZ/55)	NO	60	6	6	54
12	RD-C-1.2	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	30	12	12	18
13	RD-C-1.2	I2169005	DANGER BOARD ENAMELED 11 KV	NO	69	41	41	28
14	RD-C-1.2	I2170001	PCC POLE 140 KGS 8 MTRS LONG	NO	69	40	40	29
15	RD-C-1.2	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	69	40	40	29
16	RD-C-1.2	I2401004	11 KV, 5KN PIN COMPOSITE POLYMER INSULATOR	NO	207	135	135	72
17	RD-C-1.2	I2405002	STAY INSULATOR 90X65MM	NO	30	18	18	12
18	RD-C-1.2	I2502279	M S BOLT WITH NUT	KGS	88.56	58.75	58.75	29.81
19	RD-C-1.2	I7115001	RED-OXIDE PAINT	LT	9.84	8	8	1.8399999999999999
20	RD-C-1.2	I7115002	ALUMINUM PAINT	LT	9.84	8	8	1.8399999999999999
21	RD-C-1.2	I9132002	CONCRETING (1:3:6) OF STAY @ 0.2 CMT. PER STAY (16MM)	CMT	6	2.5	2.5	3.5
22	RD-C-1.2	I9132019	BACK FILLING OF POLES WITH BOULDERS	NO	69	40	40	29



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



23	RD-C-15.3	I2100000	STAY WIRE 25KG+GI. WIRE 8SWG-12 KG.)	SET	3	3	3	3
24	RD-C-15.3	I1102004	AAAC RABBIT CONDUCTOR 0.05 SQ. INCH (55 SQ.MM. AL.EQ.)	KM	3.16	1.887	1.887	1.2730000000000001
25	RD-C-15.3	I2109002	JOINTING SLEEVES (ALUMINIUM) FOR DOG CONDUCTOR	NO	90	0	0	90
26	RD-C-15.3	I2113001	ALUMINIUM BINDING WIRE AND TAPE	KGS	45	2.8	2.8	42.2
27	RD-C-15.3	I2114001	STAY GI WIRE 7/4.00 MM.(7/8 SWG)	KGS	180	45	45	135
28	RD-C-15.3	I2116004	ANTI CLIMBING DEVICE (BARBED WIRE 3.5 KG) GS 2.5 MM DIA (12 SWG)	NO	18	5	5	13
29	RD-C-15.3	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	18	10	10	8
30	RD-C-15.3	I2144006	11 KV BRIDLING CROSS ARMS 65X65X6MM	NO	18	13	13	5
31	RD-C-15.3	I2146009	11 KV TOP CLAMPS BRIDLING TYPE 65X65X6MM	NO	18	14	14	4
32	RD-C-15.3	I2147003	BACK CLAMP FOR H BEAM POLE OF 65X8MM MS FLAT	SET	36	31	31	5
33	RD-C-15.3	I2147029	GALVANIZED BACK CLAMP FOR H-BEAM OF MS FLAT 65X8MM	NO	18	16	16	2
34	RD-C-15.3	I2167007	STAY SET 20 MM COMPLETE	NO	18	5	5	13
35	RD-C-15.3	I2169005	DANGER BOARD ENAMELED 11 KV	NO	18	4	4	14
36	RD-C-15.3	I2202002	H- BEAM 13 METER 152 X 152 MM 37.1 KG/METER	NO	18	15	15	3
37	RD-C-15.3	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	18	14	14	4



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	RD-C-15.3	RD-C-7.1	DESCRIPTION	UNIT	QTY	AMOUNT	AMOUNT	AMOUNT
39	RD-C-15.3	I2502279	M S BOLT WITH NUT	KGS	45	32.5	32.5	12.5
40	RD-C-15.3	I7115001	RED-OXIDE PAINT	LT	18	14	14	4
41	RD-C-15.3	I7115002	ALUMINUM PAINT	LT	18	14	14	4
42	RD-C-15.3	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	5.4	1.8	1.8	3.6
43	RD-C-15.3	I9132144	CONCRETING OF H-BEAM/ RAIL POLE @ 0.94 CMT. PER POLE (INCLUDING MUFFING)	CMT	16.92	13.16	13.16	3.76
44	RD-C-7.1	I2107001	11 KV STRAIN HARDWARE (T&C TYPE) FITTINGS	SET	84	69	69	15
45	RD-C-7.1	I2107004	MS STRAIN PLATE 65X8 MM, 250 MM LONG	SET	42	42	42	0
46	RD-C-7.1	I2114001	STAY GI WIRE 7/4.00 MM.(7/8 SWG)	KGS	85	18	18	67
47	RD-C-7.1	I2116004	ANTI CLIMBING DEVICE (BARBED WIRE 3.5 KG) GS 2.5 MM DIA (12 SWG)	NO	5	0	0	5
48	RD-C-7.1	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	5	2	2	3
49	RD-C-7.1	I2147003	BACK CLAMP FOR H BEAM POLE OF 65X8MM MS FLAT	SET	16	16	16	0
50	RD-C-7.1	I2147029	GALVANIZED BACK CLAMP FOR H-BEAM OF MS FLAT 65X8MM	NO	20	1	1	19
51	RD-C-7.1	I2157003	11 KV SINGLE POLE CUT POINT 100X50X6 MM CHANNEL	SET	54	21	21	33
52	RD-C-7.1	I2167007	STAY SET 20 MM COMPLETE	NO	10	1	1	9



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



54	RD-C-7.1	I2202002	H- BEAM 13 METER 152 X 152 MM 37.1 KG/METER	NO	5	2	2	3
55	RD-C-7.1	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	5	3	3	2
56	RD-C-7.1	I2401004	11 KV, 5KN PIN COMPOSITE POLYMER INSULATOR	NO	15	2	2	13
57	RD-C-7.1	I2402006	11 KV, 45 KN DISC T&C COMPOSITE POLYMER LONG ROD INSULATOR	NO	84	75	75	9
58	RD-C-7.1	I2502279	M S BOLT WITH NUT	KGS	15	11.25	11.25	3.75
59	RD-C-7.1	I7115001	RED-OXIDE PAINT	LT	5	2	2	3
60	RD-C-7.1	I7115002	ALUMINUM PAINT	LT	5	2	2	3
61	RD-C-7.1	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	1.5	0.6	0.6	0.9
62	RD-C-7.1	I9132144	CONCRETING OF H-BEAM/ RAIL POLE @ 0.94 CMT. PER POLE (INCLUDING MUFFING)	CMT	4.7	1.88	1.88	2.82
63	RD-D-1.2	I1206029	1100 VOLTS GRADE AB XLPE CABLE 3X50 SQ. MM. + 1X16 SQ.MM +1X 35 SQ MM	KM	1.4805	1.1400000000000001	1.1400000000000001	0.34
64	RD-D-1.2	I1302001	SUSPENSION CLAMP FOR LT AB CABLE	SET	23	23	23	0
65	RD-D-1.2	I1302004	TENSION CLAMP FOR DEAD END FOR LT A.B CABLE	SET	12	12	12	0
66	RD-D-1.2	I1302008	CLAMPS FOR NEUTRAL	SET	28	0	0	28
67	RD-D-1.2	I1303013	PIERCING CONNECTOR TYPE-I FOR SINGLE PHASE/THREE PHASE(MAIN 70-150 SQ.MM. TAPE- OF 50-95 SQ.MM)	NO	87	87	87	0



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	RD-D-1.2	Item No.	Description	Unit	Quantity	Rate	Amount	Remarks
69	RD-D-1.2	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	93.06	44	44	49.06
70	RD-D-1.2	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	33	33	33	0
71	RD-D-1.2	I2132036	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 8 OUTGOING 1-PHASE CIRCUIT	NO	14	11	11	3
72	RD-D-1.2	I2132037	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 4 OUTGOING 3-PHASE CIRCUIT	NO	20	17	17	3
73	RD-D-1.2	I2147033	GALVANIZED BACK CLAMP FOR RSJ ,WT-1.62 KG USING 65X8 MS FLAT	NO	45	16	16	29
74	RD-D-1.2	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	17	8	8	9
75	RD-D-1.2	I2203002	R S JOIST 9.3 METER 175X85MM	NO	30	30	30	0
76	RD-D-1.2	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	30	30	30	0
77	RD-D-1.2	I2502279	M S BOLT WITH NUT	KGS	42.3	7.3	7.3	35
78	RD-D-1.2	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	3.384	2.5	2.5	0.884
79	RD-D-1.2	I9132038	CONCRETING (1:3:6) OF RSJ @0.30 CMT PER POLE (BASE PEDDING + MUFFING)	CMT	9	9	9	0
80	RD-D-2.2	E9401122	EARTHING FOR PCC POLE 4.00 MM-8 SWG G.I WIRE- 0.8 KG, PER POLE)	KGS	108.68	108.68	108.68	0
81	RD-D-2.2	I1206029	1100 VOLTS GRADE AB XLPE CABLE 3X50 SQ. MM. + 1X16 SQ.MM +1X 35 SQ MM	KM	24.27	24.268	24.268	0.002



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



83	RD-D-2.2	I1302004	TENSION CLAMP FOR DEAD END FOR LT A.B CABLE	SET	162	162	162	0
84	RD-D-2.2	I1302008	CLAMPS FOR NEUTRAL	SET	273	1	1	272
85	RD-D-2.2	I1303002	PIERCING CONNECTOR TYPE-I, 1P/3P (MAIN 16-50SQMM TAP-OFF 16-50SQMM)	NO	1052	1052	1052	0
86	RD-D-2.2	I1303003	PIERCING CONNECTOR TYPE-II (MAIN 16-50 SQMM TAP-OFF 16-50 SQMM)	NO	701	701	701	0
87	RD-D-2.2	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	908	903	903	5
88	RD-D-2.2	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	202	202	202	0
89	RD-D-2.2	I2132036	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 8 OUTGOING 1-PHASE CIRCUIT	NO	509	509	509	0
90	RD-D-2.2	I2132037	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 4 OUTGOING 3-PHASE CIRCUIT	NO	107	107	107	0
91	RD-D-2.2	I2147025	BACK CLAMP GALVANIZED MS FLAT 50X6 (DRG.NO.DISCOM/EZ/55)	NO	316	316	316	0
92	RD-D-2.2	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	165	165	165	0
93	RD-D-2.2	I2170001	PCC POLE 140 KGS 8 MTRS LONG	NO	691	691	691	0
94	RD-D-2.2	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	685	685	685	0
95	RD-D-2.2	I2405002	STAY INSULATOR 90X65MM	NO	233	233	233	0



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	RD-D-2.2	RD-D-2.3	RD-D-2.3	RD-D-2.3	RD-D-2.3	RD-D-2.3	RD-D-2.3	RD-D-2.3
97	RD-D-2.2	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	48.1	48.1	48.1	0
98	RD-D-2.2	I9132019	BACK FILLING OF POLES WITH BOULDERS	NO	686	686	686	0
99	RD-D-2.3	E9401122	EARTHING FOR PCC POLE 4.00 MM-8 SWG G.I WIRE- 0.8 KG, PER POLE)	KGS	60	0	0	60
100	RD-D-2.3	I1206041	LT XLPE AIR BUNCH CABLE 3X35+1X35 (BARE NEUTRAL CUM MESSENGER) + 1X16 SQ.MM STREET LIGHT PHASE, 1100 VOLTS	KM	14.469	0	0	14.469
101	RD-D-2.3	I1302001	SUSPENSION CLAMP FOR LT AB CABLE	SET	285	0	0	285
102	RD-D-2.3	I1302004	TENSION CLAMP FOR DEAD END FOR LT A.B CABLE	SET	90	0	0	90
103	RD-D-2.3	I1302008	CLAMPS FOR NEUTRAL	SET	276	0	0	276
104	RD-D-2.3	I1303002	PIERCING CONNECTOR TYPE-I, 1P/3P (MAIN 16-50SQMM TAP-OFF 16-50SQMM	NO	827	0	0	827
105	RD-D-2.3	I1303003	PIERCING CONNECTOR TYPE-II (MAIN 16-50 SQMM TAP-OFF 16-50 SQMM)	NO	162	0	0	162
106	RD-D-2.3	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	528	0	0	528
107	RD-D-2.3	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	75	0	0	75
108	RD-D-2.3	I2132036	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 8 OUTGOING 1-PHASE CIRCUIT	NO	240	0	0	240
109	RD-D-2.3	I2132037	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 4 OUTGOING 3-PHASE CIRCUIT	NO	138	0	0	138



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	RD-D-2.3	RD-D-2.3	(STAY AND DISCOM/EEZ)					
111	RD-D-2.3	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	96	0	0	96
112	RD-D-2.3	I2170001	PCC POLE 140 KGS 8 MTRS LONG	NO	375	0	0	375
113	RD-D-2.3	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	375	0	0	375
114	RD-D-2.3	I2405002	STAY INSULATOR 90X65MM	NO	96	0	0	96
115	RD-D-2.3	I2502279	M S BOLT WITH NUT	KGS	48	0	0	48
116	RD-D-2.3	I9132002	CONCRETING (1:3:6) OF STAY @ 0.2 CMT. PER STAY (16MM)	CMT	0.2	0	0	0.2
117	RD-D-2.3	I9132019	BACK FILLING OF POLES WITH BOULDERS	NO	375	0	0	375
118	RD-D-3.1	I1206029	1100 VOLTS GRADE AB XLPE CABLE 3X50 SQ. MM. + 1X16 SQ.MM +1X 35 SQ MM	KM	11.025	10.74	10.74	0.285
119	RD-D-3.1	I1302001	SUSPENSION CLAMP FOR LT AB CABLE	SET	266	266	266	0
120	RD-D-3.1	I1302004	TENSION CLAMP FOR DEAD END FOR LT A.B CABLE	SET	86	84	84	2
121	RD-D-3.1	I1303002	PIERCING CONNECTOR TYPE-I, 1P/3P (MAIN 16-50SQMM TAP-OFF 16-50SQMM)	NO	730	725	725	5
122	RD-D-3.1	I1303003	PIERCING CONNECTOR TYPE-II (MAIN 16-50 SQMM TAP-OFF 16-50 SQMM)	NO	140	98	98	42
123	RD-D-3.1	I2132036	POLE MOUNTED DEEP DRAWN METAL LT DISTRIBUTION BOX FOR AB CABLE FOR 1 INCOMING 8 OUTGOING 1-PHASE CIRCUIT	NO	285	211	211	74



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	Code	Material Name	Unit	Qty	Rate	Amount	Amount	Amount
125	RD-D-4.7	I1302001	SUSPENSION CLAMP FOR LT AB CABLE	SET	243	201	201	42
126	RD-D-4.7	I1302008	CLAMPS FOR NEUTRAL	SET	486	0	0	486
127	RD-D-4.7	I1303013	PIERCING CONNECTOR TYPE-I FOR SINGLE PHASE/THREE PHASE(MAIN 70-150 SQ.MM. TAPE- OF 50-95 SQ.MM)	NO	72	10	10	62
128	RD-D-4.7	I1303014	PIERCING CONNECTOR TYPE-II (MAIN 70-150 SQ.MM. TAPE- OF 50-95 SQ.MM)	NO	86	12	12	74
129	RD-D-4.7	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	440	374	374	66
130	RD-D-4.7	I2123002	EARTHING COIL OF 115 TURNS OF 50 MM.DIA AND 2.5 MTR LEAD OF 4.0 MM G.I WIRE	NO	243	68	68	175
131	RD-D-4.7	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	80	71	71	9
132	RD-D-4.7	I2170001	PCC POLE 140 KGS 8 MTRS LONG	NO	243	184	184	59
133	RD-D-4.7	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	243	182	182	61
134	RD-D-4.7	I2502279	M S BOLT WITH NUT	KGS	80	34	34	46
135	RD-D-4.7	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	24	19.3	19.3	4.7
136	RD-D-4.7	I9132019	BACK FILLING OF POLES WITH BOULDERS	NO	243	183	183	60
137	RD-E-1.2	E9401120	EARTHING OF DTR AS PER SCHEDULE G-1(FOR BLACK COTTON SOIL)	SET	23	14	14	9



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



139	RD-E-1.2	I0502006	BI-METALLIC CLAMPS SUITABLE FOR 12MM DIA STUD	NO	92	56	56	36
140	RD-E-1.2	I0502011	HT BI-METALLIC CLAMP FOR DTR	NO	69	40	40	29
141	RD-E-1.2	I1102009	AAAC CONDUCTOR RABBIT FOR JUMPERING	MTR	690	420	420	270
142	RD-E-1.2	I1203007	XLPE LT 1 - CORE ALUMINIUM UNARMoured 70 SQMM CABLE	KM	0.92	0.56	0.56	0.36
143	RD-E-1.2	I1203008	XLPE LT 1 - CORE ALUMINIUM UNARMoured 50 SQMM CABLE	KM	1.84	1.12	1.12	0.72
144	RD-E-1.2	I2107001	11 KV STRAIN HARDWARE (T&C TYPE) FITTINGS	SET	69	36	36	33
145	RD-E-1.2	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	506	297	297	209
146	RD-E-1.2	I2116004	ANTI CLIMBING DEVICE (BARBED WIRE 3.5 KG) GS 2.5 MM DIA (12 SWG)	NO	46	16	16	30
147	RD-E-1.2	I2126008	DO FUSE UNIT 11 KV POLYMER	NO	69	42	42	27
148	RD-E-1.2	I2132002	L.T.DISTRIBUTION BOX FOR 63 KVA TRANSFORMER (200 A. ISOLATOR & 6 SP MCCB OF 60 A.)	NO	23	14	14	9
149	RD-E-1.2	I2141004	11 KV, LA POLYMER TYPE GAPLESS /METAL OXIDE 9 KV , 5 KA LINE TYPE	NO	69	42	42	27
150	RD-E-1.2	I2147001	BACK CLAMP FOR 140 KG PCC POLE MS FLAT 50X6 MM	SET	92	80	80	12
151	RD-E-1.2	I2147025	BACK CLAMP GALVANIZED MS FLAT 50X6 (DRG.NO.DISC0M/EZ/55)	NO	230	110	110	120
152	RD-E-1.2	I2151006	DC.CROSS ARMS 8` (2.4 METER) CENTRE TO CENTRE 100X50X6 MM CHANNEL	SET	23	14	14	9



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	RD-E-1.2	Material Code	Description	Unit	Quantity	Rate	Amount	Remarks
154	RD-E-1.2	I2154051	D.O.MOUNTING CHANNEL 75X40X6 MM	NO	46	28	28	18
155	RD-E-1.2	I2154053	GALVANIZED 11 KV D.O. FUSE & LIGHTENING ARRESTOR MOUNTING CHANNEL (75X 40 X 6 MM.)	SET	23	14	14	9
156	RD-E-1.2	I2161001	TRANSFORMER BELTING SET 50X50X6MM ANGLE WITH TWO CROSS FIXING CHANNEL	SET	23	14	14	9
157	RD-E-1.2	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	92	54	54	38
158	RD-E-1.2	I2169005	DANGER BOARD ENAMELED 11 KV	NO	23	14	14	9
159	RD-E-1.2	I2170001	PCC POLE 140 KGS 8 MTRS LONG	NO	46	30	30	16
160	RD-E-1.2	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	46	30	30	16
161	RD-E-1.2	I2402006	11 KV, 45 KN DISC T&C COMPOSITE POLYMER LONG ROD INSULATOR	NO	69	36	36	33
162	RD-E-1.2	I2405002	STAY INSULATOR 90X65MM	NO	92	54	54	38
163	RD-E-1.2	I2502279	M S BOLT WITH NUT	KGS	322	218	218	104
164	RD-E-1.2	I4102009	3- PHASE 4 -WIRE 20-80 AMP ACCURACY CLASS 1 LCD DISPLAY STATIC WHOLE CURRENT METER	NO	23	14	14	9
165	RD-E-1.2	I7115001	RED-OXIDE PAINT	LT	23	14	14	9
166	RD-E-1.2	I7115002	ALUMINUM PAINT	LT	23	14	14	9
167	RD-E-1.2	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	18.4	16.2	16.2	2.2



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



169	RD-E-1.3	E9401120	EARTHING OF DTR AS PER SCHEDULE G-1(FOR BLACK COTTON SOIL)	SET	2	0	0	2
170	RD-E-1.3	I0103053	100 KVA, BIS CERTIFIED, LEVEL-II TRANSFORMER	NO	2	0	0	2
171	RD-E-1.3	I0502006	BI-METALLIC CLAMPS SUITABLE FOR 12MM DIA STUD	NO	8	0	0	8
172	RD-E-1.3	I0502011	HT BI-METALLIC CLAMP FOR DTR	NO	6	0	0	6
173	RD-E-1.3	I1102009	AAAC CONDUCTOR RABBIT FOR JUMPERING	MTR	60	0	0	60
174	RD-E-1.3	I1203004	XLPE LT 1 - CORE ALUMINIUM UNARMoured 150 SQMM CABLE	KM	0.08	0	0	0.08
175	RD-E-1.3	I1203007	XLPE LT 1 - CORE ALUMINIUM UNARMoured 70 SQMM CABLE	KM	0.16	0	0	0.16
176	RD-E-1.3	I2107001	11 KV STRAIN HARDWARE (T&C TYPE) FITTINGS	SET	6	0	0	6
177	RD-E-1.3	I2114002	STAY WIRE 7/3.15 MM.(7/10 SWG)	KGS	66	0	0	66
178	RD-E-1.3	I2116004	ANTI CLIMBING DEVICE (BARBED WIRE 3.5 KG) GS 2.5 MM DIA (12 SWG)	NO	4	0	0	4
179	RD-E-1.3	I2126008	DO FUSE UNIT 11 KV POLYMER	NO	6	0	0	6
180	RD-E-1.3	I2132038	L.T. DISTRIBUTION BOX SUITABLE FOR 100 KVA TRANSFORMER (300 A.ISOLATOR ON INCOMING & 6 SP OF 100 A HRC FUSES ON OUTGOING SIDE.)	NO	2	0	0	2
181	RD-E-1.3	I2138001	11 KV AB SWITCH THREE PHASE 400 AMP WITH COMPLETE FITTING TP GANG OPERATED	SET	2	0	0	2
182	RD-E-1.3	I2141004	11 KV, LA POLYMER TYPE GAPLESS /METAL OXIDE 9 KV , 5 KA LINE TYPE	NO	6	0	0	6



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



Sl. No.	RD-E-1.3	Item No.	Description	Unit	Qty	0	0	0
184	RD-E-1.3	I2147025	BACK CLAMP GALVANIZED MS FLAT 50X6 (DRG.NO.DISC0M/EZ/55)	NO	24	0	0	24
185	RD-E-1.3	I2151006	DC.CROSS ARMS 8` (2.4 METER) CENTRE TO CENTRE 100X50X6 MM CHANNEL	SET	2	0	0	2
186	RD-E-1.3	I2153001	TRANSFORMER MOUNTING CHANNEL 100X50X6MM	SET	2	0	0	2
187	RD-E-1.3	I2154051	D.O.MOUNTING CHANNEL 75X40X6 MM	NO	8	0	0	8
188	RD-E-1.3	I2154053	GALVANIZED 11 KV D.O. FUSE & LIGHTENING ARRESTOR MOUNTING CHANNEL (75X 40 X 6 MM.)	SET	2	0	0	2
189	RD-E-1.3	I2161001	TRANSFORMER BELTING SET 50X50X6MM ANGLE WITH TWO CROSS FIXING CHANNEL	SET	2	0	0	2
190	RD-E-1.3	I2167001	STAY SET WITHOUT STAY WIRE 16 MM. (PAINTED)	NO	12	0	0	12
191	RD-E-1.3	I2169005	DANGER BOARD ENAMELED 11 KV	NO	2	0	0	2
192	RD-E-1.3	I2170001	PCC POLE 140 KGS 8 MTRS LONG	NO	4	0	0	4
193	RD-E-1.3	I2207015	STONE BLOCK / RCC BASE PLATE SIZE 450X450X75 MM (2 NO PER STAY AND 1 NO FOR POLE), DRG. NO. DISCOM/EZ/ 47 & 48	NO	4	0	0	4
194	RD-E-1.3	I2402006	11 KV, 45 KN DISC T&C COMPOSITE POLYMER LONG ROD INSULATOR	NO	6	0	0	6
195	RD-E-1.3	I2405002	STAY INSULATOR 90X65MM	NO	12	0	0	12
196	RD-E-1.3	I2502279	M S BOLT WITH NUT	KGS	28	0	0	28
197	RD-E-1.3	I4102018	3PH 4 WIRE DLMS 3*240 V 40-200 AMP TRIVECTOR METER CLASS 1.0 ACCURACY WITH GSM /GPRS MODEM ENABLED	NO	2	0	0	2



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



199	RD-E-1.3	I7115002	ALUMINUM PAINT	LT	4	0	0	4
200	RD-E-1.3	I9132001	CONCRETING (1:3:6) OF STAY @ 0.3 CMT. PER STAY (20MM)	CMT	2.4	0	0	2.4
201	RD-E-1.3	I9132040	CONCRETING (1:3:6) OF PCC POLE @ 0.3CMT.	CMT	1.2	0	0	1.2



M.P. POORV KSHETRA VIDYUT VITARAN CO. LTD.

Block No. 7, Shakti Bhawan, Rampur, Jabalpur - 482 008 (M.P.)



CERTIFICATE

1. The EMB consists of 16 pages.
2. It is certified that the work has been executed as per tender conditions.
3. Certified that the whole of the work billed for herein has been actually done and that no portion thereof has been previously billed for in any shape.
4. The measurements are checked and verified by the undersigned as per Delegation of Power/Tender conditions.
5. It is to certify that Project Monitoring Agency PMA-FE has verified as per requirement of tender conditions.
6. It is to certify that Project Monitoring Agency PMA-DTL has verified as per requirement of tender conditions.
7. It is to certify that Project Monitoring Agency PMA-TL has verified as per requirement of tender conditions.

Contractor
Location : Singrauli

Project Monitoring Authority
Location : Singrauli

Junior Engineer
Location : Bargawan

Executive Engineer
Location : Waidhan O&M

Superintendent Engineer
Location : Singrauli