



**RDSS - GIS ABSTRACT MEASUREMENT**

**Firm Name - M/s Universal MEP Project & Engineering Services Ltd.Mumbai, Maharashtra**

**PACKAGE NO. - 4**

| CIRCLE                   | DIVISION                   | DC          | FEEDER ID | TASK NAME                                          | ERP PROJECT ID | MB NUMBER | DATE OF MEASUREMENT |
|--------------------------|----------------------------|-------------|-----------|----------------------------------------------------|----------------|-----------|---------------------|
| O&M Circle<br>Ashoknagar | O&M Division<br>Ashoknagar | Eshagarh DC | 60320     | EXTENSION OF EXISTING 11K<br>JAGANKHEDI MIX FEEDER | 289577         | 1         | 14-02-2026          |

**ITEM WISE QUANTITY DETAILS**

| S.NO. | SCH NO          | ITEM CODE | DESCRIPTION                                                                  | ITEM UNIT | BOQ QUANTITY | CURRENT MB QUANTITY | TOTAL MB QUANTITY | BALANCE MB QUANTITY |
|-------|-----------------|-----------|------------------------------------------------------------------------------|-----------|--------------|---------------------|-------------------|---------------------|
| 1     | RDCZ-C-10.1 Mat | M-0403012 | G.I. WIRES 4.0 MM. (8 SWG)                                                   | KG        | 2.4          | 0                   | 0                 | 2.4                 |
| 2     | RDCZ-C-10.1 Mat | M-0403016 | Anti climbing devices ( Barbed wire 2.24 mm dia, 14 SWG)                     | NO        | 3            | 3                   | 3                 | 0                   |
| 3     | RDCZ-C-10.1 Mat | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                               | KG        | 33           | 22                  | 22                | 11                  |
| 4     | RDCZ-C-10.1 Mat | M-0403096 | Earthing Coil of 115 Turns of 50 MM.Dia and 2.5 Mtr. Lead of 4.0 MM G.I Wire | NO        | 3            | 3                   | 3                 | 0                   |
| 5     | RDCZ-C-10.1 Mat | M-0403208 | M.S.Nuts with Bolts                                                          | KG        | 27           | 27                  | 27                | 0                   |
| 6     | RDCZ-C-10.1 Mat | M-0404210 | 11 KV Strain hardware (T&C type) fittings                                    | EA        | 6            | 6                   | 6                 | 0                   |
| 7     | RDCZ-C-10.1 Mat | M-0501004 | 140 Kg.,8.0 Mtrs. long PCC pole                                              | EA        | 3            | 3                   | 3                 | 0                   |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|    |                 |           |                                                                                        |     |       |       |       |      |
|----|-----------------|-----------|----------------------------------------------------------------------------------------|-----|-------|-------|-------|------|
| 8  | RDCZ-C-10.1 Mat | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                         | NO  | 8     | 8     | 8     | 0    |
| 9  | RDCZ-C-10.1 Mat | M-0502091 | Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                              | SET | 9     | 6     | 6     | 3    |
| 10 | RDCZ-C-10.1 Mat | M-0502104 | D.C. Cross-arms 8 ft centre to center (100x50x6mm) Channel                             | SET | 2     | 2     | 2     | 0    |
| 11 | RDCZ-C-10.1 Mat | M-0502222 | MS strain plate 65x8mm 250mm long                                                      | NO  | 12    | 12    | 12    | 0    |
| 12 | RDCZ-C-10.1 Mat | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                                   | NO  | 6     | 4     | 4     | 2    |
| 13 | RDCZ-C-10.1 Mat | M-0502395 | Horizontal & Cross Bracing set of MS angle of 50X50X6 mm for 8 ft (2.4 mtr ) centre DP | SET | 2     | 0     | 0     | 2    |
| 14 | RDCZ-C-10.1 Mat | M-0502429 | Danger Boards Enamelled 11 KV                                                          | EA  | 1     | 1     | 1     | 0    |
| 15 | RDCZ-C-10.1 Mat | M-0601036 | Stay Insulators 90X65mm                                                                | EA  | 6     | 4     | 4     | 2    |
| 16 | RDCZ-C-10.1 Mat | M-0602002 | 11 KV Pin Insulator Polymer Composit (5 KN)                                            | NO  | 6     | 6     | 6     | 0    |
| 17 | RDCZ-C-10.1 Mat | M-0602007 | 11 KV(45KN) Composite Polymer Disc Insulators                                          | EA  | 6     | 6     | 6     | 0    |
| 18 | RDCZ-C-10.1 Mat | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                                 | CMT | 1.2   | 0.8   | 0.8   | 0.4  |
| 19 | RDCZ-C-10.1 Mat | P-0001037 | Concreting of structures & foundation (1:3:6).                                         | CMT | 1.08  | 0.75  | 0.75  | 0.33 |
| 20 | RDCZ-C-10.1 Mat | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                              | NO  | 3     | 3     | 3     | 0    |
| 21 | RDCZ-C-15.3     | M-0403005 | G.I. Wire 4.0 mm. (8 SWG)                                                              | MT  | 0.012 | 0.012 | 0.012 | 0    |
| 22 | RDCZ-C-15.3     | M-0403011 | G.I. WIRES 5.0 MM. (6 SWG)                                                             | KG  | 25    | 25    | 25    | 0    |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|    |             |           |                                                                               |     |     |       |       |      |
|----|-------------|-----------|-------------------------------------------------------------------------------|-----|-----|-------|-------|------|
| 23 | RDCZ-C-15.3 | M-0403208 | M.S.Nuts with Bolts                                                           | KG  | 5   | 5     | 5     | 0    |
| 24 | RDCZ-C-15.3 | M-0502019 | Back Clamps for H-Beam of MS Flat 65x8mm (Each weight 1.92 Kg)                | NO  | 4   | 4     | 4     | 0    |
| 25 | RDCZ-C-15.3 | M-0502383 | 33 KV Guarding channel 75x40x6 mm                                             | SET | 1   | 1     | 1     | 0    |
| 26 | RDCZ-C-15.3 | P-0404307 | Guarding for line/ Road crossing with 6 SWG GI wire & lacing of 8 SWG GI wire | JOB | 1   | 1     | 1     | 0    |
| 27 | RDCZ-C-7.2  | M-0001001 | Back filling of poles with boulders.                                          | NO  | 15  | 5     | 5     | 10   |
| 28 | RDCZ-C-7.2  | M-0403014 | STAY GI WIRE 7/4.00 MM.(7/8 SWG)                                              | KG  | 225 | 94    | 94    | 131  |
| 29 | RDCZ-C-7.2  | M-0403096 | Earthing Coil of 115 Turns of 50 MM.Dia and 2.5 Mtr. Lead of 4.0 MM G.I Wire  | NO  | 15  | 4     | 4     | 11   |
| 30 | RDCZ-C-7.2  | M-0403208 | M.S.Nuts with Bolts                                                           | KG  | 45  | 38.62 | 38.62 | 6.38 |
| 31 | RDCZ-C-7.2  | M-0404210 | 11 KV Strain hardware (T&C type) fittings                                     | EA  | 90  | 90    | 90    | 0    |
| 32 | RDCZ-C-7.2  | M-0501004 | 140 Kg.,8.0 Mtrs. long PCC pole                                               | EA  | 15  | 4     | 4     | 11   |
| 33 | RDCZ-C-7.2  | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                | NO  | 30  | 17    | 17    | 13   |
| 34 | RDCZ-C-7.2  | M-0502091 | Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                     | SET | 60  | 29    | 29    | 31   |
| 35 | RDCZ-C-7.2  | M-0502222 | MS strain plate 65x8mm 250mm long                                             | NO  | 120 | 94    | 94    | 26   |
| 36 | RDCZ-C-7.2  | M-0502231 | Stay set 20 mm. complete without Stay wire (Painted)                          | NO  | 30  | 18    | 18    | 12   |
| 37 | RDCZ-C-7.2  | M-0502367 | 11 KV Single pole cut point fitting 100x50x6 mm channel                       | SET | 30  | 15.5  | 15.5  | 14.5 |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|    |              |           |                                                                                                     |     |      |     |     |      |
|----|--------------|-----------|-----------------------------------------------------------------------------------------------------|-----|------|-----|-----|------|
| 38 | RDCZ-C-7.2   | M-0502430 | Danger Boards Enamelled 33 KV                                                                       | NO  | 15   | 5   | 5   | 10   |
| 39 | RDCZ-C-7.2   | M-0602002 | 11 KV Pin Insulator Polymer Composit (5 KN)                                                         | NO  | 45   | 37  | 37  | 8    |
| 40 | RDCZ-C-7.2   | M-0602007 | 11 KV(45KN) Composite Polymer Disc Insulators                                                       | EA  | 90   | 87  | 87  | 3    |
| 41 | RDCZ-C-7.2   | M-1214001 | Red oxide paint                                                                                     | L   | 15   | 3   | 3   | 12   |
| 42 | RDCZ-C-7.2   | M-1214002 | Aluminium paint                                                                                     | L   | 15   | 3   | 3   | 12   |
| 43 | RDCZ-C-7.2   | P-0001037 | Concreting of structures & foundation (1:3:6).                                                      | CMT | 9    | 5.4 | 5.4 | 3.6  |
| 44 | RDCZ-C-7.2   | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                                           | NO  | 15   | 4   | 4   | 11   |
| 45 | RDCZ-C-8.3.1 | M-0403096 | Earthing Coil of 115 Turns of 50 MM.Dia and 2.5 Mtr. Lead of 4.0 MM G.I Wire                        | NO  | 6    | 6   | 6   | 0    |
| 46 | RDCZ-C-8.3.1 | M-0403208 | M.S.Nuts with Bolts                                                                                 | KG  | 12   | 12  | 12  | 0    |
| 47 | RDCZ-C-8.3.1 | M-0404370 | Aluminium Binding wire and tape                                                                     | KG  | 1.26 | 1.2 | 1.2 | 0.06 |
| 48 | RDCZ-C-8.3.1 | M-0404435 | Insulation cover for overhead HT lines of crosslinked polyonefin for AAA Dog and Raccoon Conductors | M   | 240  | 220 | 220 | 20   |
| 49 | RDCZ-C-8.3.1 | M-0501067 | H-Beams 152 X 152 mm., 37.1 Kg./Mtr.-11 mtr. Long = 408.1 kg                                        | NO  | 6    | 6   | 6   | 0    |
| 50 | RDCZ-C-8.3.1 | M-0502010 | 11 KV V cross arm 65X65X6 mm. angle type                                                            | NO  | 6    | 6   | 6   | 0    |
| 51 | RDCZ-C-8.3.1 | M-0502019 | Back Clamps for H-Beam of MS Flat 65x8mm (Each weight 1.92 Kg)                                      | NO  | 18   | 12  | 12  | 6    |
| 52 | RDCZ-C-8.3.1 | M-0502060 | 11 KV Top clamp 65X65X6 mm. angle type                                                              | NO  | 6    | 6   | 6   | 0    |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|    |                |           |                                                                              |     |      |      |      |     |
|----|----------------|-----------|------------------------------------------------------------------------------|-----|------|------|------|-----|
| 53 | RDCZ-C-8.3.1   | M-0502429 | Danger Boards Enamelled 11 KV                                                | EA  | 6    | 6    | 6    | 0   |
| 54 | RDCZ-C-8.3.1   | M-0602002 | 11 KV Pin Insulator Polymer Composit (5 KN)                                  | NO  | 18   | 18   | 18   | 0   |
| 55 | RDCZ-C-8.3.1   | M-1214001 | Red oxide paint                                                              | L   | 6    | 6    | 6    | 0   |
| 56 | RDCZ-C-8.3.1   | M-1214002 | Aluminium paint                                                              | L   | 6    | 6    | 6    | 0   |
| 57 | RDCZ-C-8.3.1   | P-0001037 | Concreting of structures & foundation (1:3:6).                               | CMT | 3    | 3    | 3    | 0   |
| 58 | RDCZ-C-8.3.1   | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                    | NO  | 6    | 6    | 6    | 0   |
| 59 | RDCZ-C-9.1 Mat | M-0403012 | G.I. WIRES 4.0 MM. (8 SWG)                                                   | KG  | 17.6 | 3.6  | 3.6  | 14  |
| 60 | RDCZ-C-9.1 Mat | M-0403016 | Anti climbing devices ( Barbed wire 2.24 mm dia, 14 SWG)                     | NO  | 22   | 20   | 20   | 2   |
| 61 | RDCZ-C-9.1 Mat | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                               | KG  | 242  | 200  | 200  | 42  |
| 62 | RDCZ-C-9.1 Mat | M-0403096 | Earthing Coil of 115 Turns of 50 MM.Dia and 2.5 Mtr. Lead of 4.0 MM G.I Wire | NO  | 22   | 22   | 22   | 0   |
| 63 | RDCZ-C-9.1 Mat | M-0403208 | M.S.Nuts with Bolts                                                          | KG  | 66   | 65.8 | 65.8 | 0.2 |
| 64 | RDCZ-C-9.1 Mat | M-0404210 | 11 KV Strain hardware (T&C type) fittings                                    | EA  | 66   | 63   | 63   | 3   |
| 65 | RDCZ-C-9.1 Mat | M-0501004 | 140 Kg.,8.0 Mtrs. long PCC pole                                              | EA  | 22   | 22   | 22   | 0   |
| 66 | RDCZ-C-9.1 Mat | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                               | NO  | 44   | 44   | 44   | 0   |
| 67 | RDCZ-C-9.1 Mat | M-0502091 | Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                    | SET | 66   | 49   | 49   | 17  |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|    |                |           |                                                                                        |     |       |        |        |       |
|----|----------------|-----------|----------------------------------------------------------------------------------------|-----|-------|--------|--------|-------|
| 68 | RDCZ-C-9.1 Mat | M-0502104 | D.C. Cross-arms 8 ft centre to center (100x50x6mm) Channel                             | SET | 11    | 11     | 11     | 0     |
| 69 | RDCZ-C-9.1 Mat | M-0502222 | MS strain plate 65x8mm 250mm long                                                      | NO  | 33    | 33     | 33     | 0     |
| 70 | RDCZ-C-9.1 Mat | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                                   | NO  | 44    | 37     | 37     | 7     |
| 71 | RDCZ-C-9.1 Mat | M-0502395 | Horizontal & Cross Bracing set of MS angle of 50X50X6 mm for 8 ft (2.4 mtr ) centre DP | SET | 11    | 9      | 9      | 2     |
| 72 | RDCZ-C-9.1 Mat | M-0502429 | Danger Boards Enamelled 11 KV                                                          | EA  | 11    | 10     | 10     | 1     |
| 73 | RDCZ-C-9.1 Mat | M-0601036 | Stay Insulators 90X65mm                                                                | EA  | 44    | 44     | 44     | 0     |
| 74 | RDCZ-C-9.1 Mat | M-0602002 | 11 KV Pin Insulator Polymer Composit (5 KN)                                            | NO  | 33    | 30     | 30     | 3     |
| 75 | RDCZ-C-9.1 Mat | M-0602007 | 11 KV(45KN) Composite Polymer Disc Insulators                                          | EA  | 66    | 54     | 54     | 12    |
| 76 | RDCZ-C-9.1 Mat | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                                 | CMT | 8.8   | 7.4    | 7.4    | 1.4   |
| 77 | RDCZ-C-9.1 Mat | P-0001037 | Concreting of structures & foundation (1:3:6).                                         | CMT | 7.92  | 6.2    | 6.2    | 1.72  |
| 78 | RDCZ-C-9.1 Mat | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                              | NO  | 22    | 22     | 22     | 0     |
| 79 | RDCZ-C-9.4 Mat | M-0403208 | M.S.Nuts with Bolts                                                                    | KG  | 0.001 | 0      | 0      | 0.001 |
| 80 | RDCZ-C_1.2     | M-0001001 | Back filling of poles with boulders.                                                   | NO  | 158   | 158    | 158    | 0     |
| 81 | RDCZ-C_1.2     | M-0401012 | AAAC Raccoon conductor 0.075 sq. inch (80 sq.mm. Al.Eq.)                               | KM  | 28.65 | 28.432 | 28.432 | 0.218 |
| 82 | RDCZ-C_1.2     | M-0403012 | G.I. WIRES 4.0 MM. (8 SWG)                                                             | KG  | 112.3 | 103.2  | 103.2  | 9.1   |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|    |            |           |                                                                              |     |        |        |        |      |
|----|------------|-----------|------------------------------------------------------------------------------|-----|--------|--------|--------|------|
| 83 | RDCZ-C_1.2 | M-0403016 | Anti climbing devices ( Barbed wire 2.24 mm dia, 14 SWG)                     | NO  | 158    | 150    | 150    | 8    |
| 84 | RDCZ-C_1.2 | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                               | KG  | 82.5   | 80.5   | 80.5   | 2    |
| 85 | RDCZ-C_1.2 | M-0403096 | Earthing Coil of 115 Turns of 50 MM.Dia and 2.5 Mtr. Lead of 4.0 MM G.I Wire | NO  | 158    | 158    | 158    | 0    |
| 86 | RDCZ-C_1.2 | M-0403208 | M.S.Nuts with Bolts                                                          | KG  | 224.36 | 222.85 | 222.85 | 1.51 |
| 87 | RDCZ-C_1.2 | M-0404370 | Aluminium Binding wire and tape                                              | KG  | 33.8   | 32     | 32     | 1.8  |
| 88 | RDCZ-C_1.2 | M-0501004 | 140 Kg.,8.0 Mtrs. long PCC pole                                              | EA  | 168    | 163    | 163    | 5    |
| 89 | RDCZ-C_1.2 | M-0502010 | 11 KV V cross arm 65X65X6 mm. angle type                                     | NO  | 158    | 158    | 158    | 0    |
| 90 | RDCZ-C_1.2 | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                               | NO  | 316    | 316    | 316    | 0    |
| 91 | RDCZ-C_1.2 | M-0502060 | 11 KV Top clamp 65X65X6 mm. angle type                                       | NO  | 158    | 158    | 158    | 0    |
| 92 | RDCZ-C_1.2 | M-0502091 | Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                    | SET | 15     | 15     | 15     | 0    |
| 93 | RDCZ-C_1.2 | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                         | NO  | 15     | 15     | 15     | 0    |
| 94 | RDCZ-C_1.2 | M-0502429 | Danger Boards Enamelled 11 KV                                                | EA  | 158    | 156    | 156    | 2    |
| 95 | RDCZ-C_1.2 | M-0601036 | Stay Insulators 90X65mm                                                      | EA  | 15     | 15     | 15     | 0    |
| 96 | RDCZ-C_1.2 | M-0602002 | 11 KV Pin Insulator Polymer Composit (5 KN)                                  | NO  | 474    | 474    | 474    | 0    |
| 97 | RDCZ-C_1.2 | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                       | CMT | 3      | 3      | 3      | 0    |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                                                                                                                                           |     |     |       |       |       |
|-----|------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-------|-------|-------|
| 98  | RDCZ-C_1.2 | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                                                                                                                                 | NO  | 158 | 158   | 158   | 0     |
| 99  | RDCZ-D-2.2 | M-0001001 | Back filling of poles with boulders.                                                                                                                                                      | NO  | 30  | 22    | 22    | 8     |
| 100 | RDCZ-D-2.2 | M-0304075 | Single Phase Service connection box (Deep Drwan Metal Service Connection Boxes )with one incoming up to 25 mm2 and 8 no outgoing up to 10 mm2 with insulated multiple outgoing connector- | NO  | 15  | 10    | 10    | 5     |
| 101 | RDCZ-D-2.2 | M-0402098 | LT AB Cable 3x50+1x16+1x35 sq.mm. with bare messenger wire                                                                                                                                | KM  | 1.2 | 1.188 | 1.188 | 0.012 |
| 102 | RDCZ-D-2.2 | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                                                                                                                                            | KG  | 66  | 60.5  | 60.5  | 5.5   |
| 103 | RDCZ-D-2.2 | M-0403096 | Earthing Coil of 115 Turns of 50 MM.Dia and 2.5 Mtr. Lead of 4.0 MM G.I Wire                                                                                                              | NO  | 5   | 5     | 5     | 0     |
| 104 | RDCZ-D-2.2 | M-0403173 | Earthing for PCC Pole 4.00 mm-8 SWG G.I wire- 0.8 Kg, per pole                                                                                                                            | KG  | 16  | 9.4   | 9.4   | 6.6   |
| 105 | RDCZ-D-2.2 | M-0403208 | M.S.Nuts with Bolts                                                                                                                                                                       | KG  | 30  | 28.4  | 28.4  | 1.6   |
| 106 | RDCZ-D-2.2 | M-0404205 | LT A.B Cable tension clamps (Galvanized)                                                                                                                                                  | NO  | 20  | 16    | 16    | 4     |
| 107 | RDCZ-D-2.2 | M-0404219 | LT A B cable Suspension clamps (Galvanized)                                                                                                                                               | NO  | 24  | 21    | 21    | 3     |
| 108 | RDCZ-D-2.2 | M-0404282 | Piercing connector Type-I for single/three phase (Main 16-50 sqmm tap-off 16-50 sqmm)                                                                                                     | NO  | 60  | 30    | 30    | 30    |
| 109 | RDCZ-D-2.2 | M-0404283 | Piercing connector Type-II (Main 16-50 sqmm tap-off 16-50 sqmm)                                                                                                                           | NO  | 40  | 30    | 30    | 10    |
| 110 | RDCZ-D-2.2 | M-0501004 | 140 Kg.,8.0 Mtrs. long PCC pole                                                                                                                                                           | EA  | 20  | 20    | 20    | 0     |
| 111 | RDCZ-D-2.2 | M-0502091 | Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                                                                                                                                                 | SET | 32  | 32    | 32    | 0     |
| 112 | RDCZ-D-2.2 | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                                                                                                                                      | NO  | 12  | 10    | 10    | 2     |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                                                                         |     |      |       |       |       |
|-----|------------|-----------|-------------------------------------------------------------------------------------------------------------------------|-----|------|-------|-------|-------|
| 113 | RDCZ-D-2.2 | M-0601036 | Stay Insulators 90X65mm                                                                                                 | EA  | 12   | 12    | 12    | 0     |
| 114 | RDCZ-D-2.2 | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                                                                  | CMT | 2.4  | 2.4   | 2.4   | 0     |
| 115 | RDCZ-D-2.2 | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                                                               | NO  | 20   | 20    | 20    | 0     |
| 116 | RDCZ-E-2.1 | M-0106031 | BIS certified Energy Efficiency Level-III (Old)/Level-II (New) Conventional 11/0.433KV, 63 KVA Distribution Transformer | NO  | 3    | 3     | 3     | 0     |
| 117 | RDCZ-E-2.1 | M-0118019 | Bi-metallic clamps suitable for 12mm dia stud and 80sqmm AAAC                                                           | EA  | 12   | 12    | 12    | 0     |
| 118 | RDCZ-E-2.1 | M-0118022 | Bi-metallic clamps Distribution Transformers Bushing                                                                    | NO  | 9    | 9     | 9     | 0     |
| 119 | RDCZ-E-2.1 | M-0201106 | 9 KV Gapless type ( 5KA) Polymer for DTR                                                                                | EA  | 9    | 9     | 9     | 0     |
| 120 | RDCZ-E-2.1 | M-0201128 | L.T. Distribution box with Isolator on Incoming with HRC fuse for 63 KVA DTR (200 Amp. Isolator & 6 SP of 60 Amp.)      | NO  | 3    | 3     | 3     | 0     |
| 121 | RDCZ-E-2.1 | M-0201142 | 11 KV D.O. Fuse Unit Polymer type                                                                                       | NO  | 9    | 9     | 9     | 0     |
| 122 | RDCZ-E-2.1 | M-0401013 | AAAC Rabbit conductor 0.05 sq. inch. (55 sq.mm. Al.Eq.)                                                                 | KM  | 0.09 | 0.09  | 0.09  | 0     |
| 123 | RDCZ-E-2.1 | M-0402076 | XLPE Cable 1 core unarmoured 70 sqmm Aluminium conductor 1100 Volts                                                     | KM  | 0.12 | 0.12  | 0.12  | 0     |
| 124 | RDCZ-E-2.1 | M-0402077 | XLPE Cable 1 core unarmoured 50 sqmm Aluminium conductor 1100 Volts                                                     | KM  | 0.24 | 0.136 | 0.136 | 0.104 |
| 125 | RDCZ-E-2.1 | M-0403016 | Anti climbing devices ( Barbed wire 2.24 mm dia, 14 SWG)                                                                | NO  | 6    | 6     | 6     | 0     |
| 126 | RDCZ-E-2.1 | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                                                                          | KG  | 78   | 35    | 35    | 43    |
| 127 | RDCZ-E-2.1 | M-0403042 | G.I.Pipe 40 mm Dia C grade type                                                                                         | M   | 27   | 27    | 27    | 0     |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                         |     |     |     |     |     |
|-----|------------|-----------|-------------------------------------------------------------------------|-----|-----|-----|-----|-----|
| 128 | RDCZ-E-2.1 | M-0403208 | M.S.Nuts with Bolts                                                     | KG  | 42  | 42  | 42  | 0   |
| 129 | RDCZ-E-2.1 | M-0404210 | 11 KV Strain hardware (T&C type) fittings                               | EA  | 9   | 9   | 9   | 0   |
| 130 | RDCZ-E-2.1 | M-0501019 | 200 Kg., 9 Mtrs. long PCC pole                                          | NO  | 6   | 6   | 6   | 0   |
| 131 | RDCZ-E-2.1 | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                          | NO  | 12  | 10  | 10  | 2   |
| 132 | RDCZ-E-2.1 | M-0502091 | Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                               | SET | 30  | 8   | 8   | 22  |
| 133 | RDCZ-E-2.1 | M-0502104 | D.C. Cross-arms 8 ft centre to center (100x50x6mm) Channel              | SET | 3   | 3   | 3   | 0   |
| 134 | RDCZ-E-2.1 | M-0502131 | Transformer mounting Channel (100X50x6 mm.)                             | SET | 3   | 3   | 3   | 0   |
| 135 | RDCZ-E-2.1 | M-0502137 | Trans. Belting with 50 X 50 X 6 mm.angle with two cross fixing channels | NO  | 3   | 3   | 3   | 0   |
| 136 | RDCZ-E-2.1 | M-0502210 | D.O.Mounting Channel 75x40x6mm                                          | NO  | 9   | 9   | 9   | 0   |
| 137 | RDCZ-E-2.1 | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                    | NO  | 12  | 6   | 6   | 6   |
| 138 | RDCZ-E-2.1 | M-0502429 | Danger Boards Enamelled 11 KV                                           | EA  | 3   | 3   | 3   | 0   |
| 139 | RDCZ-E-2.1 | M-0601036 | Stay Insulators 90X65mm                                                 | EA  | 12  | 6   | 6   | 6   |
| 140 | RDCZ-E-2.1 | M-0602007 | 11 KV(45KN) Composite Polymer Disc Insulators                           | EA  | 9   | 9   | 9   | 0   |
| 141 | RDCZ-E-2.1 | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                  | CMT | 2.4 | 1.2 | 1.2 | 1.2 |
| 142 | RDCZ-E-2.1 | P-0001012 | Complete jumpering of DTR                                               | NO  | 3   | 3   | 3   | 0   |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail: rrrdsmpcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                     |     |      |       |       |       |
|-----|------------|-----------|---------------------------------------------------------------------|-----|------|-------|-------|-------|
| 143 | RDCZ-E-2.1 | P-0001037 | Concreting of structures & foundation (1:3:6).                      | CMT | 2.16 | 1.77  | 1.77  | 0.39  |
| 144 | RDCZ-E-2.1 | P-0403018 | G.I. STRIP 25X3 MM1                                                 | KG  | 99   | 99    | 99    | 0     |
| 145 | RDCZ-E-2.1 | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)           | NO  | 6    | 6     | 6     | 0     |
| 146 | RDCZ-E-2.1 | P-1203004 | Bentonite compound powder                                           | KG  | 300  | 300   | 300   | 0     |
| 147 | RDCZ-E-7.1 | M-0118019 | Bi-metallic clamps suitable for 12mm dia stud and 80sqmm AAAC       | EA  | 28   | 28    | 28    | 0     |
| 148 | RDCZ-E-7.1 | M-0118022 | Bi-metallic clamps Distribution Transformers Bushing                | NO  | 21   | 21    | 21    | 0     |
| 149 | RDCZ-E-7.1 | M-0201106 | 9 KV Gapless type ( 5KA) Polymer for DTR                            | EA  | 21   | 21    | 21    | 0     |
| 150 | RDCZ-E-7.1 | M-0201142 | 11 KV D.O. Fuse Unit Polymer type                                   | NO  | 21   | 21    | 21    | 0     |
| 151 | RDCZ-E-7.1 | M-0304009 | Meter cum protection box for 25 KVA DTR                             | NO  | 7    | 4     | 4     | 3     |
| 152 | RDCZ-E-7.1 | M-0401013 | AAAC Rabbit conductor 0.05 sq. inch. (55 sq.mm. Al.Eq.)             | KM  | 0.21 | 0.21  | 0.21  | 0     |
| 153 | RDCZ-E-7.1 | M-0402078 | XLPE Cable 1 core unarmoured 35 sqmm Aluminium conductor 1100 Volts | KM  | 0.84 | 0.604 | 0.604 | 0.236 |
| 154 | RDCZ-E-7.1 | M-0403016 | Anti climbing devices ( Barbed wire 2.24 mm dia, 14 SWG)            | NO  | 14   | 14    | 14    | 0     |
| 155 | RDCZ-E-7.1 | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                      | KG  | 182  | 97.5  | 97.5  | 84.5  |
| 156 | RDCZ-E-7.1 | M-0403042 | G.I.Pipe 40 mm Dia C grade type                                     | M   | 63   | 63    | 63    | 0     |
| 157 | RDCZ-E-7.1 | M-0403208 | M.S.Nuts with Bolts                                                 | KG  | 98   | 98    | 98    | 0     |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                         |     |     |      |      |      |
|-----|------------|-----------|-------------------------------------------------------------------------|-----|-----|------|------|------|
| 158 | RDCZ-E-7.1 | M-0404210 | 11 KV Strain hardware (T&C type) fittings                               | EA  | 21  | 21   | 21   | 0    |
| 159 | RDCZ-E-7.1 | M-0501019 | 200 Kg., 9 Mtrs. long PCC pole                                          | NO  | 14  | 14   | 14   | 0    |
| 160 | RDCZ-E-7.1 | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                          | NO  | 14  | 14   | 14   | 0    |
| 161 | RDCZ-E-7.1 | M-0502104 | D.C. Cross-arms 8 ft centre to center (100x50x6mm) Channel              | SET | 7   | 7    | 7    | 0    |
| 162 | RDCZ-E-7.1 | M-0502131 | Transformer mounting Channel (100X50x6 mm.)                             | SET | 7   | 7    | 7    | 0    |
| 163 | RDCZ-E-7.1 | M-0502137 | Trans. Belting with 50 X 50 X 6 mm.angle with two cross fixing channels | NO  | 7   | 7    | 7    | 0    |
| 164 | RDCZ-E-7.1 | M-0502210 | D.O.Mounting Channel 75x40x6mm                                          | NO  | 7   | 7    | 7    | 0    |
| 165 | RDCZ-E-7.1 | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                    | NO  | 28  | 19   | 19   | 9    |
| 166 | RDCZ-E-7.1 | M-0502260 | Clamp 65X8 MM of MS Flat for pcc Pole 280Kg. (Each weight 3.04 kg )     | PR  | 70  | 66   | 66   | 4    |
| 167 | RDCZ-E-7.1 | M-0502429 | Danger Boards Enamelled 11 KV                                           | EA  | 7   | 7    | 7    | 0    |
| 168 | RDCZ-E-7.1 | M-0601036 | Stay Insulators 90X65mm                                                 | EA  | 28  | 19   | 19   | 9    |
| 169 | RDCZ-E-7.1 | M-0602007 | 11 KV(45KN) Composite Polymer Disc Insulators                           | EA  | 21  | 21   | 21   | 0    |
| 170 | RDCZ-E-7.1 | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                  | CMT | 5.6 | 5.35 | 5.35 | 0.25 |
| 171 | RDCZ-E-7.1 | P-0001012 | Complete jumpering of DTR                                               | NO  | 7   | 7    | 7    | 0    |
| 172 | RDCZ-E-7.1 | P-0001037 | Concreting of structures & foundation (1:3:6).                          | CMT | 3.5 | 3.46 | 3.46 | 0.04 |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                                                                                          |    |      |       |       |       |
|-----|------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------|----|------|-------|-------|-------|
| 173 | RDCZ-E-7.1 | P-0001251 | Shifting charges BIS certified Energy Efficiency Level-III (Old)/Level-II (New) Conventional 11/0.433KV, 25 KVA Distribution Transformer | NO | 7    | 7     | 7     | 0     |
| 174 | RDCZ-E-7.1 | P-0403018 | G.I. STRIP 25X3 MM1                                                                                                                      | KG | 231  | 231   | 231   | 0     |
| 175 | RDCZ-E-7.1 | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                                                                                | NO | 14   | 14    | 14    | 0     |
| 176 | RDCZ-E-7.1 | P-1203004 | Bentonite compound powder                                                                                                                | KG | 700  | 700   | 700   | 0     |
| 177 | RDCZ-E-7.2 | M-0118019 | Bi-metallic clamps suitable for 12mm dia stud and 80sqmm AAC                                                                             | EA | 4    | 4     | 4     | 0     |
| 178 | RDCZ-E-7.2 | M-0118022 | Bi-metallic clamps Distribution Transformers Bushing                                                                                     | NO | 3    | 3     | 3     | 0     |
| 179 | RDCZ-E-7.2 | M-0201106 | 9 KV Gapless type ( 5KA) Polymer for DTR                                                                                                 | EA | 3    | 3     | 3     | 0     |
| 180 | RDCZ-E-7.2 | M-0201128 | L.T. Distribution box with Isolator on Incoming with HRC fuse for 63 KVA DTR (200 Amp. Isolator & 6 SP of 60 Amp.)                       | NO | 1    | 1     | 1     | 0     |
| 181 | RDCZ-E-7.2 | M-0201142 | 11 KV D.O. Fuse Unit Polymer type                                                                                                        | NO | 3    | 3     | 3     | 0     |
| 182 | RDCZ-E-7.2 | M-0401013 | AAC Rabbit conductor 0.05 sq. inch. (55 sq.mm. Al.Eq.)                                                                                   | KM | 0.03 | 0.03  | 0.03  | 0     |
| 183 | RDCZ-E-7.2 | M-0402076 | XLPE Cable 1 core unarmoured 70 sqmm Aluminium conductor 1100 Volts                                                                      | KM | 0.04 | 0.04  | 0.04  | 0     |
| 184 | RDCZ-E-7.2 | M-0402077 | XLPE Cable 1 core unarmoured 50 sqmm Aluminium conductor 1100 Volts                                                                      | KM | 0.08 | 0.032 | 0.032 | 0.048 |
| 185 | RDCZ-E-7.2 | M-0403016 | Anti climbing devices ( Barbed wire 2.24 mm dia, 14 SWG)                                                                                 | NO | 2    | 2     | 2     | 0     |
| 186 | RDCZ-E-7.2 | M-0403019 | STAY WIRE 7/3.15 MM.(7/10 SWG)                                                                                                           | KG | 26   | 11    | 11    | 15    |
| 187 | RDCZ-E-7.2 | M-0403042 | G.I.Pipe 40 mm Dia C grade type                                                                                                          | M  | 9    | 9     | 9     | 0     |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: www.portal.mpcz.in, E-mail:rrrdsmcz@gmail.com)**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                         |     |     |     |     |     |
|-----|------------|-----------|-------------------------------------------------------------------------|-----|-----|-----|-----|-----|
| 188 | RDCZ-E-7.2 | M-0403208 | M.S.Nuts with Bolts                                                     | KG  | 14  | 14  | 14  | 0   |
| 189 | RDCZ-E-7.2 | M-0404210 | 11 KV Strain hardware (T&C type) fittings                               | EA  | 3   | 3   | 3   | 0   |
| 190 | RDCZ-E-7.2 | M-0501019 | 200 Kg., 9 Mtrs. long PCC pole                                          | NO  | 2   | 2   | 2   | 0   |
| 191 | RDCZ-E-7.2 | M-0502023 | Back Clamp for 280 Kg PCC Pole of MS Flat 65x8mm.(Each weight 1.92 Kg)  | NO  | 2   | 2   | 2   | 0   |
| 192 | RDCZ-E-7.2 | M-0502030 | Back Clamp for 140 Kg PCC Pole MS Flat 50x6 mm                          | NO  | 2   | 2   | 2   | 0   |
| 193 | RDCZ-E-7.2 | M-0502104 | D.C. Cross-arms 8 ft centre to center (100x50x6mm) Channel              | SET | 1   | 1   | 1   | 0   |
| 194 | RDCZ-E-7.2 | M-0502131 | Transformer mounting Channel (100X50x6 mm.)                             | SET | 1   | 1   | 1   | 0   |
| 195 | RDCZ-E-7.2 | M-0502137 | Trans. Belting with 50 X 50 X 6 mm.angle with two cross fixing channels | NO  | 1   | 1   | 1   | 0   |
| 196 | RDCZ-E-7.2 | M-0502210 | D.O.Mounting Channel 75x40x6mm                                          | NO  | 3   | 3   | 3   | 0   |
| 197 | RDCZ-E-7.2 | M-0502230 | Stay set complete without Stay wire 16 mm. (Painted)                    | NO  | 4   | 2   | 2   | 2   |
| 198 | RDCZ-E-7.2 | M-0502260 | Clamp 65X8 MM of MS Flat for pcc Pole 280Kg. (Each weight 3.04 kg )     | PR  | 10  | 4   | 4   | 6   |
| 199 | RDCZ-E-7.2 | M-0502429 | Danger Boards Enamelled 11 KV                                           | EA  | 1   | 1   | 1   | 0   |
| 200 | RDCZ-E-7.2 | M-0601036 | Stay Insulators 90X65mm                                                 | EA  | 4   | 2   | 2   | 2   |
| 201 | RDCZ-E-7.2 | M-0602007 | 11 KV(45KN) Composite Polymer Disc Insulators                           | EA  | 3   | 3   | 3   | 0   |
| 202 | RDCZ-E-7.2 | P-0001003 | Concreting of stay (16 mm / 12 mm) @ 0.2 Cmt. per stay                  | CMT | 0.8 | 0.4 | 0.4 | 0.4 |



**M.P. MADHYA KSHETRA VIDYUT VITARAN COMPANY LTD.**  
**(Government of M.P. Undertaking)**  
**Nishtha Parisar, Bijalee Nagar, Govindpura, Bhopal-462023.**  
**(Ph. No. 0755-2602033-36, Fax No. 0755-2589821)**  
**(Website: [www.portal.mpcz.in](http://www.portal.mpcz.in), E-mail: [rrrdsmcz@gmail.com](mailto:rrrdsmcz@gmail.com))**  
**CIN Number: U40109MP2002SGC015119**

|     |            |           |                                                                                                                                          |     |     |     |     |   |
|-----|------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|---|
| 203 | RDCZ-E-7.2 | P-0001012 | Complete jumpering of DTR                                                                                                                | NO  | 1   | 1   | 1   | 0 |
| 204 | RDCZ-E-7.2 | P-0001037 | Concreting of structures & foundation (1:3:6).                                                                                           | CMT | 0.5 | 0.5 | 0.5 | 0 |
| 205 | RDCZ-E-7.2 | P-0001252 | Shifting charges BIS certified Energy Efficiency Level-III (Old)/Level-II (New) Conventional 11/0.433KV, 63 KVA Distribution Transformer | NO  | 1   | 1   | 1   | 0 |
| 206 | RDCZ-E-7.2 | P-0403018 | G.I. STRIP 25X3 MM1                                                                                                                      | KG  | 33  | 33  | 33  | 0 |
| 207 | RDCZ-E-7.2 | P-0702056 | Stone Block/Pre cast block for base pedding(450X450X75MM)                                                                                | NO  | 2   | 2   | 2   | 0 |
| 208 | RDCZ-E-7.2 | P-1203004 | Bentonite compound powder                                                                                                                | KG  | 100 | 100 | 100 | 0 |



**CERTIFICATE**

1. The EMB consists of 16 pages.
2. It is certified that the work has been executed as per tender conditions.
3. Certified that the whole of the work billed for herein has been actually done and that no portion thereof has been previously billed for in any shape.
4. The measurements are checked and verified by the undersigned as per Delegation of Power/Tender conditions.
5. It is to certify that Project Monitoring Agency PMA-FE has verified as per requirement of tender conditions.
6. It is to certify that Project Monitoring Agency PMA-DTL has verified as per requirement of tender conditions.
7. It is to certify that Project Monitoring Agency PMA-TL has verified as per requirement of tender conditions.

Signature Not Verified

ANUP SINGH  
2026.02.23 14:55  
Reason :Approve and Sign  
Location : OMCircleAshoknagar  
Contractor

Location : O&M Circle Ashoknagar

Digitally signed by RAHEES AHMAD.

Date: 23-02-2026 17:35:13.

Reason: Approve and Sign.

Location: OMCircleAshoknagar.

Project Monitoring Authority

Location : O&M Circle Ashoknagar

Digitally signed by ANIRUDHA KUMAR.

Date: 23-02-2026 17:53:44.

Reason: Approve and Sign.

Location: EshagarhDC.

Junior Engineer

Location : Eshagarh DC

Digitally signed by DEVENDRA SINGH MEHRA.

Date: 24-02-2026 15:40:02.

Reason: Approve and Sign.

Location: OMDivisionAshoknagar.

Executive Engineer

Location : O&M Division Ashoknagar

Superintendent Engineer

Location : O&M Circle Ashoknagar