Assignment 5 :

```
/* ========================================================================
   KBTCOE Connect — Positioning & Advanced CSS Stylesheet (positioning.css)
   Assignment 05: CSS Positioning & Other CSS Properties
   Demonstrates: static, relative, absolute, fixed, sticky, z-index,
                 overflow, opacity, box-shadow, transform, and transition.
   ======================================================================== */

/* ------------------------------------------------------------------------
   1. Global Resets & Typography
   ------------------------------------------------------------------------ */
* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

html {
  font-size: 16px;
  scroll-behavior: smooth;
}

body {
  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, "Helvetica
Neue", Arial, sans-serif;
  color: #0F172A;
  background-color: #F8FAFC;
  line-height: 1.6;
  min-height: 180vh; /* Deliberately tall to enable ample scrolling for sticky
nav and fixed FAB testing */
  overflow-x: hidden; /* Demonstrating overflow property */
}

/* Base Typographic Selectors */
h1, h2, h3, h4 {
  color: #1E3A8A;
  font-weight: 700;
  line-height: 1.3;
}

p {
  color: #334155;
  margin-bottom: 0.85rem;
}

a {
  color: #2563EB;
  text-decoration: none;
  transition: color 0.2s ease; /* Transition property */
}
```

```
a:hover {
  color: #1D4ED8;
  text-decoration: underline;
}

img {
  max-width: 100%;
  height: auto;
  display: block;
}

.container {
  width: 92%;
  max-width: 1140px;
  margin: 0 auto;
}

/* ------------------------------------------------------------------------
   2. PROPERTY DEMO: position: static (Normal Document Flow)
   ------------------------------------------------------------------------ */
/* Static positioning is the default browser flow. Top, right, bottom, left,
   and z-index have NO effect on static elements. */
.demo-card-static {
  position: static;
  background-color: #F1F5F9;
  border: 1px dashed #94A3B8;
  border-radius: 8px;
  padding: 16px 20px;
  margin-bottom: 24px;
}

.demo-card-static h4 {
  color: #334155;
  margin-bottom: 6px;
}

/* ------------------------------------------------------------------------
   3. PROPERTY DEMO: position: sticky with z-index (Sticky Navigation Bar)
   ------------------------------------------------------------------------ */
/* Sticks to the viewport at top: 0 once scrolled past, staying within its
container flow */
.sticky-nav-wrapper {
  position: sticky;
  top: 0;
  z-index: 100; /* Stacking order: above normal content, below modal & FAB */
  background-color: #1E3A8A;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15); /* box-shadow property */
  transition: background-color 0.3s ease; /* transition property */
}

.nav-container {
  display: flex;
  justify-content: space-between;
  align-items: center;
```

```
  padding: 12px 0;
}

.nav-brand-group {
  display: flex;
  align-items: center;
  gap: 12px;
}

.nav-logo-img {
  max-width: 220px;
  height: auto;
}

.sticky-badge {
  background-color: #F59E0B;
  color: #78350F;
  font-size: 0.72rem;
  font-weight: 800;
  padding: 2px 8px;
  border-radius: 12px;
  text-transform: uppercase;
  letter-spacing: 0.5px;
}

.nav-menu {
  display: flex;
  list-style: none;
  gap: 16px;
}

.nav-menu-link {
  color: #FFFFFF;
  font-weight: 600;
  font-size: 0.9rem;
  padding: 6px 12px;
  border-radius: 4px;
  transition: background-color 0.2s ease, transform 0.2s ease;
}

.nav-menu-link:hover {
  background-color: #2563EB;
  color: #FFFFFF;
  text-decoration: none;
  transform: translateY(-1px); /* transform property */
}

/* ------------------------------------------------------------------------
   4. PROPERTY DEMO: position: relative & position: absolute
   (Avatar Status Badge and Card Ribbon)
   ------------------------------------------------------------------------ */
/* .card utilizes position: relative to serve as the containing block for
absolute children */
.card-relative {
```

```
  position: relative;
  background-color: #FFFFFF;
  border: 1px solid #E2E8F0;
  border-radius: 10px;
  padding: 24px;
  margin-bottom: 24px;
  box-shadow: 0 1px 3px rgba(0, 0, 0, 0.08); /* box-shadow */
  transition: transform 0.25s cubic-bezier(0.4, 0, 0.2, 1), box-shadow 0.25s
ease; /* transition */
  overflow: hidden; /* overflow control for corner ribbon */
}

.card-relative:hover {
  transform: translateY(-4px); /* transform */
  box-shadow: 0 10px 25px -5px rgba(0, 0, 0, 0.1), 0 8px 10px -6px rgba(0, 0, 0,
0.05); /* box-shadow */
}

/* Absolute Corner Ribbon (positioned relative to .card-relative) */
.ribbon-absolute {
  position: absolute;
  top: 14px;
  right: -32px;
  width: 120px;
  background-color: #2563EB;
  color: #FFFFFF;
  text-align: center;
  font-size: 0.7rem;
  font-weight: 700;
  letter-spacing: 0.5px;
  padding: 4px 0;
  transform: rotate(45deg); /* transform rotate */
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.15);
  z-index: 10;
}

/* Avatar Wrapper (Relatively Positioned Containing Block) */
.avatar-container {
  position: relative;
  display: inline-block;
  width: 76px;
  height: 76px;
}

.avatar-image {
  width: 76px;
  height: 76px;
  border-radius: 50%;
  border: 2px solid #2563EB;
}

/* Status Badge (Position: absolute relative to .avatar-container) */
.status-badge-absolute {
  position: absolute;
```

```
  bottom: 0px;
  right: 0px;
  background-color: #16A34A; /* Green for online */
  color: #FFFFFF;
  border: 2px solid #FFFFFF;
  border-radius: 12px;
  font-size: 0.65rem;
  font-weight: 800;
  padding: 2px 6px;
  line-height: 1.2;
  box-shadow: 0 1px 3px rgba(0, 0, 0, 0.2);
  display: flex;
  align-items: center;
  gap: 3px;
  z-index: 5;
}

.status-dot {
  width: 6px;
  height: 6px;
  background-color: #FFFFFF;
  border-radius: 50%;
  display: inline-block;
}

/* ------------------------------------------------------------------------
   5. PROPERTY DEMO: overflow (Scrollable Code & Technical Preview)
   ------------------------------------------------------------------------ */
/* Demonstrates overflow-y: auto with constrained max-height to handle long
content */
.scrollable-preview-box {
  max-height: 160px;
  overflow-y: auto; /* overflow control */
  overflow-x: hidden;
  background-color: #0F172A;
  color: #E2E8F0;
  padding: 14px 16px;
  border-radius: 6px;
  font-family: "Courier New", Courier, monospace;
  font-size: 0.82rem;
  line-height: 1.5;
  border: 1px solid #334155;
  margin: 12px 0;
}

/* Custom WebKit Scrollbar Styling for overflow demonstration */
.scrollable-preview-box::-webkit-scrollbar {
  width: 8px;
}

.scrollable-preview-box::-webkit-scrollbar-track {
  background: #1E293B;
  border-radius: 4px;
}
```

```
.scrollable-preview-box::-webkit-scrollbar-thumb {
  background: #3B82F6;
  border-radius: 4px;
}

.scrollable-preview-box::-webkit-scrollbar-thumb:hover {
  background: #60A5FA;
}

/* ------------------------------------------------------------------------
   6. PROPERTY DEMO: opacity & subtle state indicators
   ------------------------------------------------------------------------ */
.muted-timestamp {
  font-size: 0.8rem;
  color: #64748B;
  opacity: 0.85; /* opacity property */
  transition: opacity 0.2s ease;
}

.muted-timestamp:hover {
  opacity: 1; /* opacity transition on hover */
}

.btn-disabled-demo {
  opacity: 0.55; /* opacity property */
  cursor: not-allowed !important;
  pointer-events: none;
}

/* ------------------------------------------------------------------------
   7. PROPERTY DEMO: position: fixed (Floating Action Button - FAB)
   ------------------------------------------------------------------------ */
/* Fixed in the bottom-right corner of the viewport, independent of page scroll
*/
.fab-button {
  position: fixed;
  bottom: 32px;
  right: 32px;
  z-index: 500; /* Stacking: above sticky nav & cards, below modal overlay */
  width: 60px;
  height: 60px;
  border-radius: 50%;
  background: linear-gradient(135deg, #1E3A8A 0%, #2563EB 100%);
  color: #FFFFFF;
  border: none;
  box-shadow: 0 4px 16px rgba(37, 99, 235, 0.45); /* box-shadow */
  cursor: pointer;
  display: flex;
  justify-content: center;
  align-items: center;
  font-size: 1.75rem;
  line-height: 1;
  transition: transform 0.25s cubic-bezier(0.175, 0.885, 0.32, 1.275),
```

```
box-shadow 0.25s ease; /* transition */
}

.fab-button:hover {
  transform: scale(1.1) rotate(90deg); /* transform scale & rotate */
  box-shadow: 0 8px 24px rgba(37, 99, 235, 0.6);
}

.fab-button:active {
  transform: scale(0.95);
}

.fab-tooltip {
  position: absolute;
  right: 70px;
  background-color: #0F172A;
  color: #FFFFFF;
  font-size: 0.75rem;
  font-weight: 600;
  padding: 4px 10px;
  border-radius: 4px;
  white-space: nowrap;
  pointer-events: none;
  opacity: 0;
  transition: opacity 0.2s ease, transform 0.2s ease;
  transform: translateX(10px);
}

.fab-button:hover .fab-tooltip {
  opacity: 1;
  transform: translateX(0);
}

/* ------------------------------------------------------------------------
   8. PROPERTY DEMO: Modal Overlay (fixed, z-index: 1000, absolute centering)
   ------------------------------------------------------------------------ */
/* Backdrop covers entire viewport using position: fixed and
top/bottom/left/right: 0 */
.modal-overlay {
  position: fixed;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  background-color: rgba(15, 23, 42, 0.65); /* Dark translucent backdrop */
  z-index: 1000; /* Stacking: highest layer in document */
  display: flex;
  justify-content: center;
  align-items: center;
  opacity: 0;
  visibility: hidden;
  transition: opacity 0.3s ease, visibility 0.3s ease; /* transition */
}
```

```
/* Active State for Modal */
.modal-overlay.active {
  opacity: 1;
  visibility: visible;
}

/* Modal Dialog Box centered with fixed coordinates and transform */
.modal-box {
  position: relative; /* Containing block for absolute close button */
  background-color: #FFFFFF;
  width: 90%;
  max-width: 520px;
  border-radius: 12px;
  padding: 28px;
  box-shadow: 0 20px 25px -5px rgba(0, 0, 0, 0.25), 0 8px 10px -6px rgba(0, 0,
0, 0.1); /* box-shadow */
  z-index: 1001; /* Stacking: above overlay backdrop */
  transform: scale(0.9) translateY(20px); /* transform initial state */
  transition: transform 0.3s cubic-bezier(0.34, 1.56, 0.64, 1); /* smooth spring
transition */
}

.modal-overlay.active .modal-box {
  transform: scale(1) translateY(0); /* transform active state */
}

/* Close Button (position: absolute in top right of modal-box) */
.modal-close-btn {
  position: absolute;
  top: 16px;
  right: 18px;
  background: #F1F5F9;
  border: none;
  font-size: 1.25rem;
  width: 32px;
  height: 32px;
  border-radius: 50%;
  cursor: pointer;
  color: #64748B;
  display: flex;
  align-items: center;
  justify-content: center;
  transition: background-color 0.2s ease, color 0.2s ease, transform 0.2s ease;
}

.modal-close-btn:hover {
  background-color: #E2E8F0;
  color: #0F172A;
  transform: rotate(90deg);
}

.modal-title {
  font-size: 1.35rem;
  color: #1E3A8A;
```

```
  margin-bottom: 6px;
}

.modal-desc {
  font-size: 0.88rem;
  color: #64748B;
  margin-bottom: 20px;
}

/* Modal Form Styles */
.form-group {
  margin-bottom: 14px;
}

.form-label {
  display: block;
  font-size: 0.85rem;
  font-weight: 600;
  color: #1E293B;
  margin-bottom: 4px;
}

.form-input,
.form-select,
.form-textarea {
  width: 100%;
  padding: 9px 12px;
  border: 1px solid #CBD5E1;
  border-radius: 6px;
  font-size: 0.9rem;
  font-family: inherit;
  transition: border-color 0.2s ease, box-shadow 0.2s ease;
}

.form-input:focus,
.form-select:focus,
.form-textarea:focus {
  outline: none;
  border-color: #2563EB;
  box-shadow: 0 0 0 3px rgba(37, 99, 235, 0.2);
}

.form-actions {
  display: flex;
  justify-content: flex-end;
  gap: 10px;
  margin-top: 20px;
}

/* ------------------------------------------------------------------------
   9. Buttons and UI Components
   ------------------------------------------------------------------------ */
.btn {
  display: inline-block;
```

```
  padding: 8px 18px;
  border-radius: 6px;
  font-size: 0.9rem;
  font-weight: 600;
  cursor: pointer;
  border: 1px solid transparent;
  transition: background-color 0.2s ease, transform 0.15s ease, box-shadow 0.2s
ease;
}

.btn-primary {
  background-color: #1E3A8A;
  color: #FFFFFF;
}

.btn-primary:hover {
  background-color: #1E40AF;
  transform: translateY(-1px);
  box-shadow: 0 2px 6px rgba(30, 58, 138, 0.3);
}

.btn-secondary {
  background-color: #F1F5F9;
  color: #334155;
  border-color: #CBD5E1;
}

.btn-secondary:hover {
  background-color: #E2E8F0;
  color: #0F172A;
}

.badge-tag {
  display: inline-block;
  background-color: #EFF6FF;
  color: #1E40AF;
  border: 1px solid #BFDBFE;
  padding: 3px 10px;
  border-radius: 12px;
  font-size: 0.78rem;
  font-weight: 600;
  margin-right: 6px;
}

/* Table styling for Opportunity Bulletin */
.styled-table {
  width: 100%;
  border-collapse: collapse;
  margin-top: 14px;
}

.styled-table th,
.styled-table td {
  padding: 10px 12px;
```

```
  border-bottom: 1px solid #E2E8F0;
  font-size: 0.88rem;
  text-align: left;
}

.styled-table th {
  background-color: #F8FAFC;
  color: #1E3A8A;
  font-weight: 600;
}

/* Site Footer */
.footer-section {
  background-color: #0F172A;
  color: #94A3B8;
  padding: 32px 0 20px 0;
  margin-top: 60px;
  font-size: 0.88rem;
}

.footer-section a {
  color: #60A5FA;
}
```