



ZENITH

Design files that agents can safely edit

Plain-text source with stable IDs, design tokens, validation, typed edits, and deterministic PNG/PDF output.

Agents can create output. Teams still cannot trust it.

Most design and document tools were built for manual work, hosted templates, or browser rendering. They give agents no strict contract.

- ✗ **No stable source.**
- ✗ **No safe patch.**
- ✗ **No deterministic render.**

TODAY'S HANDOFF



A Zenith design is not a flat picture.

Flat image



- Pixels only
- Hard to edit safely
- No semantic diff


VS

.zen source

```
text id="title" {  
  span "Quarterly Report"  
}  
rect id="bg" fill=(token)"brand.navy"  
image id="logo" asset="mark"
```

- Readable text
- Stable node IDs
- Reviewable changes

One deterministic path from source to artifact



Same source, same assets, same fonts, same bytes. Invalid documents fail before they ever render.

Agent-safe design loop



Inspect, target stable IDs, apply typed edits, validate, render a preview — and keep an audit trail.

What teams can make



Reports

Bind data, commentary, charts, and brand into a repeatable PDF.



Certificates

Merge rows into personalized PNG / PDF output.



Social graphics

Generate channel-ready visuals from source data.



Campaign variants

Resize and localize one design into many formats.



Invoices / statements

Keep tables, identity, and archival output reproducible.



Release images

Render build-time visuals in CI from repository data.

Make design artifacts as safe to automate as source code.

Readable source. Stable IDs. Design tokens. Typed edits. Validation.
Deterministic render.

Zenith is the deterministic output layer for agentic workflows.

