

DENSITY

TASK 1

Task 1



Góry Łancuchowe is an unique place where you can observe a lot of different phenomenons. However, I was mostly intrigued by the age difference in two separate forests. The more I dived into this place, the more it fascinated me.


Observation

Task 1



While creating several sketches I realized, that you can see deciduous forest from the pine one, but can't see the other if viewed from the opposite angle.



Observation



My Task 1 represents the difference in forests perception depending on the point, location and view angle.

TASK 2


Task 2



I wanted my model to be something abstract, but also showing the concept of my observation. I've done a lot to choose a perfect shape, and after certain amount of time i created my first mockup.

Work with material

Task 2




Strings spread out on my board clearly determine the density difference of two forests.

Work with material

TASK 3

Task 3

While gathering information for Task 3 I came upon a thought, that not so long ago, while being on the street after a foggy night, I saw a wet spider web. The significant amount of water laying on those fragile strings truly amazed me. I decided to amplify this phenomena to my Task 3, create something, that will correlate with spider silk's possibility to catch and hold water.




By making some sketches, I've tried to figure out a way to emphasize my idea. I wanted my project to be functional, but still, not disturbing the surroundings.

Spatial intervention

Task 3

Later I've discovered that Scientists from CAS in Beijing observed that spider silk fibers change structure when they come into contact with water. The fibers form hydrophilic spindle knots while in the joints in between the knots remain smooth, so condensing water droplets slide along the smooth surfaces and coalesce into bigger drops at the knots.

They also found out that dipping nylon strings in polymer solution and then drying them out will form a very similar structure to a spider silk. There couldn't be any better material to use in my intervention.



Spatial intervention




The hardest part was to find the intersection between functional aspects of the strings and goals of "Weather Catcher", not even to mention the fact, that it should also be clearly connected to my main topic.

I decided to create some kind of humidity detector, which, depending on the strings density, will be seen differently for viewers who stand in various positions.



Modified nylon threads, which would capture water particles, attached to the trees on particular elevation level will form a dense canvas for one person, while being almost invisible for the other one.

TASK 4



With Task 4 I provided all the technical solutions and brought clarity to my intervention.