Solution

Section R.1 – Derivative

Exercise

Find the derivative of
$$f(t) = -3t^2 + 2t - 4$$

Solution

$$f'(t) = -6t + 2$$

Exercise

Find the derivative of $g(x) = 4\sqrt[3]{x} + 2$

$$g(x) = 4\sqrt[3]{x} + 2$$

Solution

$$g(x) = 4x^{1/3} + 2$$

$$g'(x) = \frac{4}{3}x^{-2/3}$$
$$= \frac{4}{3x^{2/3}}$$

$$=\frac{4}{3\sqrt[3]{x^2}}$$

Exercise

Find the derivative of
$$f(x) = x(x^2 + 1)$$

Solution

$$f(x) = x^3 + x$$

$$f'(x) = 3x^2 + 1$$

Exercise

Find the derivative of
$$f(x) = \frac{2x^2 - 3x + 1}{x}$$

$$f(x) = \frac{2x^2}{x} - \frac{3x}{x} + \frac{1}{x}$$

$$=2x-3+\frac{1}{x}$$

$$f'(x) = 2 - \frac{1}{x^2}$$

$$\left(\frac{1}{x}\right)' = -\frac{1}{x^2}$$

Find the derivative of
$$f(x) = \frac{4x^3 - 3x^2 + 2x + 5}{x^2}$$

Solution

$$f(x) = 4x - 3 + \frac{2}{x} + 5x^{-2}$$

$$(\frac{1}{x})' = -\frac{1}{x^{2}}$$

$$f'(x) = 4 - \frac{2}{x^{2}} - 10x^{-3}$$

$$= 4 - \frac{2}{x^{2}} - \frac{10}{x^{3}}$$

Exercise

Find the derivative of
$$f(x) = \frac{-6x^3 + 3x^2 - 2x + 1}{x}$$

Solution

$$f(x) = -6x^{2} + 3x - 2 + \frac{1}{x}$$

$$\left(\frac{1}{x}\right)' = -\frac{1}{x^{2}}$$

$$f'(x) = -12x + 3 - \frac{1}{x^{2}}$$

Exercise

Find the derivative of $f(x) = x \left(1 - \frac{2}{x+1}\right)$

$$f(x) = x - \frac{2x}{x+1}$$

$$\left(\frac{2x}{x+1}\right)' \Rightarrow \qquad f = 2x \qquad f' = 2$$

$$g = x+1 \qquad g' = 1$$

$$f'(x) = 1 - \frac{2(x+1) - 2x}{(x+1)^2}$$

$$= 1 - \frac{2x + 2 - 2x}{(x+1)^2}$$

$$= 1 - \frac{2}{(x+1)^2}$$

Find the derivative of $g(s) = \frac{s^2 - 2s + 5}{\sqrt{s}}$

Solution

$$g(s) = \frac{s^2}{s^{1/2}} - 2\frac{s}{s^{1/2}} + \frac{5}{s^{1/2}}$$

$$= s^{3/2} - 2s^{1/2} + 5s^{-1/2}$$

$$g'(s) = \frac{3}{2}s^{1/2} - 2\frac{1}{2}s^{-1/2} + 5\left(-\frac{1}{2}\right)s^{-3/2}$$

$$= \frac{3}{2}s^{1/2} - s^{-1/2} - \frac{5}{2}s^{-3/2}$$

$$= \frac{3}{2}\sqrt{s} - \frac{1}{\sqrt{s}} - \frac{5}{2s\sqrt{s}}$$

$$= \frac{3}{2}\sqrt{s} - \frac{1}{\sqrt{s}} - \frac{5}{2s\sqrt{s}}$$

Exercise

Find the derivative of $f(x) = \frac{x+1}{\sqrt{x}}$

Solution

$$f(x) = \frac{x}{x^{1/2}} + \frac{1}{x^{1/2}}$$
$$= x^{1/2} + x^{-1/2}$$

$$f'(x) = \frac{1}{2}x^{-1/2} - \frac{1}{2}x^{-3/2}$$
$$= \frac{1}{2x^{1/2}} - \frac{1}{2x^{3/2}}$$

Exercise

Find the derivative to the following functions $y = 3x(2x^2 + 5x)$

$$y = 6x^3 + 15x^2$$
$$y' = 18x^2 + 30x$$

Find the derivative to the following functions $y = 3(2x^2 + 5x)$

Solution

$$y = 6x^2 + 15x$$
$$y' = 12x + 15$$

Exercise

Find the derivative to the following functions $y = \frac{x^2 + 4x}{5}$

Solution

$$y = \frac{1}{5} \left(x^2 + 4x \right)$$
$$y' = \frac{1}{5} \left(2x + 4 \right)$$

Exercise

Find the derivative to the following functions $y = \frac{3x^4}{5}$

Solution

$$y = \frac{3}{5}x^4$$
$$y' = \frac{12}{5}x^3$$

Exercise

Find the derivative to the following functions $y = \frac{x^2 - 4}{2x + 5}$

Solution

$$y' = \frac{2x^2 + 10x + 8}{(2x+5)^2}$$

$$\frac{1}{(2x+5)^2}$$

4

Find the derivative to the following functions $y = \frac{(1+x)(2x-1)}{x-1}$

Solution

$$y = \frac{(1+x)(2x-1)}{x-1}$$
$$= \frac{2x^2 + x - 1}{x-1}$$

$$y' = \frac{2x^2 - 4x}{(x - 1)^2}$$

$$y' = \frac{2x^2 - 4x}{(x-1)^2}$$

$$0 \quad 1 \quad -1$$

$$\frac{ax^2 + bx + c}{dx^2 + ex + f}' = \frac{(ae - bd)x^2 + 2(af - cd)x + bf - ce}{(dx^2 + ex + f)^2}$$

Exercise

Find the derivative to the following functions $y = \frac{4}{2x+1}$

Solution

$$y' = -\frac{8}{(2x+1)^2}$$

$$y' = -\frac{8}{(2x+1)^2} \qquad \left(\frac{ax+b}{cx+d}\right)' = \frac{ad-bc}{(cx+d)^2}$$

Exercise

Find the derivative to the following functions $y = \frac{2}{(x-1)^3}$

Solution

$$y' = -\frac{6}{(x-1)^4}$$

$$\left(\frac{1}{U^n}\right)' = -\frac{nU'}{U^{n+1}}$$

Exercise

Find the derivative to the following functions $y = \sqrt[3]{(x+4)^2}$

Solution

$$y = \left(x+4\right)^{2/3}$$

$$y' = \frac{2}{3\sqrt[3]{x+4}}$$

$$\left(U^n\right)' = nU' \ U^{n-1}$$

5

Find the derivative of $f(x) = \sqrt{2t^2 + 5t + 2}$

Solution

$$f(t) = \left(2t^2 + 5t + 2\right)^{1/2}$$

$$f'(t) = \frac{1}{2}(4t + 5)\left(2t^2 + 5t + 2\right)^{-1/2}$$

$$= \frac{1}{2}\frac{4t + 5}{\sqrt{2t^2 + 5t + 2}}$$

$$U = 2t^2 + 5t + 2 \rightarrow U' = 4t + 5$$

$$\left(U^n\right)' = nU' \ U^{n-1}$$

Exercise

Find the derivative of $f(x) = \frac{1}{(x^2 - 3x)^2}$

Solution

$$f'(x) = -\frac{2(2x-3)}{(x^2-3x)^3}$$

$$\left(U^n\right)' = nU' \ U^{n-1}$$

6

Exercise

Find the derivative of $y = t^2 \sqrt{t-2}$

Solution

$$y' = \frac{t(2t - 4 + \frac{1}{2}t)}{(t - 2)^{1/2}}$$
$$= \frac{5t^2 - 4t}{2\sqrt{t - 2}}$$

$$\left(U^{n}V^{m}\right)' = U^{n-1}V^{m-1}\left(nU'V + mUV'\right)$$

Exercise

Find the derivative of $y = \left(\frac{6-5x}{x^2-1}\right)^2$

$$y' = \frac{2(5x^2 - 12x + 5)(6 - 5x)}{(x^2 - 1)^3}$$

$$\frac{d}{dx} \left(\frac{ax^n + b}{cx^n + d} \right)^m = mn(ad - bc)x^{n-1} \frac{\left(ax^n + b \right)^{m-1}}{\left(cx^n + d \right)^{m+1}}$$

Find the derivative to the following functions $y = x^2 \sqrt{x^2 + 1}$

Solution

$$y' = \frac{x(2(x^2+1)+\frac{1}{2}(2x)x)}{\sqrt{x^2+1}} \qquad (U^n V^m)' = U^{n-1} V^{m-1} (nU'V + mUV')$$
$$= \frac{x(3x^2+2)}{\sqrt{x^2+1}}$$

Exercise

Find the derivative to the following functions $y = \left(\frac{x+1}{x-5}\right)^2$

Solution

$$y' = -\frac{12(x+1)}{(x-5)^3}$$

$$\frac{d}{dx} \left(\frac{ax^n + b}{cx^n + d}\right)^m = mn(ad - bc)x^{n-1} \frac{\left(ax^n + b\right)^{m-1}}{\left(cx^n + d\right)^{m+1}}$$

Exercise

Find the derivative to the following functions $y = x^2 \sin x$

Solution

$$\underline{y' = 2x \sin x + x^2 \cos x}$$

$$u = x^2 \quad v = \sin x$$

$$u' = 2x \quad v' = \cos x$$

Exercise

Find the derivative to the following functions $y = \frac{\sin x}{x}$

Solution

$$y' = \frac{x \cos x - \sin x}{x^2}$$

$$u = \sin x \quad v = x$$

$$u' = \cos x \quad v' = 1$$

Exercise

Find the derivative to the following functions $y = \frac{\cot x}{1 + \cot x}$

$$u = \cot x \qquad v = 1 + \cot x$$

$$u' = -\csc^2 x \qquad v' = -\csc^2 x$$

$$y' = \frac{-\csc^2 x (1 + \cot x) + \csc^2 x \cot x}{(1 + \cot x)^2}$$

$$= \frac{-\csc^2 x - \csc^2 x \cot x + \csc^2 x \cot x}{(1 + \cot x)^2}$$

$$= \frac{-\csc^2 x}{(1 + \cot x)^2}$$

Find the derivative to the following functions $y = x^2 \sin x + 2x \cos x - 2 \sin x$

Solution

$$y' = 2x\sin x + x^2\cos x + 2\cos x - 2x\sin x - 2\cos x$$
$$= x^2\cos x$$

Exercise

Find the derivative to the following functions $y = x^3 \sin x \cos x$

Solution

$$y' = (x^3)' \sin x \cos x + x^3 (\sin x)' \cos x + x^3 \sin x (\cos x)'$$
$$= 3x^2 \sin x \cos x + x^3 \cos^2 x - x^3 \sin^2 x$$

Exercise

Find the derivative to the following functions $y = \frac{4}{\cos x} + \frac{1}{\tan x}$

$$y' = \frac{-4\sin x}{\cos^2 x} - \frac{\sec^2 x}{\tan^2 x}$$

$$= -4\frac{\sin x}{\cos x} \cdot \frac{1}{\cos^2 x} - \frac{1}{\cos^2 x} \cdot \frac{\cos^2 x}{\sin^2 x}$$

$$= -4\tan x \sec x - \csc^2 x$$

Find the derivative of
$$f(x) = \frac{\left(x^2 - 6x\right)^5}{\left(3x^2 + 5x - 2\right)^4}$$

Solution

$$f(x) = (x^{2} - 6x)^{5} (3x^{2} + 5x - 2)^{-4} \qquad (u^{m}v^{n})' = u^{m-1}v^{n-1} (mu'v + nuv')$$

$$f'(x) = (x^{2} - 6x)^{4} (3x^{2} + 5x - 2)^{-5} [5(2x - 6)(3x^{2} + 5x - 2) - 4(x^{2} - 6x)(6x + 5)]$$

$$= (x^{2} - 6x)^{4} (3x^{2} + 5x - 2)^{-5} [(10x - 30)(3x^{2} + 5x - 2) - 4(6x^{3} - 31x^{2} - 30x)]$$

$$= (x^{2} - 6x)^{4} (3x^{2} + 5x - 2)^{-5}$$

$$x^{3} \qquad 30 - 24$$

$$x^{2} \qquad 50 - 90 + 124$$

$$x \qquad -20 - 150 + 120$$

$$x^{0} \qquad 60$$

$$= \frac{(x^{2} - 6x)^{4} (6x^{3} + 84x^{2} - 50x + 60)}{(3x^{2} + 5x - 2)^{5}}$$

Exercise

Find the derivative of $y = \ln \sqrt{x+5}$

Solution

$$y = \ln(x+5)^{1/2}$$
$$= \frac{1}{2}\ln(x+5)$$
$$y' = \frac{1}{2(x+5)}$$

Exercise

Find the Derivatives of $y = (3x + 7)\ln(2x - 1)$

$$y' = 3x \ln(2x-1) + \frac{2(3x+7)}{2x-1}$$

Find the Derivatives of $f(x) = \ln \sqrt[3]{x+1}$

Solution

$$f(x) = \frac{1}{3} \ln \left(x + 1 \right)$$

$$f'(x) = \frac{1}{3(x+1)}$$

Exercise

Find the Derivatives of $f(x) = \ln\left(x^2 \sqrt{x^2 + 1}\right)$

Solution

$$f(x) = 2 \ln x + \frac{1}{2} \ln (x^2 + 1)$$

$$f'(x) = 2\frac{1}{x} + \frac{1}{2} \frac{2x}{x^2 + 1}$$

$$=\frac{2}{x} + \frac{x}{x^2 + 1}$$

Exercise

Find the Derivatives of $y = \ln \frac{x^2}{x^2 + 1}$

Solution

$$y = \ln x^2 - \ln \left(x^2 + 1 \right)$$

$$y' = \frac{2x}{x^2} - \frac{2x}{x^2 + 1}$$
$$= \frac{2}{x} - \frac{2x}{x^2 + 1}$$

Exercise

Find the derivative of $f(x) = e^{-2x^3}$

$$f'(x) = -\frac{6x^2}{e^{2x^3}}$$

Find the derivative of

$$f(x) = 4e^{x^2}$$

Solution

$$f'(x) = 8xe^{x^2}$$

Exercise

Find the derivative of $f(x) = x^2 e^x$

$$f(x) = x^2 e^{\lambda}$$

Solution

$$f'(x) = (2x)e^x + x^2e^x$$
$$= xe^x (2+x)$$

Exercise

Find the derivative $f(x) = 2x^3 e^x$

$$f(x) = 2x^3 e^{x^3}$$

Solution

$$f'(x) = 6x^{2}e^{x} + 2x^{3}e^{x}$$
$$= 2x^{2}e^{x}(3+x)$$

Exercise

Find the derivative
$$f(x) = \frac{3e^x}{1+e^x}$$

Solution

$$f'(x) = \frac{3e^x}{\left(1 + e^x\right)^2}$$

$$\left(\frac{\alpha+b}{\beta+d}\right)' = \frac{\alpha'd - \beta'b}{\left(\beta+d\right)^2}$$

Exercise

Find the derivative
$$f(x) = 5e^x + 3x + 1$$

$$f'(x) = 5e^x + 3$$

Find the derivative of $f(x) = \frac{e^x + e^{-x}}{2}$

Solution

$$f'(x) = \frac{1}{2}e^x - e^{-x}$$

Exercise

Find the derivative of $f(x) = \frac{e^x}{x^2}$

Solution

$$f'(x) = \frac{x^2 e^x - 2x e^x}{x^4}$$
$$= \frac{x e^x (x-2)}{x^4}$$
$$= \frac{e^x (x-2)}{x^3}$$

Exercise

Find the derivative of $f(x) = x^2 e^x - e^x$

Solution

$$f'(x) = e^{x}(2x) + x^{2}e^{x} - e^{x}$$
$$= e^{x}(x^{2} + 2x - 1)$$

Exercise

Find the derivative of $f(x) = (1+2x)e^{4x}$

$$f'(x) = (2)e^{4x} + (1+2x)(4e^{4x})$$
$$= 2e^{4x}(1+2+4x)$$
$$= 2e^{4x}(3+4x)$$

Find the derivative of $y = x^2 e^{5x}$

Solution

$$y' = x^{2} \left(5e^{5x} \right) + 2x \left(e^{5x} \right)$$
$$= xe^{5x} \left(5x + 2 \right)$$

Exercise

Find the derivative of $y = x^2 e^{-2x}$

Solution

$$y' = 2xe^{-2x} - 2x^{3}e^{-2x}$$
$$= 2xe^{-2x} (1 - x^{2})$$

Exercise

Find the derivative $f(x) = \frac{e^x}{x^2 + 1}$

Solution

$$u = e^{x} v = x^{2} + 1$$

$$u' = e^{x} v' = 2x$$

$$f'(x) = \frac{e^{x}(x^{2} + 1) - 2xe^{x}}{(x^{2} + 1)^{2}}$$

$$= \frac{(x^{2} + 1 - 2x)e^{x}}{(x^{2} + 1)^{2}}$$

Exercise

Find the derivative $f(x) = \frac{1 - e^x}{1 + e^x}$

$$u = 1 - e^{x} \quad v = 1 + e^{x}$$
$$u' = -e^{x} \quad v' = e^{x}$$

$$f'(x) = \frac{-e^{x} (1 + e^{x}) - e^{x} (1 - e^{x})}{(1 + e^{x})^{2}}$$

$$= \frac{-e^{x} - e^{2x} - e^{x} + e^{2x}}{(1 + e^{x})^{2}}$$

$$= -\frac{2e^{x}}{(1 + e^{x})^{2}}$$

Find the Derivatives of $y = \frac{\ln x}{e^{2x}}$

Solution

$$y' = \frac{e^{2x} \left(\frac{1}{x}\right) - \left(2e^{2x}\right) \ln x}{e^{4x}}$$
$$= \frac{e^{2x} - 2x e^{2x} \ln x}{e^{4x}}$$
$$= \frac{1 - 2x \ln x}{e^{2x}}$$

Exercise

Find the Derivatives of $f(x) = e^{2x} \ln(xe^x + 1)$

$$f = e^{2x} U = 2x \to U' = 2 f' = 2e^{2x}$$

$$g = \ln(xe^{x} + 1) U = xe^{x} + 1 \to U' = e^{x} + xe^{x} g' = \frac{e^{x} + xe^{x}}{xe^{x} + 1}$$

$$f'(x) = 2e^{2x} \ln(xe^{x} + 1) + e^{2x} \frac{e^{x} + xe^{x}}{xe^{x} + 1}$$

$$= e^{2x} \left(2\ln(xe^{x} + 1) + \frac{e^{x}(1 + x)}{xe^{x} + 1} \right)$$

Find the Derivatives of
$$f(x) = \frac{xe^x}{\ln(x^2 + 1)}$$

Solution

$$u = xe^{x} \qquad u' = e^{x} + xe^{x}$$

$$v = \ln\left(x^{2} + 1\right) \qquad v' = \frac{2x}{x^{2} + 1}$$

$$f'(x) = \frac{e^{x}\left(1 + x\right)\ln\left(x^{2} + 1\right) - \frac{2x}{x^{2} + 1}xe^{x}}{\left(\ln\left(x^{2} + 1\right)\right)^{2}}$$

$$= \frac{e^{x}\left[\left(1 + x\right)\ln\left(x^{2} + 1\right) - \frac{2x^{2}}{x^{2} + 1}\right]}{\left[\ln\left(x^{2} + 1\right)\right]^{2}}$$

$$= \frac{e^{x}\left[\frac{x^{2} + 1}{(1 + x)\ln\left(x^{2} + 1\right) - 2x^{2}}{\frac{x^{2} + 1}{\ln^{2}\left(x^{2} + 1\right)}}\right]}{\left(x^{2} + 1\right)\left(\ln\left(x^{2} + 1\right)\right)^{2}}$$

$$= \frac{e^{x}\left[\frac{x^{2} + 1}{(1 + x)\ln\left(x^{2} + 1\right) - 2x^{2}}\right]}{\left(x^{2} + 1\right)\left(\ln\left(x^{2} + 1\right)\right)^{2}}$$

Exercise

Find the derivative $y = \cos^{-1}\left(\frac{1}{x}\right)$

$$y = \cos^{-1}\left(\frac{1}{x}\right)$$
$$= \sec^{-1}(x)$$
$$y' = \frac{1}{|x| \cdot \sqrt{x^2 - 1}}$$

Find the derivative $y = \sin^{-1}(\sqrt{2} t)$

Solution

$$y' = \frac{\sqrt{2}}{\sqrt{1 - \left(\sqrt{2}t\right)^2}}$$
$$= \frac{\sqrt{2}}{\sqrt{1 - 2t^2}}$$

Exercise

Find the derivative $y = \sec^{-1}(5s)$

Solution

$$y' = \frac{5s}{|5s|\sqrt{(5s)^2 - 1}}$$
$$= \frac{s}{|s|\sqrt{25s^2 - 1}}$$

Exercise

Find the derivative $y = \cot^{-1} \sqrt{t-1}$

Solution

$$y' = -\frac{\frac{1}{2}(t-1)^{-1/2}}{1 + \left[(t-1)^{1/2} \right]^2}$$
$$= -\frac{1}{2(t-1)^{1/2}(1+t-1)}$$
$$= -\frac{1}{2t\sqrt{t-1}}$$

Exercise

Find the derivative $y = \ln(\tan^{-1} x)$

$$y' = \frac{\frac{1}{1+x^2}}{\tan^{-1}x}$$
$$= \frac{1}{(1+x^2)\tan^{-1}x}$$

Find the derivative $y = \tan^{-1}(\ln x)$

$$y' = \frac{\frac{1}{x}}{1 + (\ln x)^2}$$

$$= \frac{1}{x(1 + (\ln x)^2)}$$

$$(\tan^{-1} u)' = \frac{u'}{1 + u^2}$$

Solution Section R.2 – Integration

Exercise

Find each indefinite integral. $\int \frac{x+2}{\sqrt{x}} dx$

Solution

$$\int \frac{x+2}{\sqrt{x}} dx = \int \left(\frac{x}{x^{1/2}} + \frac{2}{x^{1/2}}\right) dx$$

$$= \int \left(x^{1/2} + 2x^{-1/2}\right) dx$$

$$= \frac{x^{3/2}}{3/2} + 2\frac{x^{1/2}}{1/2} + C$$

$$= \frac{2}{3}x^{3/2} + 4x^{1/2} + C$$

Exercise

Find each indefinite integral $\int 4y^{-3} dy$

Solution

$$\int 4y^{-3} dy = -\frac{2}{y^2} + C$$

Exercise

Find each indefinite integral $\int (x^3 - 4x + 2) dx$

Solution

$$\int (x^3 - 4x + 2) dx = \frac{1}{4}x^4 - 2x^2 + 2x + C$$

Exercise

Find each indefinite integral $\int \left(\sqrt[4]{x^3} + 1\right) dx$

$$\int \left(x^{3/4} + 1\right) dx = \frac{4}{7}x^{7/4} + x + C$$

Find each indefinite integral $\int \sqrt{x} (x+1) dx$

Solution

$$\int x^{1/2} (x+1) dx = \int (x^{3/2} + x^{1/2}) dx$$
$$= \frac{2}{5} x^{5/2} + \frac{2}{3} x^{3/2} + C$$

Exercise

Find each indefinite integral $\int (1+3t)t^2 dt$

Solution

$$\int \left(t^2 + 3t^3\right) dt = \frac{1}{3}t^3 + \frac{3}{4}t^4 + C$$

Exercise

Find each indefinite integral $\int \frac{x^2 - 5}{x^2} dx$

$$\int \frac{x^2 - 5}{x^2} dx = \int \left(1 - \frac{5}{x^2}\right) dx$$
$$= \int \left(1 - 5x^{-2}\right) dx$$
$$= x + 5x^{-1} + C$$
$$= x + \frac{5}{x} + C$$

Find each indefinite integral $\int (-40x + 250) dx$

Solution

$$\int \left(-40x + 250\right) dx = -20x^2 + 250x + C$$

Exercise

Find each indefinite integral $\int (7-3x-3x^2)(2x+1) dx$

Solution

$$\int (7-3x-3x^2)(2x+1) dx = \int (14x+7-6x^2-3x-6x^3-3x^2) dx$$
$$= \int (-6x^3-9x^2+11x+7) dx$$
$$= -\frac{3}{2}x^4-3x^3+\frac{11}{2}x^2+7x+C$$

Exercise

Find the integral
$$(1 + \cos 3\theta) d\theta$$

Solution

$$\int (1+\cos 3\theta)d\theta = \theta + \frac{1}{3}\sin 3\theta + C$$

Exercise

Find the integral
$$\int 2\sec^2\theta \ d\theta$$

$$\int 2\sec^2\theta \ d\theta = 2\tan\theta + C$$

Find the integral
$$\int \sec 2x \tan 2x \ dx$$

Solution

$$\int \sec 2x \tan 2x \ dx = \frac{1}{2} \sec 2x + C$$

Exercise

Find the integral
$$\int 2e^{2x} dx$$

Solution

$$\int 2e^{2x}dx = e^{2x} + C$$

Exercise

Find the integral
$$\int \frac{12}{x} dx$$

Solution

$$\int \frac{12}{x} \, dx = 12 \ln \left| x \right| + C$$

Exercise

Find the integral
$$\int \frac{dx}{\sqrt{1-x^2}}$$

Solution

$$\int \frac{dx}{\sqrt{1-x^2}} = \sin^{-1} x + C$$

Exercise

Find the integral
$$\int \frac{dx}{x^2 + 1}$$

$$\int \frac{dx}{x^2 + 1} = \tan^{-1} x + C$$

Find the integral
$$\int \frac{1 + \tan \theta}{\sec \theta} d\theta$$

Solution

$$\int \frac{1 + \tan \theta}{\sec \theta} d\theta = \int \left(\frac{1}{\sec \theta} + \frac{\tan \theta}{\sec \theta}\right) d\theta$$
$$= \int (\cos \theta + \sin \theta) d\theta$$
$$= \sin \theta - \cos \theta + C$$

Exercise

Find the general solution of the differential equation y' = 2t + 3

Solution

$$dy = (2t+3)dt$$

$$\int dy = \int (2t+3)dt$$

$$y = t^2 + 3t + C$$

Exercise

Find the general solution of the differential equation $y' = 3t^2 + 2t + 3$

Solution

$$\int dy = \int \left(3t^2 + 2t + 3\right)dt$$
$$y = t^3 + t^2 + 3t + C$$

Exercise

Find the general solution of the differential equation $y' = \sin 2t + 2\cos 3t$ Solution

$$\int dy = \int (\sin 2t + 2\cos 3t) dt$$
$$y(t) = -\frac{1}{2}\cos 2t + \frac{2}{3}\sin 3t + C$$

Find the general solution of the differential equation: $y' = x^3 (3x^4 + 1)^2$

Solution

$$d(3x^{4} + 1) = 12x^{3}dx$$

$$\int x^{3} (3x^{4} + 1)^{2} dx = \frac{1}{12} \int (3x^{4} + 1)^{2} d(3x^{4} + 1)$$

$$= \frac{1}{36} (3x^{4} + 1)^{3} + C$$

$$y(x) = \frac{1}{36} (3x^{4} + 1)^{3} + C$$

Exercise

Find the general solution of the differential equation: $y' = 5x \sqrt{x^2 - 1}$

Solution

$$d(x^{2}-1) = 2x dx$$

$$\int 5x(x^{2}-1)^{1/2} dx = \frac{5}{2} \int (x^{2}-1)^{1/2} d(x^{2}-1)$$

$$= \frac{5}{3} (x^{2}-1)^{3/2} + C$$

Exercise

Find the general solution of the differential equation: $y' = x \sqrt{x^2 + 4}$

$$\int x \sqrt{x^2 + 4} \ dx = \frac{1}{2} \int \left(x^2 + 4\right)^{1/2} \ d\left(x^2 + 4\right)$$

$$= \frac{1}{3} \left(x^2 + 4 \right)^{3/2} + C$$

Evaluate the integrals $\int_{-2}^{2} (x^3 - 2x + 3) dx$

Solution

$$\int_{-2}^{2} (x^3 - 2x + 3) dx = \left(\frac{x^4}{4} - x^2 + 3x\right) \Big|_{-2}^{2}$$

$$= \left(\frac{(2)^4}{4} - (2)^2 + 3(2)\right) - \left(\frac{(-2)^4}{4} - (-2)^2 + 3(-2)\right)$$

$$= 12 \mid$$

Exercise

Evaluate the integrals

$$\int_0^1 \left(x^2 + \sqrt{x}\right) dx$$

Solution

$$\int_{0}^{1} \left(x^{2} + \sqrt{x} \right) dx = \left(\frac{x^{3}}{3} + \frac{2}{3} x^{3/2} \right) \Big|_{0}^{1}$$

$$= \left(\frac{(1)^{3}}{3} + \frac{2}{3} (1)^{3/2} \right) - 0$$

$$= 1 \mid$$

Exercise

Evaluate the integrals
$$\int_0^{\pi/3} 4 \sec u \tan u \ du$$

$$\int_{0}^{\pi/3} 4 \sec u \tan u \ du = 4 \sec u \ \bigg|_{0}^{\pi/3}$$
$$= 4 \bigg(\sec \frac{\pi}{3} - \sec 0 \bigg)$$

$$= 4(2-1)$$

$$= 4$$

Evaluate the integrals $\int_{\pi/4}^{3\pi/4} \csc\theta \cot\theta \, d\theta$

Solution

$$\int_{\pi/4}^{3\pi/4} \csc\theta \cot\theta \, d\theta = -\csc\theta \, \begin{vmatrix} 3\pi/4 \\ \pi/4 \end{vmatrix}$$
$$= -\left(\csc\frac{3\pi}{4} - \csc\frac{\pi}{4}\right)$$
$$= -\left(\sqrt{2} - \sqrt{2}\right)$$
$$= 0$$

Exercise

Evaluate the integrals $\int_{-\pi/3}^{-\pi/4} \left(4\sec^2 t + \frac{\pi}{t^2} \right) dt$

Solution

$$\int_{-\pi/3}^{-\pi/4} \left(4\sec^2 t + \frac{\pi}{t^2} \right) dt = \int_{-\pi/3}^{-\pi/4} \left(4\sec^2 t + \pi t^{-2} \right) dt$$

$$= \left(4\tan t - \pi t^{-1} \right) \begin{vmatrix} -\pi/4 \\ -\pi/3 \end{vmatrix}$$

$$= \left(4\tan \left(-\frac{\pi}{4} \right) - \pi \left(-\frac{4}{\pi} \right) \right) - \left(4\tan \left(-\frac{\pi}{3} \right) - \pi \left(-\frac{3}{\pi} \right) \right)$$

$$= \left(4(-1) + 4 \right) - \left(4(-\sqrt{3}) + 3 \right)$$

$$= -\left(-4\sqrt{3} + 3 \right)$$

$$= 4\sqrt{3} - 3$$

Exercise

Evaluate the integrals $\int_{-3}^{-1} \frac{y^5 - 2y}{y^3} \, dy$

$$\int_{-3}^{-1} \frac{y^5 - 2y}{y^3} dy = \int_{-3}^{-1} \left(y^2 - 2y^{-2} \right) dy$$

$$= \frac{1}{3} y^3 + 2y^{-1} \begin{vmatrix} -1 \\ -3 \end{vmatrix}$$

$$= \left(\frac{1}{3} (-1)^3 + \frac{2}{-1} \right) - \left(\frac{1}{3} (-3)^3 + \frac{2}{-3} \right)$$

$$= \frac{22}{3}$$

Evaluate the integrals

$$\int_{1}^{8} \frac{\left(x^{1/3} + 1\right)\left(2 - x^{2/3}\right)}{x^{1/3}} dx$$

Solution

$$\int_{1}^{8} \frac{\left(x^{1/3}+1\right)\left(2-x^{2/3}\right)}{x^{1/3}} dx = \int_{1}^{8} \frac{2x^{1/3}-x+2-x^{2/3}}{x^{1/3}} dx$$

$$= \int_{1}^{8} \left(2-x^{2/3}+2x^{-1/3}-x^{1/3}\right) dx$$

$$= 2x - \frac{3}{5}x^{5/3} + 3x^{2/3} - \frac{3}{4}x^{4/3} \Big|_{1}^{8}$$

$$= \left(2(8) - \frac{3}{5}(8)^{5/3} + 3(8)^{2/3} - \frac{3}{4}(8)^{4/3}\right) - \left(2(1) - \frac{3}{5}(1)^{5/3} + 3(1)^{2/3} - \frac{3}{4}(1)^{4/3}\right)$$

$$= \left(-\frac{16}{5}\right) - \left(\frac{73}{20}\right)$$

$$= -\frac{137}{20}$$

Exercise

Evaluate:
$$\int_{0}^{1} (2t+3)^{3} dt$$

$$d(2t+3) = 2dt$$

$$\int_0^1 (2t+3)^3 dt = \frac{1}{2} \int_0^1 (2t+3)^3 d(2t+3)$$

$$= \frac{1}{8} (2t+3)^4 \begin{vmatrix} 1\\0 \end{vmatrix}$$
$$= \frac{1}{8} (5^4 - 3^4)$$
$$= 68$$

Evaluate the integral $\int_{-1}^{1} r \sqrt{1 - r^2} \, dr$

$$\int_{-1}^{1} r \sqrt{1 - r^2} dr = -\frac{1}{2} \int_{-1}^{1} (1 - r^2)^{1/2} d(1 - r^2)$$

$$= -\frac{1}{3} (1 - r^2)^{3/2} \Big|_{-1}^{1}$$

$$= -\frac{1}{3} (0 - 0)$$

$$= 0$$