

SOLUTION

Section 3.4 – Comparison Tests

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{n^2 + 30}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^2}$, which is a convergent p -series, since $p = 2 > 1$.

Both series have nonnegative terms for $n \geq 1$

$$n^2 \leq n^2 + 30 \Rightarrow \frac{1}{n^2} \geq \frac{1}{n^2 + 30}.$$

Then, by Comparison Test, $\sum_{n=1}^{\infty} \frac{1}{n^2 + 30}$ ***converges***.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{n-1}{n^4 + 2}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^3}$, which is a convergent p -series, since $p = 3 > 1$.

Both series have nonnegative terms for $n \geq 1$

$$n^4 \leq n^4 + 2 \Rightarrow \frac{1}{n^4} \geq \frac{1}{n^4 + 2}$$

$$\frac{n}{n^4} \geq \frac{n}{n^4 + 2} \geq \frac{n-1}{n^4 + 2}$$

$$\frac{1}{n^3} \geq \frac{n}{n^4 + 2} \geq \frac{n-1}{n^4 + 2}$$

Then, by Comparison Test, the given series ***converges***.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=2}^{\infty} \frac{n+2}{n^2-n}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n}$, which is a divergent p -series, since $p = 1 \leq 1$.

Both series have nonnegative terms for $n \geq 2$

$$n^2 - n \leq n^2 \Rightarrow \frac{1}{n^2 - n} \geq \frac{1}{n^2}$$
$$\frac{n}{n^2 - n} \geq \frac{n}{n^2} = \frac{1}{n}$$

Then, by Comparison Test, the given series **diverges**.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{\cos^2 n}{n^{3/2}}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^{3/2}}$, which is a convergent p -series, since $p = \frac{3}{2} > 1$.

Both series have nonnegative terms for $n \geq 1$

$$0 \leq \cos^2 n \leq 1 \Rightarrow 0 \leq \frac{\cos^2 n}{n^{3/2}} \leq \frac{1}{n^{3/2}}$$

Then, by Comparison Test, the given series **converges**.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{\sqrt{n}+1}{\sqrt{n^2+3}}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$, which is a divergent p -series, since $p = \frac{1}{2} < 1$.

Both series have nonnegative terms for $n \geq 1$

$$\sqrt{n} \geq 1 \Rightarrow 2\sqrt{n} \geq 2$$

$$2\sqrt{n} + 1 \geq 3$$

Then, by Comparison Test, the given series *diverges*.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{2^n + 1}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{2^n}$, which is a convergent series.

$$\text{Then } 0 < \frac{1}{2^n + 1} < \frac{1}{2^n}$$

Therefore, the given series *converges* by comparison.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{3n+1}{n^3 + 1}$

Solution

$$\frac{3n+1}{n^3 + 1} \xrightarrow{n \rightarrow \infty} \frac{3}{n^2}$$

$$\frac{3n+1}{n^3 + 1} = \frac{3n}{n^3 + 1} + \frac{1}{n^3 + 1}$$

$$< \frac{3n}{n^3} + \frac{1}{n^3}$$

$$< \frac{3}{n^2} + \frac{1}{n^2}$$

$$= \frac{4}{n^2}$$

Therefore, the given series *converges* by comparison.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=2}^{\infty} \frac{1}{\ln n}$

Solution

$$0 < \ln n < n \Rightarrow \frac{1}{\ln n} > \frac{1}{n}$$

Since $\sum_{n=2}^{\infty} \frac{1}{n}$ **diverges** to infinity (it is a harmonic series), so does $\sum_{n=2}^{\infty} \frac{1}{\ln n}$ by comparison.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{2n-1}$

Solution

$$2n-1 < 2n \Rightarrow \frac{1}{2n-1} > \frac{1}{2n} \text{ for } n \geq 1$$

$$\sum_{n=1}^{\infty} \frac{1}{2n-1} > \frac{1}{2} \sum_{n=1}^{\infty} \frac{1}{n}$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n}$ diverges $p = 1$

The given series **diverges** by comparison test.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{3n^2+2}$

Solution

$$3n^2 + 2 > 3n^2 \Rightarrow \frac{1}{3n^2+2} < \frac{1}{3n^2}$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n^2}$ converges $p > 1$

The given series **converges** by comparison test.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=2}^{\infty} \frac{1}{\sqrt{n}-1}$

Solution

$$\sqrt{n}-1 < \sqrt{n} \Rightarrow \frac{1}{\sqrt{n}-1} > \frac{1}{\sqrt{n}} \text{ for } n \geq 2$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$ diverges $p = \frac{1}{2} < 1$

The given series **diverges** by comparison test.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=0}^{\infty} \frac{4^n}{5^n+3}$

Solution

$$\frac{4^n}{5^n+3} < \frac{4^n}{5^n} = \left(\frac{4}{5}\right)^n$$

By the geometric series: $r = \frac{4}{5} < 1$ converges

The given series **converges** by comparison test.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=2}^{\infty} \frac{\ln n}{n+1}$

Solution

$$\frac{\ln n}{n+1} > \frac{1}{n+1} \quad (\text{and by integral test})$$

The given series **converges** by comparison test with the divergent series.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n^3+1}}$

Solution

$$\frac{1}{\sqrt{n^3+1}} < \frac{1}{\sqrt{n^3}}$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n^{3/2}}$ converges $p = \frac{3}{2} > 1$

The given series **converges** by comparison test.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=0}^{\infty} \frac{1}{n!}$

Solution

$$\frac{1}{n^2} > \frac{1}{n!} \quad \text{For } n > 3$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n^2}$ converges $p = 2 > 1$

The given series **converges** by comparison test using *p-series*

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{4\sqrt[3]{n} - 1}$

Solution

$$\frac{1}{4\sqrt[3]{n} - 1} > \frac{1}{4\sqrt[3]{n}}$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n^{1/3}}$ diverges $p = \frac{1}{3} < 1$

The given series **diverges** by comparison test using *p-series*

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=0}^{\infty} e^{-n^2}$

Solution

$$\frac{1}{e^{n^2}} \leq \frac{1}{e^n}$$

Geometric series: $r = \frac{1}{e} < 1$ converges

The given series **converges** by comparison test.

Exercise

Use the Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{3^n}{2^n - 1}$

Solution

$$\frac{3^n}{2^n - 1} > \left(\frac{3}{2}\right)^n$$

Geometric series: $r = \frac{3}{2} > 1$ diverges

The given series **diverges** by comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{n-2}{n^3 - n^2 + 3}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^2}$, which is a convergent p -series, since $p = 2 > 1$.

$$a_n = \frac{n-2}{n^3 - n^2 + 3} \Rightarrow b_n = \frac{1}{n^2}$$

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{a_n}{b_n} &= \lim_{n \rightarrow \infty} \frac{n-2}{n^3 - n^2 + 3} \cdot \frac{n^2}{1} \\ &= \lim_{n \rightarrow \infty} \frac{n^3 - 2n^2}{n^3 - n^2 + 3} \\ &= 1 > 0 \end{aligned}$$

or *L'Hopital Rule*

Then, by Comparison Test, $\sum_{n=1}^{\infty} \frac{n-2}{n^3 - n^2 + 3}$ **converges**.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=2}^{\infty} \frac{n(n+1)}{(n^2 + 1)(n-1)}$

Solution

Comparing with $\sum_{n=2}^{\infty} \frac{1}{n}$, which is a divergent p -series, since $p = 1 \leq 1$.

$$a_n = \frac{n(n+1)}{(n^2+1)(n-1)} \Rightarrow b_n = \frac{n^2}{n^3} = \frac{1}{n}$$

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{a_n}{b_n} &= \lim_{n \rightarrow \infty} \frac{n(n+1)}{(n^2+1)(n-1)} \cdot \frac{n}{1} \\ &= \lim_{n \rightarrow \infty} \frac{n^3 + n^2}{n^3 - n^2 + n - 1} \\ &= 1 > 0 \end{aligned}$$

Then, by Comparison Test, $\sum_{n=2}^{\infty} \frac{n(n+1)}{(n^2+1)(n-1)}$ *diverges*.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{2^n}{3+4^n}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{2^n}$, which is a convergent geometric, since $|r| = \frac{1}{2} < 1$.

$$a_n = \frac{2^n}{3+4^n} \Rightarrow b_n = \frac{1}{2^n}$$

$$\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = \lim_{n \rightarrow \infty} \frac{2^n}{3+4^n} \cdot \frac{2^n}{1} = \lim_{n \rightarrow \infty} \frac{2^{2n}}{3+4^n} = \lim_{n \rightarrow \infty} \frac{4^n}{3+4^n} = \lim_{n \rightarrow \infty} \frac{4^n \ln 4}{4^n \ln 4} = 1 > 0$$

Then, by Comparison Test, $\sum_{n=1}^{\infty} \frac{2^n}{3+4^n}$ *converges*.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{5^n}{\sqrt{n}4^n}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$, which is a divergent p -series, since $p = \frac{1}{2} < 1$.

$$a_n = \frac{5^n}{\sqrt{n}4^n} \Rightarrow b_n = \frac{1}{\sqrt{n}}$$

$$\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = \lim_{n \rightarrow \infty} \frac{5^n}{\sqrt{n}4^n} \cdot \frac{\sqrt{n}}{1} = \lim_{n \rightarrow \infty} \frac{5^n}{4^n} = \lim_{n \rightarrow \infty} \left(\frac{5}{4}\right)^n = \infty$$

Then, by Comparison Test, $\sum_{n=1}^{\infty} \frac{5^n}{\sqrt{n}4^n}$ **diverges**.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \left(\frac{2n+3}{5n+4}\right)^n$

Solution

Comparing with $\sum_{n=1}^{\infty} \left(\frac{2}{5}\right)^n$, which is a convergent geometric, since $|r| = \frac{2}{5} < 1$.

$$a_n = \left(\frac{2n+3}{5n+4}\right)^n \Rightarrow b_n = \left(\frac{2}{5}\right)^n$$

$$\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = \lim_{n \rightarrow \infty} \left(\frac{2n+3}{5n+4}\right)^n \cdot \left(\frac{5}{2}\right)^n$$

$$= \lim_{n \rightarrow \infty} \left(\frac{10n+15}{10n+8}\right)^n$$

$$= \lim_{n \rightarrow \infty} \left(\frac{10n}{10n}\right)^n$$

$$= \lim_{n \rightarrow \infty} 1^n = 1 > 0$$

Then, by Comparison Test, $\sum_{n=1}^{\infty} \left(\frac{2n+3}{5n+4}\right)^n$ **converges**.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=2}^{\infty} \frac{1}{\ln n}$

Solution

Comparing with $\sum_{n=2}^{\infty} \frac{1}{n}$, which is a divergent p -series, since $p = 1 \leq 1$.

$$a_n = \frac{1}{\ln n} \Rightarrow b_n = \frac{1}{n}$$

$$\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = \lim_{n \rightarrow \infty} \frac{1}{\ln n} \cdot \frac{n}{1}$$

$$\begin{aligned}
&= \lim_{n \rightarrow \infty} \frac{n}{\ln n} \\
&= \lim_{n \rightarrow \infty} \frac{1}{1/n} \\
&= \lim_{n \rightarrow \infty} n \\
&= \infty
\end{aligned}$$

Then, by Comparison Test, $\sum_{n=2}^{\infty} \frac{1}{\ln n}$ *diverges*.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{1+\sqrt{n}}$

Solution

$$\text{Let } b_n = \frac{1}{\sqrt{n}}$$

$$\begin{aligned}
\lim_{n \rightarrow \infty} \frac{1}{1+\sqrt{n}} \bigg/ \frac{1}{\sqrt{n}} &= \lim_{n \rightarrow \infty} \frac{\sqrt{n}}{1+\sqrt{n}} \\
&= 1
\end{aligned}$$

Since the *p-series* diverges to infinity ($p = \frac{1}{2}$), so the given series *diverges* by the limit comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{n+5}{n^3-2n+3}$

Solution

$$\text{Let } b_n = \frac{1}{n^2}$$

$$\begin{aligned}
\lim_{n \rightarrow \infty} \frac{n+5}{n^3-2n+3} \bigg/ \frac{1}{n^2} &= \lim_{n \rightarrow \infty} \frac{n^3+5n^2}{n^3-2n+3} \\
&= 1 < \infty
\end{aligned}$$

Since the *p-series* converges ($p = 2$), therefore the given series *converges* by the limit comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{n}{n^2 + 1}$

Solution

$$b_n = \frac{1}{n}$$

$$\lim_{n \rightarrow \infty} \frac{n}{n^2 + 1} \cdot \frac{n}{1} = \lim_{n \rightarrow \infty} \frac{n^2}{n^2 + 1} \\ = 1 < \infty$$

Since the p -series diverges to infinity ($p = 1$), so the given series **diverges** by the limit comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{5}{4^n + 1}$

Solution

$$b_n = \frac{1}{4^n} = \left(\frac{1}{4}\right)^n$$

$$\lim_{n \rightarrow \infty} \frac{5}{4^n + 1} \cdot \frac{4^n}{1} = 5$$

The given series converges by a limit comparison with the convergent geometric series ($r = \frac{1}{4} < 1$)

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=0}^{\infty} \frac{1}{\sqrt{n^2 + 1}}$

Solution

$$b_n = \frac{1}{n}$$

$$\lim_{n \rightarrow \infty} \frac{1}{\sqrt{n^2 + 1}} \cdot \frac{n}{1} = 1 < \infty$$

Since the p -series diverges to infinity ($p = 1$), so the given series **diverges** by the limit comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{2^n + 1}{5^n + 1}$

Solution

$$b_n = \left(\frac{2}{5}\right)^n$$

$$\lim_{n \rightarrow \infty} \frac{2^n + 1}{5^n + 1} \cdot \frac{5^n}{2^n} = 1$$

The given series converges by a limit comparison with the convergent geometric series $\left(r = \frac{2}{5} < 1\right)$

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{2n^2 - 1}{3n^5 + 2n + 1}$

Solution

$$\text{Let } b_n = \frac{1}{n^3}$$

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{2n^2 - 1}{3n^5 + 2n + 1} \bigg/ \frac{1}{n^3} &= \lim_{n \rightarrow \infty} \frac{2n^5 - n^3}{3n^5 + 2n + 1} \\ &= \frac{2}{3} < \infty \end{aligned}$$

Since the p -series converges ($p = 3$), therefore the given series **converges** by the limit comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{n^2(n+3)}$

Solution

$$\text{Let } b_n = \frac{1}{n^3} \quad \text{By the } p\text{-series converges } (p = 3)$$

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{1}{n^2(n+3)} \bigg/ \frac{1}{n^3} &= \lim_{n \rightarrow \infty} \frac{n^3}{n^2(n+3)} \\ &= 1 < \infty \end{aligned}$$

Therefore, the given series **converges** by the limit comparison test.

Exercise

Use the Limit Comparison Test to determine if the series converges or diverges. $\sum_{n=1}^{\infty} \frac{1}{n\sqrt{n^2+1}}$

Solution

Let $b_n = \frac{1}{n^2}$ By the p -series converges ($p = 2$),

$$\lim_{n \rightarrow \infty} \frac{1}{n\sqrt{n^2+1}} \cdot \frac{n^2}{1} = 1 < \infty$$

The given series **converges** by the limit comparison test.

Exercise

Use any method to determine if the series converges or diverges $\sum_{n=1}^{\infty} \frac{1}{2\sqrt{n} + \sqrt[3]{n}}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$, which is a divergent p -series, since $p = \frac{1}{2} < 1$.

$$a_n = \frac{1}{2\sqrt{n} + \sqrt[3]{n}} \Rightarrow b_n = \frac{1}{\sqrt{n}}$$

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{a_n}{b_n} &= \lim_{n \rightarrow \infty} \frac{1}{2\sqrt{n} + \sqrt[3]{n}} \cdot \frac{\sqrt{n}}{1} \\ &= \lim_{n \rightarrow \infty} \frac{\sqrt{n}}{2\sqrt{n} + \sqrt[3]{n}} \\ &= \lim_{n \rightarrow \infty} \frac{1}{2 + n^{1/3-1/2}} \\ &= \lim_{n \rightarrow \infty} \frac{1}{2 + n^{-1/6}} \\ &= \frac{1}{2} > 0 \end{aligned}$$

Then, by Comparison Test, the given series **diverges**.

Exercise

Use any method to determine if the series converges or diverges $\sum_{n=1}^{\infty} \frac{\sin^2 n}{2^n}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{2^n} = \sum_{n=1}^{\infty} \left(\frac{1}{2}\right)^n$, which is a convergent geometric, since $|r| = \frac{1}{2} < 1$.

By the Direct Comparison Test: $\frac{\sin^2 n}{2^n} \leq \frac{1}{2^n}$

The given series **converges**.

Exercise

Use any method to determine if the series converges or diverges $\sum_{n=1}^{\infty} \frac{n+1}{n^2\sqrt{n}}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^{3/2}}$, which is a convergent p -series, since $p = \frac{3}{2} > 1$.

$$a_n = \frac{n+1}{n^2\sqrt{n}} \Rightarrow b_n = \frac{1}{n^{3/2}}$$

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{a_n}{b_n} &= \lim_{n \rightarrow \infty} \frac{n+1}{n^2\sqrt{n}} \cdot \frac{n^{3/2}}{1} \\ &= \lim_{n \rightarrow \infty} \frac{n+1}{n} \\ &= 1 > 0 \end{aligned}$$

Then, by Comparison Test, the given series **converges**.

Exercise

Use any method to determine if the series converges or diverges $\sum_{n=1}^{\infty} \frac{10n+1}{n(n+1)(n+2)}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^2}$, which is a convergent p -series, since $p = 2 > 1$.

$$a_n = \frac{10n+1}{n(n+1)(n+2)} \Rightarrow b_n = \frac{1}{n^2}$$

$$\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = \lim_{n \rightarrow \infty} \frac{10n+1}{n(n+1)(n+2)} \cdot \frac{n^2}{1}$$

$$\begin{aligned}
&= \lim_{n \rightarrow \infty} \frac{10n^3 + n^2}{n(n^2 + 3n + 2)} \\
&= \lim_{n \rightarrow \infty} \frac{10n^3 + n^2}{n^3 + 3n^2 + 2} \\
&= 10 > 0
\end{aligned}$$

Then, by Comparison Test, the given series *converges*.

Exercise

Use any method to determine if the series converges or diverges $\sum_{n=1}^{\infty} \left(\frac{n}{3n+1}\right)^n$

Solution

By the Direct Comparison Test: $\left(\frac{n}{3n+1}\right)^n < \left(\frac{n}{3n}\right)^n = \left(\frac{1}{3}\right)^n$

$\sum_{n=1}^{\infty} \left(\frac{1}{3}\right)^n$, which is a convergent geometric, since $|r| = \frac{1}{3} < 1$.

Therefore, the given series *converges*.

Exercise

Use any method to determine if the series converges or diverges $\sum_{n=1}^{\infty} \frac{(\ln n)^2}{n^3}$

Solution

Comparing with $\sum_{n=1}^{\infty} \frac{1}{n^2}$, which is a convergent p -series, since $p = 2 > 1$.

$$a_n = \frac{(\ln n)^2}{n^3} \Rightarrow b_n = \frac{1}{n^2}$$

$$\begin{aligned}
\lim_{n \rightarrow \infty} \frac{a_n}{b_n} &= \lim_{n \rightarrow \infty} \frac{(\ln n)^2}{n^3} \cdot \frac{n^2}{1} \\
&= \lim_{n \rightarrow \infty} \frac{(\ln n)^2}{n} \\
&= \lim_{n \rightarrow \infty} \frac{2 \ln n \left(\frac{1}{n}\right)}{1}
\end{aligned}$$

$$= 2 \lim_{n \rightarrow \infty} \frac{\ln n}{n}$$

$$= 0$$

Then, by Comparison Test, the given series **converges**.

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{1 + \sin n}{n^2}$$

Solution

$$\text{Let } b_n = \frac{1}{n^2}$$

$$\lim_{n \rightarrow \infty} \frac{1 + \sin n}{n^2} \bigg/ \frac{1}{n^2} = \lim_{n \rightarrow \infty} (1 + \sin n) \text{ which does not exist.}$$

$$\frac{1 + \sin n}{n^2} \leq \frac{2}{n^2}, \text{ then the given series converges by comparison test}$$

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{1}{2 + 3^n}$$

Solution

$$a_n = \frac{1}{2 + 3^n} < \frac{1}{3^n} = b_n$$

So, by the Direct Comparison Test, the series converges.

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{1}{2 + \sqrt{n}}$$

Solution

$$2 + \sqrt{n} < n \Rightarrow \frac{1}{2 + \sqrt{n}} \geq \frac{1}{n}$$

$$\text{By the } p\text{-series the series } \sum_{n=1}^{\infty} \frac{1}{n} \text{ diverges } p = 1$$

The given series **diverges** by Comparison Test using *p-series*

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{1}{an+b}$$

Solution

$$an+b < n \Rightarrow \frac{1}{an+b} \geq \frac{1}{n} \quad a, b > 0$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n}$ diverges $p = 1$

The given series **diverges** by Comparison Test using *p-series*.

$$\lim_{n \rightarrow \infty} \frac{1}{an+b} \cdot \frac{n}{1} = \frac{1}{a} > 0$$

The given series **diverges** by Limit Comparison Test

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{\sqrt{n}}{n^2+1}$$

Solution

Let $b_n = \frac{1}{n^{3/2}}$ By the *p-series* converges $\left(p = \frac{3}{2} > 1\right)$

$$\lim_{n \rightarrow \infty} \frac{\sqrt{n}}{n^2+1} \cdot \frac{n^{3/2}}{1} = 1$$

Therefore, the given series **converges** by the limit comparison test.

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{\sqrt[3]{n}}{n}$$

Solution

$$\frac{\sqrt[3]{n}}{n} = \frac{1}{n^{2/3}}$$

By the *p-series* the series $\sum_{n=1}^{\infty} \frac{1}{n^{2/3}}$ diverges $p = \frac{2}{3} < 1$

The given series **diverges** by comparison test using *p-series*

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=0}^{\infty} 5\left(-\frac{4}{3}\right)^n$$

Solution

$$|r| = \frac{4}{3} > 1$$

The given series **diverges** by Geometric series

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{1}{5^n + 1}$$

Solution

$$\frac{1}{5^n + 1} < \left(\frac{1}{5}\right)^n$$

The given series converges by a Direct Comparison with the convergent geometric series $\left(r = \frac{1}{5} < 1\right)$

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=2}^{\infty} \frac{1}{n^3 - 8}$$

Solution

Let $b_n = \frac{1}{n^3}$ By the **p-series** converges ($p = 3$)

$$\lim_{n \rightarrow \infty} \frac{1}{n^3 - 8} \cdot \frac{n^3}{1} = 1$$

Therefore, the given series **converges** by the limit comparison test with **p-series**.

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{2n}{3n - 2}$$

Solution

$$\lim_{n \rightarrow \infty} \frac{2n}{3n - 2} = \frac{2}{3} \neq 0$$

The given series **diverges** by the Limit

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \left(\frac{1}{n+1} - \frac{1}{n+2} \right)$$

Solution

$$\begin{aligned} \sum_{n=1}^{\infty} \left(\frac{1}{n+1} - \frac{1}{n+2} \right) &= \left(\frac{1}{2} - \frac{1}{3} \right) + \left(\frac{1}{3} - \frac{1}{4} \right) + \left(\frac{1}{4} - \frac{1}{5} \right) + \cdots \\ &= \frac{1}{2} \end{aligned}$$

The given series **converges** by telescoping series.

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{n}{(n^2 + 1)^2}$$

Solution

$$\begin{aligned} \int_1^{\infty} \frac{x}{(x^2 + 1)^2} dx &= \frac{1}{2} \int_1^{\infty} \frac{1}{(x^2 + 1)^2} d(x^2 + 1) \\ &= -\frac{1}{2} \frac{1}{x^2 + 1} \Big|_1^{\infty} \\ &= -\frac{1}{2} \left(0 - \frac{1}{2} \right) \\ &= \frac{1}{4} \end{aligned}$$

The given series **converges** by the Integral test.

Exercise

Use any method to determine if the series converges or diverges

$$\sum_{n=1}^{\infty} \frac{n2^n}{4n^3 + 1}$$

Solution

$$\begin{aligned} b_n &= \frac{n^2}{2^n} \\ \lim_{n \rightarrow \infty} \frac{n2^n}{4n^3 + 1} \cdot \frac{n^2}{2^n} &= \frac{1}{4} \end{aligned}$$

The given series **diverges** by the Limit Comparison test