Section 2.2 – Function Operations

The *Domain* of a Function

1. ***Rational*** function: $\dfrac{f(x)}{h(x)}$ $\quad\Rightarrow$ ***Domain***: $\boxed{h(x) \neq 0}$

Example: $f(x) = \frac{1}{x-3}$

Domain: $x \neq 3$ $\quad \{x \mid x \neq 3\}$

Or $\quad (-\infty, 3) \cup (3, \infty)$ $\quad$ *Interval Notation*

Or $\quad \mathbb{R} - \{3\}$

2. ***Irrational*** function: $\sqrt{g(x)}$ $\quad\Rightarrow$ ***Domain***: $\boxed{g(x) \geq 0}$

Example: $g(x) = \sqrt{3-x} + 5$

$$3 - x \geq 0$$
$$-x \geq -3$$

Domain: $x < 3$ $\quad (-\infty,\ 3]$

3. ***Otherwise***: Domain all real numbers $(-\infty,\ \infty)$

Example: $f(x) = x^3 + |x|$

Domain: All real numbers $\quad \mathbb{R}$

$(-\infty,\ \infty)$

(1) & (2) $\rightarrow$ Find the domain: $f(x) = \frac{x+1}{\sqrt{x-3}}$

$$x > 3$$

Domain: $(3,\ \infty)$

Example

Find the domain

a) $f(x)=x^2+3x-17$

Domain: $\underline{\mathbb{R}\,|}$

b) $g(x)=\frac{5x}{x^2-49}$

$x^2 \ne 49$

$\underline{x \ne \pm 7\,|}$

Domain: $\begin{cases} \{x \mid x \ne \pm 7\} & \text{or} \\ (-\infty,-7)\cup(-7,7)\cup(7,\infty) \end{cases}$

c) $h(x)=\sqrt{9x-27}$

$9x-27 \ge 0$

$9x \ge 27$

Domain: $\underline{x \ge 3\,|}$ $\quad [3,\ \infty)$

The *Algebra* of Functions

$$(f+g)(x)=f(x)+g(x)$$

$$(f-g)(x)=f(x)-g(x)$$

$$(f\cdot g)(x)=f(x)\cdot g(x)$$

$$\left(\frac{f}{g}\right)(x)=\frac{f(x)}{g(x)}$$

Example

Let $f(x)=x^2+1$ and $g(x)=3x+5$. Find each of the following $(f+g)(1)$, $(f-g)(-3)$, $(fg)(5)$, and $\left(\frac{f}{g}\right)(0)$

Solution

$$\begin{aligned}(f+g)(1)&=f(1)+g(1)\\&=1^2+1+3(1)+5\\&=1+1+3+5\\&\underline{=10}\end{aligned}$$

$$\begin{aligned}(f-g)(-3)&=f(-3)-g(-3)\\&=(-3)^2+1-(3(-3)+5)\\&\underline{=14}\end{aligned}$$

$$\begin{aligned}(fg)(5)&=f(5)\cdot g(5)\\&=\left(5^2+1\right)\cdot(3(5)+5)\\&=(26)\cdot(20)\\&\underline{=520}\end{aligned}$$

$$\begin{aligned}\left(\frac{f}{g}\right)(0)&=\frac{f(0)}{g(0)}\\&=\frac{0^2+1}{3(0)+5}\\&\underline{=\frac{1}{5}}\end{aligned}$$

Example

Let $f(x)=8x-9$ and $g(x)=\sqrt{2x-1}$. Find each of the following and give the domain

$(f+g)(x),\quad (f-g)(x),\quad (fg)(x),\ \left(\frac{f}{g}\right)(x)$

Solution

Domain of f: $\quad (-\infty,\infty)$

Domain of g: $\quad \left[\frac{1}{2},\infty\right)$ $\qquad \sqrt{2x-1\geq 0}\ \rightarrow 2x\geq 1\ \Rightarrow x\geq \frac{1}{2}$

a) $(f+g)(x)=8x-9+\sqrt{2x-1}$

Domain: $x\geq \frac{1}{2}$ $\qquad \left[\frac{1}{2},\infty\right)$

b) $(f-g)(x)=8x-9-\sqrt{2x-1}$

Domain: $x\geq \frac{1}{2}$ $\qquad \left[\frac{1}{2},\infty\right)$

c) $(fg)(x)=(8x-9)\sqrt{2x-1}$

Domain: $x\geq \frac{1}{2}$ $\qquad \left[\frac{1}{2},\infty\right)$

d) $\left(\frac{f}{g}\right)(x)=\dfrac{8x-9}{\sqrt{2x-1}}$

Domain: $x>\frac{1}{2}$ $\qquad \left(\frac{1}{2},\infty\right)$

Example

Let $f(x)=\sqrt{x-3}$ and $g(x)=\sqrt{x+1}$

Find $(f+g)(x)$ and its domain, $\left(\frac{f}{g}\right)(x)$ and its domain

Solution

Domain $f(x)$: $x\geq 3$ $\quad$ *and* $\quad$ ***Domain*** $g(x)$: $x\geq -1$

a) $(f+g)(x)=\sqrt{x-3}+\sqrt{x+1}$

b) $x\geq 3$ *and* $x\geq -1$ $\Rightarrow$ ***Domain***: $x\geq 3$



c) $\left(\frac{f}{g}\right)(x)=\dfrac{\sqrt{x-3}}{\sqrt{x+1}}$

$$\rightarrow \begin{cases} x-3\ge 0 & \Rightarrow \quad \underline{x\ge 3|} \\ x+1>0 & \Rightarrow \quad \underline{x>-1|} \end{cases}$$

Domain: $x \ge 3 \qquad [3,\infty)$

Difference Quotients

$$\frac{f(x+h)-f(x)}{(x+h)-x}$$

The difference quotient is given by: $\dfrac{f(x+h)-f(x)}{h}$



Example

For the function *f* given by $f(x)=2x-3$, find the difference quotient $\frac{f(x+h)-f(x)}{h}$

Solution

$$\begin{aligned} f(x+h) &= 2(\text{——})-3 \\ &= 2(x+h)-3 \\ &= 2x+2h-3 \end{aligned}$$

$$\frac{f(x+h)-f(x)}{h} = \frac{\overbrace{2x+2h-3}^{f(x+h)} - \overbrace{(2x-3)}^{f(x)}}{h}$$

$$= \frac{2x+2h-3-2x+3}{h}$$

$$= \frac{2h}{h}$$

$$\underline{=2\,|}$$

Example

For the function *f* given by $f(x)=-2x^2+x+5$, find the difference quotient $\frac{f(x+h)-f(x)}{h}$

Solution

$$f(x+h)=-2(x+h)^2+(x+h)+5 \qquad (a+b)^2=a^2+2ab+b^2$$

$$f(x+h)=-2\left(x^2+2hx+h^2\right)+x+h+5$$

$$f(x+h)=-2x^2-4hx-2h^2+x+h+5$$

$$\begin{aligned}\frac{f(x+h)-f(x)}{h}&=\frac{-2x^2-4hx-2h^2+x+h+5-(-2x^2+x+5)}{h}\\&=\frac{-2x^2-4hx-2h^2+x+h+5+2x^2-x-5}{h}\\&=\frac{-4hx-2h^2+h}{h}\\&=\frac{-4hx}{h}-\frac{2h^2}{h}+\frac{h}{h}\\&=-4x-2h+1\end{aligned}$$

Example

Tracy and Graham drive away from a camp-ground at right angles to each other. Tracy's speed is 65 mph and Graham's is 55 *mph*.



a) Express the distance between the cars as a function of time.
b) Find the domain of the function.

Solution

a) *Distance* = *velocity* * *time*

Use Pythagorean Theorem:

$$d^2(t)=(65t)^2+(55t)^2$$

$$d^2 = 4225t^2 + 3025t^2$$
$$= 7250t^2$$

$$d(t) = \sqrt{7250t^2}$$
$$= \sqrt{7250}\sqrt{t^2}$$
$$\approx 85.15|t|$$
$$\boxed{= 85.15\ t}$$

b) ***Domain***: $t \ge 0$

Example: (storage area)

The sound Shop has 20 *feet*. of dividers with which to set off a rectangular area for the storage of overstock. If a corner of the store is used for the storage area, the partition need only form two sides of a rectangle.



a) Express the floor area of the storage space as a function of the length of the partition.

b) Find the domain of the function.

Solution

Let x = the length

$width + length = 20$

$width = 20 - length$

a) ***Area*** = *length* * *width*

$$= x(20 - x)$$

$$\boxed{= 20x - x^2}$$

b) ***Domain***: x value varies from 0 to 20 $\Rightarrow$ $(0, 20)$

Exercises Section 2.2 – Function Operations

(**1 – 80**) Find the Domain

1. $f(x) = 7x + 4$
2. $f(x) = |3x - 2|$
3. $f(x) = 3x + \pi$
4. $f(x) = \sqrt{7}x + \frac{1}{2}$
5. $f(x) = -2x^2 + 3x - 5$
6. $f(x) = x^3 - 2x^2 + x - 3$
7. $f(x) = x^2 - 2x - 15$
8. $f(x) = 4 - \frac{2}{x}$
9. $f(x) = \frac{1}{x^4}$
10. $g(x) = \frac{3}{x-4}$
11. $y = \frac{2}{x-3}$
12. $y = \frac{-7}{x-5}$
13. $f(x) = \frac{x+5}{2-x}$
14. $f(x) = \frac{8}{x+4}$
15. $f(x) = \frac{1}{x+4}$
16. $f(x) = \frac{1}{x-4}$
17. $f(x) = \frac{3x}{x+2}$
18. $f(x) = x - \frac{2}{x-3}$
19. $f(x) = x + \frac{3}{x-5}$
20. $f(x) = \frac{1}{2}x - \frac{8}{x+7}$
21. $f(x) = \frac{1}{x-3} - \frac{8}{x+7}$
22. $f(x) = \frac{1}{x+4} - \frac{2x}{x-4}$
23. $f(x) = \frac{3x^2}{x+3} - \frac{4x}{x-2}$
24. $f(x) = \frac{1}{x^2 - 2x + 1}$
25. $f(x) = \frac{x}{x^2 + 3x + 2}$
26. $f(x) = \frac{x^2}{x^2 - 5x + 4}$
27. $f(x) = \frac{1}{x^2 - 4x - 5}$
28. $g(x) = \frac{2}{x^2 + x - 12}$
29. $h(x) = \frac{5}{\frac{4}{x} - 1}$
30. $y = \sqrt{x}$
31. $f(x) = \sqrt{8 - 3x}$
32. $y = \sqrt{4x + 1}$
33. $y = \sqrt{7 - 2x}$
34. $f(x) = \sqrt{8 - x}$
35. $f(x) = \sqrt{3 - 2x}$
36. $f(x) = \sqrt{3 + 2x}$
37. $f(x) = \sqrt{5 - x}$
38. $f(x) = \sqrt{x - 5}$
39. $f(x) = \sqrt{6 - 3x}$
40. $f(x) = \sqrt{3x - 6}$
41. $f(x) = \sqrt{2x + 7}$
42. $f(x) = \sqrt{x^2 - 16}$
43. $f(x) = \sqrt{16 - x^2}$
44. $f(x) = \sqrt{9 - x^2}$
45. $f(x) = \sqrt{x^2 - 25}$
46. $f(x) = \sqrt{x^2 - 5x + 4}$
47. $f(x) = \sqrt{x^2 + 5x + 4}$
48. $f(x) = \sqrt{x^2 + 3x + 2}$
49. $f(x) = \sqrt{x^2 - 3x + 2}$
50. $f(x) = \sqrt{x - 4} + \sqrt{x + 1}$
51. $f(x) = \sqrt{3 - x} + \sqrt{x - 2}$
52. $f(x) = \sqrt{1 - x} + \sqrt{4 - x}$
53. $f(x) = \sqrt{1 - x} - \sqrt{x - 3}$
54. $f(x) = \sqrt{x + 4} - \sqrt{x - 1}$
55. $f(x) = \frac{\sqrt{x+1}}{x}$
56. $g(x) = \frac{\sqrt{x-3}}{x-6}$
57. $f(x) = \frac{\sqrt{x+4}}{\sqrt{x-1}}$
58. $f(x) = \frac{\sqrt{5-x}}{x}$
59. $f(x) = \frac{x}{\sqrt{5-x}}$

60. $f(x)=\dfrac{1}{x\sqrt{5-x}}$

61. $f(x)=\dfrac{x+1}{x^3-4x}$

62. $f(x)=\dfrac{\sqrt{x+5}}{x}$

63. $f(x)=\dfrac{x}{\sqrt{x+5}}$

64. $f(x)=\dfrac{1}{x\sqrt{x+5}}$

65. $f(x)=\dfrac{x+3}{\sqrt{x-3}}$

66. $f(x)=\dfrac{\sqrt{x+3}}{\sqrt{x-3}}$

67. $f(x)=\dfrac{\sqrt{x-2}}{\sqrt{x+2}}$

68. $f(x)=\dfrac{\sqrt{2-x}}{\sqrt{x+2}}$

69. $f(x)=\dfrac{x-4}{\sqrt{x-2}}$

70. $f(x)=\dfrac{1}{(x-3)\sqrt{x+3}}$

71. $f(x)=\sqrt{x+2}+\sqrt{2-x}$

72. $f(x)=\sqrt{(x-2)(x-6)}$

73. $f(x)=\sqrt{x+3}-\sqrt{4-x}$

74. $f(x)=\dfrac{\sqrt{4x-3}}{x^2-4}$

75. $f(x)=\dfrac{4x}{6x^2+13x-5}$

76. $f(x)=\dfrac{\sqrt{2x-3}}{x^2-5x+4}$

77. $f(x)=\dfrac{x^2}{\sqrt{x^2-5x+4}}$

78. $f(x)=\dfrac{x+2}{\sqrt{x^2+5x+4}}$

79. $f(x)=\dfrac{\sqrt{x+2}}{\sqrt{x^2+3x+2}}$

80. $f(x)=\dfrac{\sqrt{2x+3}}{x^2-6x+5}$

81. Let $f(x)=4x-3$ and $g(x)=5x+7$. Find each of the following and give the domain

a) $(f+g)(x)$ *b)* $(f-g)(x)$ *c)* $(fg)(x)$ *d)* $\left(\dfrac{f}{g}\right)(x)$

82. Let $f(x)=2x^2+3$ and $g(x)=3x-4$. Find each of the following and give the domain

a) $(f+g)(x)$ *b)* $(f-g)(x)$ *c)* $(fg)(x)$ *d)* $\left(\dfrac{f}{g}\right)(x)$

83. Let $f(x)=x^2-2x-3$ and $g(x)=x^2+3x-2$. Find each of the following and give the domain

a) $(f+g)(x)$ *b)* $(f-g)(x)$ *c)* $(fg)(x)$ *d)* $\left(\dfrac{f}{g}\right)(x)$

84. Let $f(x)=\sqrt{4x-1}$ and $g(x)=\dfrac{1}{x}$. Find each of the following and give the domain

a) $(f+g)(x)$ *b)* $(f-g)(x)$ *c)* $(fg)(x)$ *d)* $\left(\dfrac{f}{g}\right)(x)$

85. Given that $f(x)=x+1$ and $g(x)=\sqrt{x+3}$

a) Find $(f+g)(x)$

b) Find the domain of $(f+g)(x)$

c) Find: $(f+g)(6)$

86. Given that $f(x) = x^2 - 4$ and $g(x) = x + 2$

a) Find $(f+g)(x)$ and its domain

b) Find $(f/g)(x)$ and its domain

87. Let $f(x) = x^2 + 1$ and $g(x) = 3x + 5$. Find $(f+g)(1)$, $(f-g)(-3)$, $(fg)(5)$, and $\left(\frac{f}{g}\right)(0)$

88. Find $(f+g)(x)$, $(f-g)(x)$, $(f \cdot g)(x)$, *and* $(f/g)(x)$ and the domain of $f(x) = \sqrt{3-2x}$, $g(x) = \sqrt{x+4}$

89. Find $(f+g)(x)$, $(f-g)(x)$, $(f \cdot g)(x)$, *and* $(f/g)(x)$ and the domain of $f(x) = \frac{2x}{x-4}$, $g(x) = \frac{x}{x+5}$

90. Find $(f+g)(x)$, $(f-g)(x)$, $(f \cdot g)(x)$, *and* $(f/g)(x)$ of $f(x) = x - 5$ and $g(x) = x^2 - 1$

(**88 – 103**) Find and simplify the difference quotient $\frac{f(x+h) - f(x)}{h}$ for the given function

91. $f(x) = 9x + 5$

92. $f(x) = 6x + 2$

93. $f(x) = 4x + 11$

94. $f(x) = 3x - 5$

95. $f(x) = -2x - 3$

96. $f(x) = -4x + 3$

97. $f(x) = 3x - 6$

98. $f(x) = -5x - 7$

99. $f(x) = 2x^2$

100. $f(x) = 5x^2$

101. $f(x) = 3x^2 - 4x$

102. $f(x) = 2x^2 - 3x$

103. $f(x) = 2x^2 - x - 3$

104. $f(x) = x^2 - 2x + 5$

105. $f(x) = 3x^2 - 2x + 5$

106. $f(x) = -2x^2 - 3x + 7$

107. An open box is to be made from a square piece of cardboard that measures 40 *inches* on each side, to construct the box, squares that measure x *inches* on each side are cut from each corner of the cardboard.



a) Express the volume V of the box as a function of x.

b) Determine the domain of V.

108. A child 4 *feet* tall is standing near a street lamp that is 12 *feet* high. The light from the lamp casts a shadow.



a) Find the length l of the shadow as a function of the distance d of the child from the lamppost.
b) What is the domain of the function?
c) What is the length of the shadow when the child is 8 *feet* from the base of the lamppost?

109. An open box is to be made from a square piece of cardboard with the dimensions 30 *inches* by 30 *inches* by cutting out squares of area x^2 from each corner.



a) Express the volume V of the box as a function of x.
b) Determine the domain of V.

110. Two guy wires are attached to utility poles that are 40 *feet* apart.



a) Find the total length of the two guy wires as a function of x.

b) What is the domain of this function?

111. A rancher has 360 *yards*. of fencing with which to enclose two adjacent rectangular corrals, one for sheep and one for cattle. A river forms one side of the corrals. Suppose the width of each corral is x *yards*.

a) Express the total area of the two corrals as a function of x.

b) Find the domain of the function.

112. A rectangle is bounded by the *x*- and *y-axis* of $y = -\frac{1}{2}x + 4$



a) Find the area of the rectangle as a function of x.

b) What is the domain of this function.