

### Exercise 1

$Ox$  and  $Oy$  are bisector to 2 adjacent acute angles,  $\widehat{AOB}$  and  $\widehat{BOC}$  where the difference is  $36^\circ$  and  $\widehat{AOC} = 90^\circ$ .  $Oz$  is the bisector of the angle  $\widehat{xOy}$ . Determine the angle  $\widehat{BOz}$

#### Solution

$$\widehat{BOC} - \widehat{AOB} = 36^\circ$$

$$\widehat{BOC} + \widehat{AOB} = 90^\circ$$

$$2 \widehat{BOC} = 126^\circ$$

$$\widehat{BOC} = 63^\circ$$

$$\widehat{AOB} = 27^\circ$$

$$\widehat{xOB} = \frac{1}{2} \widehat{AOB}$$


$$= \frac{27^\circ}{2}$$

$$\widehat{BOy} = \frac{63^\circ}{2}$$

$$\begin{aligned} \widehat{xOy} &= \widehat{xOB} + \widehat{BOy} \\ &= \frac{1}{2}(63^\circ + 27^\circ) \\ &= 45^\circ \end{aligned}$$

$$\widehat{xOz} = \frac{45^\circ}{2}$$

$$\begin{aligned} \widehat{BOz} &= \widehat{xOz} - \widehat{xOB} \\ &= \frac{1}{2}(45^\circ - 27^\circ) \\ &= 9^\circ \end{aligned}$$



## Exercise 2

$Ox$  and  $Oy$  are bisector to 2 adjacent acute angles,  $\widehat{AOB}$  and  $\widehat{BOC}$  where the difference is  $36^\circ$ .  $Oz$  is the bisector of the angle  $\widehat{xOy}$ . Determine the angle  $\widehat{BOz}$

### Solution

$$Ox \text{ is the bisector } \widehat{AOB} \quad (1)$$

$$Oy \text{ is the bisector } \widehat{BOC} \quad (2)$$

$$Om \text{ is the bisector } \widehat{AOC} \quad (3)$$

$$Oz \text{ is the bisector } \widehat{xOy} \quad (4)$$

$$Oy \text{ is the bisector } \widehat{BOC} \quad (5)$$

$$\widehat{BOC} - \widehat{AOB} = 36^\circ$$

$$\widehat{BOC} - \widehat{BOD} = 36^\circ$$

$$\widehat{DOC} = 36^\circ$$

$$\begin{aligned} (3) \rightarrow \widehat{AOM} &= \frac{1}{2} \widehat{AOC} \\ &= \frac{1}{2} (2\widehat{AOB} + \widehat{DOC}) \\ &= \frac{1}{2} (2\widehat{AOB} + 36^\circ) \\ &= \widehat{AOB} + 18^\circ \end{aligned}$$

$$\begin{aligned} \widehat{BOM} &= \widehat{AOM} - \widehat{AOB} \\ &= \widehat{AOB} + 18^\circ - \widehat{AOB} \\ &= 18^\circ \end{aligned}$$


$$(1) \rightarrow \widehat{BOx} = \frac{1}{2} \widehat{AOB}$$

$$(4) \rightarrow \widehat{BOy} = \frac{1}{2} \widehat{BOC}$$

$$(1) + (4) \rightarrow \widehat{xOy} = \frac{1}{2} \widehat{AOC}$$

$$(3) \rightarrow \widehat{AOM} = \frac{1}{2} \widehat{AOC} = \widehat{xOy}$$

$$\begin{aligned} \widehat{BOz} &= \widehat{xOz} - \widehat{xOB} \\ &= \frac{1}{2} (\widehat{xOy} - \widehat{AOB}) \\ &= \frac{1}{2} (\widehat{AOM} - \widehat{AOB}) \\ &= \frac{1}{2} \widehat{BOM} \\ &= 9^\circ \end{aligned}$$



### Exercise 3

Four consecutive half-lines (segments):  $OA$ ,  $OB$ ,  $OC$ , and  $OD$  formed angles such as

$$\widehat{DOA} = \widehat{COB} = 2\widehat{AOB} \quad \text{and} \quad \widehat{COD} = 3\widehat{AOB}$$

Calculate the angles to demonstrate that the bisectors of  $\widehat{AOB}$  and  $\widehat{COD}$  are in a straight line.

#### Solution

$$\widehat{AOB} + \widehat{BOC} + \widehat{COD} + \widehat{DOA} = 360^\circ$$

$$\widehat{AOB} + 2\widehat{AOB} + 3\widehat{AOB} + 2\widehat{AOB} = 360^\circ$$

$$8\widehat{AOB} = 360^\circ$$

$$\widehat{AOB} = 45^\circ$$

$$\widehat{DOA} = \widehat{COB} = 90^\circ$$


$$\widehat{COD} = 135^\circ$$

Let:

$Ox$  is the bisector  $\widehat{AOB}$

$Oy$  is the bisector  $\widehat{COD}$

$$\begin{aligned} \widehat{xOy} &= \widehat{xOB} + \widehat{BOC} + \widehat{COy} \\ &= \frac{1}{2}\widehat{AOB} + 90^\circ + \frac{1}{2}\widehat{COD} \\ &= \frac{1}{2}(45^\circ + 135^\circ) + 90^\circ \\ &= 180^\circ \end{aligned}$$



Therefore; the bisectors of  $\widehat{AOB}$  and  $\widehat{COD}$  are in a straight line

### Exercise 4

The segments  $OA$  and  $OB$  formed with  $OX$  the angles  $\alpha$  and  $\beta$ .

- a) Demonstrate that the bisector  $OC$  of the angle  $\widehat{AOB}$  made with  $OX$  an angle  $\frac{\alpha + \beta}{2}$ .
- b) Examine the cases where
  - i.  $\alpha + \beta = 90^\circ$
  - ii.  $\alpha + \beta = 180^\circ$

### Solution

**Given:**

$$\widehat{XOA} = \alpha \quad \& \quad \widehat{XOB} = \beta$$

$$\begin{aligned} \widehat{AOC} &= \frac{1}{2} \widehat{AOB} \\ &= \frac{\beta - \alpha}{2} \end{aligned}$$

$$\begin{aligned} \text{a) } \widehat{XOC} &= \widehat{XOA} + \widehat{AOC} \\ &= \alpha + \frac{\beta - \alpha}{2} \\ &= \frac{\alpha + \beta}{2} \end{aligned}$$


- b) **i.** If  $\alpha + \beta = 90^\circ$ , then

$$\widehat{XOC} = 45^\circ$$

Let:  $\widehat{XOD} = 90^\circ$  that implies  $OC$  is the bisector of  $\widehat{XOD}$

Since  $OC$  is the bisector of  $\widehat{AOB}$ , then

$$\begin{aligned} \widehat{BOD} &= 90^\circ - \beta \\ &= 90^\circ - 90^\circ + \alpha \\ &= \alpha \end{aligned} \quad \beta = 90^\circ - \alpha$$




- ii.** If  $\alpha + \beta = 180^\circ$ , then

$$\widehat{XOC} = 90^\circ$$

Let:  $\widehat{XOD} = 180^\circ$  that implies  $OC$  is the bisector of  $\widehat{XOD}$

Since  $OC$  is the bisector of  $\widehat{AOB}$ , then

$$\begin{aligned} \widehat{BOD} &= 180^\circ - \beta \\ &= 180^\circ - 180^\circ + \alpha \\ &= \alpha \end{aligned} \quad \beta = 180^\circ - \alpha$$



### Exercise 5

A point  $O$  takes on an infinite right  $x'Ox$  be conducted the same side half-lines  $OA$  and  $OB$ , as well as the bisectors of angles  $\widehat{xOA}$ ,  $\widehat{AOB}$ , and  $\widehat{BOx'}$ .

Calculate the angles of the figure such that the bisector of the angle  $\widehat{AOB}$  is perpendicular to  $x'Ox$  and the bisectors of the extreme angles formed an angle of  $100^\circ$ .

#### Solution

**Given:**  $\widehat{zOz'} = 100^\circ$

$$\widehat{xOC} = 90^\circ$$

$OC$  is the bisector  $\widehat{AOB}$

$$\widehat{AOC} = \widehat{COB}$$

$Oz$  is the bisector  $\widehat{xOA}$

$$\widehat{xOz} = \widehat{zOA}$$

$Oz'$  is the bisector  $\widehat{x'OB}$

$$\widehat{x'Oz'} = \widehat{z'OB}$$

$$\widehat{xOz} = \frac{180^\circ - 100^\circ}{2}$$


$$= 40^\circ$$

$$\widehat{AOB} = 2\widehat{AOC}$$

$$= 2(90^\circ - 2\widehat{xOz})$$

$$= 2(90^\circ - 80^\circ)$$

$$= 20^\circ$$



## Exercise 6

Four consecutive half-lines  $OA$ ,  $OB$ ,  $OC$ , and  $OD$  formed four adjacent consecutive angles which are between them like 1, 2, 3, 4.

Calculate the angles and the adjacent consecutive angles formed by their bisectors.

### Solution

$$\widehat{AOB} + \widehat{BOC} + \widehat{COD} + \widehat{DOA} = 360^\circ$$

$$\widehat{AOB} + 2\widehat{AOB} + 3\widehat{AOB} + 4\widehat{AOB} = 360^\circ$$

$$10\widehat{AOB} = 360^\circ$$

$$\widehat{AOB} = 36^\circ$$

$$\widehat{BOC} = 72^\circ$$

$$\widehat{COD} = 108^\circ$$

$$\widehat{DOA} = 144^\circ$$

$$\widehat{xOy} = \frac{1}{2}\widehat{AOB} + \frac{1}{2}\widehat{BOC}$$

$$= \frac{1}{2}36^\circ + \frac{1}{2}72^\circ$$

$$= 18^\circ + 36^\circ$$

$$= 54^\circ$$

$$\widehat{yOz} = \frac{1}{2}\widehat{BOC} + \frac{1}{2}\widehat{COD}$$

$$= \frac{1}{2}72^\circ + \frac{1}{2}108^\circ$$

$$= 36^\circ + 54^\circ$$

$$= 90^\circ$$

$$\widehat{zOw} = \frac{1}{2}\widehat{COD} + \frac{1}{2}\widehat{DOA}$$

$$= \frac{1}{2}108^\circ + \frac{1}{2}144^\circ$$

$$= 54^\circ + 72^\circ$$


$$= 126^\circ$$

$$\widehat{wOx} = \frac{1}{2}\widehat{DOA} + \frac{1}{2}\widehat{AOB}$$

$$= \frac{1}{2}144^\circ + \frac{1}{2}36^\circ$$

$$= 72^\circ + 18^\circ$$

$$= 90^\circ$$



### Exercise 7

A point  $P$  is on the base  $BC$  of an isosceles triangle  $ABC$ . The two points  $M$  and  $N$  are the middle points of the segments  $PB$  and  $PC$ , respectively, which lead the perpendicular to the base  $BC$ ; these perpendiculars meet  $AB$  in  $E$ ,  $AC$  in  $F$ .

Demonstrate that the angle  $EPF$  is equal to  $A$ .

#### Solution

$$\widehat{BAC} = 180^\circ - \widehat{ABC} - \widehat{ACB}$$


$M$  is the middle of the segment  $BP$  and  $EM \perp$  to  $BP$ , therefore

$$EB = EP \quad \& \quad \widehat{EBP} = \widehat{EPB}$$

$N$  is the middle of the segment  $CP$  and  $FN \perp$  to  $CP$ , therefore

$$FP = FN \quad \& \quad \widehat{FPC} = \widehat{FCP}$$

$$\begin{aligned}\widehat{EPF} &= 180^\circ - \widehat{CPF} - \widehat{BPE} \\ &= 180^\circ - \widehat{PFC} - \widehat{PBE} \\ &= 180^\circ - \widehat{ABC} - \widehat{ACB} \\ &= \hat{A} \quad \checkmark\end{aligned}$$



### Exercise 8

Given the triangle  $ABC$  and the bisectors  $BO$  and  $CO$  of the angles of the base, where the point  $O$  is the intersection of the 2 bisectors. A line  $DOE$  passes through the point  $O$  parallel to base  $BC$ .

Prove that  $DE = DB + CE$

#### Solution

$CO$  is the bisector of  $\widehat{BCE} \Rightarrow \widehat{BCO} = \widehat{OCE}$

$OE \parallel BC \Rightarrow \widehat{COE} = \widehat{BOC}$

$\therefore \widehat{EOC} = \widehat{OCE} \rightarrow \underline{OE = EC}$


Similar;  $BO$  is the bisector of  $\widehat{DBC} \Rightarrow \widehat{DBO} = \widehat{OBC}$

$DO \parallel BC \Rightarrow \widehat{DOB} = \widehat{OBC}$

$\therefore \widehat{DOB} = \widehat{OBC} \rightarrow \underline{DO = DB}$

$DE = DO + OE$

$\underline{= DB + CE}$





## Exercise 9

A right triangle  $ABC$  at  $A$  with a height  $AH$ . We drop perpendiculars  $HE$  and  $HD$  from  $H$  to sides  $AB$  and  $AC$  respectively.

- Prove that  $DE = AH$
- Prove that  $AM$  is perpendicular to  $DE$ , where  $M$  is the middle point of  $BC$ .
- Prove that  $MN$  ( $N$  is the middle point of  $AB$ ) and the segment  $Bx$  (parallel to  $DE$ ) are intersect on  $AH$ .
- Prove that  $AM$  and  $HD$  are intersect on  $Bx$ .

### Solution

- The triangles  $AEH$  and  $ADH$  are right triangles and angle  $A$  is right angle.

Then  $AEHD$  is a rectangle.

Therefore,  $DE = AH$

- A middle point of a hypotenuse of a right triangle is the center of the circle of that triangle.

Therefore,  $MC = MA = MB$

That implies to:  $\widehat{MAC} = \widehat{MCA}$

From the rectangle  $ADHE$ :  $\widehat{EAH} = \widehat{EDH}$

$$\widehat{EAH} + \widehat{HAM} + \widehat{MAC} = 90^\circ \quad \widehat{HAM} + \widehat{MAC} = \widehat{HAC}$$

$$\widehat{EAH} + \widehat{HAC} = 90^\circ$$

$$\widehat{EAH} + 90^\circ - \widehat{MCA} = 90^\circ$$

$$\widehat{EAH} = \widehat{MCA} = \widehat{EDH} = \widehat{MAC}$$

$$\widehat{ADE} + \widehat{EDH} = 90^\circ$$

$$\widehat{ADE} + \widehat{MAD} = 90^\circ$$

Therefore,  $AM$  is perpendicular to  $DE$ .

- $N$  is the middle point of  $AB \Rightarrow NA = NB$

$$Bx \text{ parallel to } DE \Rightarrow \widehat{ABx} = \widehat{AED} = \widehat{EDH} = \widehat{EAH}$$

Let point  $P$  the intersection of  $Bx$  and  $AH$ . Since  $\widehat{ABP} = \widehat{BAP}$ , then the triangle  $BPA$  is an isosceles.  $PN$  is the perpendicular to  $AB$  as well  $MN$ . Which gives us that points  $M, P, N$  are on the same line.

Therefore, segment  $MN$  and  $AH$  intersect at point  $P$ .


- Let Point  $Q$  be the intersection of  $AM$  and  $Bx$ .

$$\widehat{ABQ} = \widehat{BAH} \quad \& \quad \widehat{BAQ} = \widehat{ABH}$$

Then, the triangles  $BHA$  and  $BQA$  are equivalent, therefore  $AQ \perp BQ$  with hypotenuse  $AB$ .

$HQ \parallel AB$ , line  $HQ$  has to be perpendicular to  $AC$ .

$AM$  and  $HD$  are intersecting on  $Bx$  at  $Q$ .



## Exercise 10

Given an isosceles triangle  $ABC$  with a peak at  $A$ . Extend base  $BC$  the length  $CD = AB$ , then extend  $AB$  of a length  $BE = \frac{1}{2}BC$ , at the end draw a line  $EHF$ ,  $H$  is the middle point of  $BC$  and  $F$  is located on  $AD$ .

- Prove that  $\widehat{ADB} = \frac{1}{2}\widehat{ABC}$
- Prove that  $EA = HD$
- Prove that  $FA = FD = FH$
- Calculate the value of the angles  $\widehat{AFH}$  and  $\widehat{ADB}$  where  $\widehat{BAC} = 58^\circ$ .

### Solution

- Triangle  $ABC$  is isosceles, then  $\widehat{ABC} = \widehat{ACB}$

Since,  $CD = AB = AC$ , then  $\widehat{CAD} = \widehat{ADC}$


$$2\widehat{ADC} = 180^\circ - \widehat{ACD}$$

$$2\widehat{ADC} = 180^\circ - (180^\circ - \widehat{ACB})$$

$$2\widehat{ADC} = \widehat{ACB}$$

$$\widehat{ADB} = \frac{1}{2}\widehat{ACB}$$

$$= \frac{1}{2}\widehat{ABC}$$



- $BE = \frac{1}{2}BC$   $H$  the middle point of  $BC$   
 $= HC$

$$CD = AB$$

$$HC + CD = BE + AB$$

$$EA = HD \quad \checkmark$$

- $\widehat{ADH} = \frac{1}{2}\widehat{ABD}$   
 $= \frac{1}{2}(180^\circ - \widehat{HBE})$   
 $= \frac{1}{2}(180^\circ - 180^\circ + 2\widehat{BHE})$   
 $= \widehat{BHE}$

$$\Rightarrow \underline{FD = FH}$$

$$\widehat{AHF} = 90^\circ - \widehat{FHD}$$

$$= 90^\circ - \widehat{ADH} \quad (\triangle HDA)$$

$$= 90^\circ - (90^\circ - \widehat{HAF})$$

$$= \widehat{HAF}$$

$$\Rightarrow \underline{FA = FH}$$

$$FA = FD = FH \quad \checkmark$$

$$d) \widehat{BAC} = 58^\circ$$

$$\begin{aligned} \widehat{ADB} &= \frac{1}{2} \widehat{ACB} \\ &= \frac{1}{2} \left( \frac{1}{2} (180^\circ - \widehat{BAC}) \right) \\ &= \frac{1}{4} (180^\circ - 58^\circ) \\ &= \frac{122^\circ}{4} \\ &= \frac{61^\circ}{2} \quad \Bigg| \quad = 30.5^\circ \end{aligned}$$


Triangle  $AFH$  is isosceles then,

$$\begin{aligned} \widehat{AFH} &= 180^\circ - \widehat{HFD} \\ &= 180^\circ - (180^\circ - 2\widehat{FDH}) \\ &= 2\widehat{FDH} \\ &= 2 \frac{61^\circ}{2} \\ &= 61^\circ \quad \Bigg| \end{aligned}$$

### Exercise 11

Demonstrate that the heights of a triangle share the angles of triangle that equal to each other.

#### Solution



Consider the 2 right triangles  $APB$  and  $ANC$ , which they have the same angle  $A$ .

Therefore,  $\widehat{ABP} = \widehat{ACN}$ .

Similar, consider the 2 right triangles  $BPC$  and  $AMC$ , which they have the same angle  $C$ .

Therefore,  $\widehat{MAC} = \widehat{CBP}$ .


Similar, consider the 2 right triangles  $BNC$  and  $AMB$ , which they have the same angle  $B$ .

Therefore,  $\widehat{BCN} = \widehat{BAM}$ .

### Exercise 12

A right triangle  $ABC$  at  $A$  where  $AB < AC$ , drop a perpendicular  $AH$  from  $A$  to the hypotenuse  $BC$  where  $HN = HB$ . From  $C$  drops a perpendicular  $CM$  at  $AN$ . Demonstrate that  $BC$  is the bisector of the angle  $\widehat{ACM}$ .

### Solution



Consider the 2 right triangles  $ABC$  and  $ABH$  with a common angle  $B$ , then

$$\widehat{BAH} = \widehat{ACB}$$

Given:  $HN = HB$ , then  $\widehat{HAN} = \widehat{BAH} = \widehat{ACB}$

$$\begin{aligned}\widehat{NAC} &= 90^\circ - \widehat{HAB} - \widehat{HAN} \\ &= 90^\circ - 2\widehat{HCA}\end{aligned}$$

Consider the 2 right triangles  $AHN$  and  $CMC$ , where  $\widehat{HNA} = \widehat{MNC}$

Therefore,  $\widehat{HAN} = \widehat{NCM}$

Since  $\widehat{HAN} = \widehat{ACB}$

Then  $\widehat{ACB} = \widehat{MCB}$

Therefore,  $BC$  is the bisector of the angle  $\widehat{ACM}$

### Exercise 13

On the sides of an angle that it takes the length  $OA$  and  $OB$ , so that  $OA + OB = \ell$  (is given) and construct a parallelogram  $OABC$ . What is the place of the summit  $C$  of parallelogram?

#### Solution

Let segment  $OE$  extension of segment  $OA$  such that  $OE = \ell$

Let segment  $OF$  extension of segment  $OB$  such that  $OF = \ell$

Then, the triangle  $OEF$  is an isosceles.

$$\widehat{OEF} = \widehat{OFE} = 90^\circ - \frac{1}{2}\widehat{EOF}$$


$$OA + OB = \ell$$

$$\begin{cases} OA + AC = \ell \\ OA + AE = \ell \end{cases} \Rightarrow AC = AE$$

$$\begin{cases} OB + BC = \ell \\ OB + BF = \ell \end{cases} \Rightarrow BC = BF$$

$$\widehat{OEF} = \widehat{OFE} = \widehat{FCB} = \widehat{ACE}$$

Therefore, the point  $C$ ,  $E$ , and  $F$  are aligned.



### Exercise 14

Demonstrate that the sum of distances from a point  $M$  on the base  $BC$  of an isosceles triangle  $ABC$  to the sides equal a constant.

#### Solution

The shortest distance from a point to a line is the perpendicular from that point to the line.

Therefore, let:

$$MP \perp AB$$

$$MQ \perp AC$$

Let  $BH \perp AC$  (Shortest distance from  $B$  to side  $AC$ .)

Let  $D$  be the point of intersection  $ME$  and  $BH$ .

Let  $ME \parallel AC$

Where the point  $E$  is the intersection of the lines  $MD$  and  $AB$ .

Since  $MD \parallel AC$  then  $\widehat{DMB} = \widehat{ACB}$

Since triangle  $ABC$  is an isosceles

$$\widehat{DMB} = \widehat{ACB} = \widehat{PBM}$$

The right triangles  $BPM$  and  $BDM$  at  $P$  &  $D$  and have the same hypotenuse, then

$$\Rightarrow |MP| = |BD|$$


$MD \parallel HQ$  and  $DH \perp MQ$

$$\Rightarrow |MQ| = |DH|$$

$$|MP| + |MQ| = |BD| + |DH|$$

$$= |BH|$$

$$= \text{constant}$$



Therefore; the sum of distances from a point  $M$  on the base  $BC$  of an isosceles triangle  $ABC$  to the sides equal a constant.

### Exercise 15

Demonstrate that the difference of distances from a point  $M$  taken on the extension of the base  $BC$  of an isosceles triangle  $ABC$  to the sides equal a constant.

#### Solution

The shortest distance from a point to a line is the perpendicular from that point to the line.

Therefore, let:

$$MP \perp AB$$

$$MQ \perp AC$$

Let  $BH \perp AC$  (Shortest distance from  $B$  to side  $AC$ .)

Let  $D$  be the point of intersection  $ME$  and  $BH$ .

Let  $ME \parallel AC$

Where the point  $E$  is the intersection of the extensions of the lines  $MD$  and  $AB$ .

Since  $MD \parallel AC$  then  $\widehat{DMB} = \widehat{ACB}$

Since triangle  $ABC$  is an isosceles

$$\widehat{DMB} = \widehat{ACB} = \widehat{PBM}$$


The right triangles  $BPM$  and  $BDM$  at  $P$  &  $D$  and have the same hypotenuse, then

$$\Rightarrow |MP| = |BD|$$

$MD \parallel HQ$  and  $DH \perp MQ$

$$\Rightarrow |MQ| = |DH|$$

$$\begin{aligned} |MP| - |MQ| &= |BD| - |DH| \\ &= |BH| \\ &= \text{constant} \end{aligned}$$




Therefore; the difference of distances from a point  $M$  taken on the extension of the base  $BC$  of an isosceles triangle  $ABC$  to the sides equal a constant.



### Exercise 16

Consider a parallelogram  $ABCD$  in which  $CD = 2AD$ . In the joint  $A$  and  $B$  the middle  $M$  of  $BC$ . Prove that the angle  $\widehat{AMB}$  is a right angle.

#### Solution



Since the point  $M$  is the middle of side  $BC$ , then

$$MD = MC = \frac{1}{2}CD$$

$$\Rightarrow MD = AD = BC$$

Therefore; the triangles  $ADM$  and  $BCM$  are isosceles at  $D$  and  $C$  respectively.

Which implies that  $MA = MB$

Let  $O$  be the middle point of the side  $AB$ , and  $OA = OB = AD$

$O$  and  $M$  are middle of the parallelogram  $ABCD$ , that implies

$$OM = BC = AD$$

$$\Rightarrow OA = OB = OM$$

The triangle  $MAB$  inscribed in a circle with center at  $O$  and diameter  $AB$ , that will imply that is a right triangle at the point  $M$ .

**Or**

$$\widehat{AMD} = \frac{1}{2}(180^\circ - \widehat{MDA})$$

$$\widehat{BMC} = \frac{1}{2}(180^\circ - \widehat{MCB})$$

$$\widehat{ADM} + \widehat{MCB} = 180^\circ$$

$$\widehat{DMA} + \widehat{AMB} + \widehat{BMC} = 180^\circ$$

$$\widehat{AMB} = 180^\circ - (\widehat{BMC} + \widehat{DMA})$$

$$= 180^\circ - \left(90^\circ - \frac{1}{2}\widehat{MDA} + 90^\circ - \frac{1}{2}\widehat{MCB}\right)$$

$$= \frac{1}{2}(\widehat{MDA} + \widehat{MCB})$$

$$= \frac{1}{2}(180^\circ)$$


$$= \underline{90^\circ}$$

### Exercise 17

From the sides  $AB$  and  $AC$  of a right triangle  $ABC$  at  $A$ , draw two squares  $ABDE$  and  $ACFG$ . Then lead  $DN$  and  $FM$  perpendicular to the line  $BC$ .

- Prove that  $DN + FM = BC$
- Prove that the points  $D, A, F$  on a straight line.
- Prove that the lines  $DE$  and  $FG$  contribute on the extension of the height  $AH$ .

### Solution



- a) Let consider the 2 right triangles  $DNB$  &  $BHA$  at points  $N$  &  $H$  respectively, with  $DB = AB$ . Then

$$\begin{aligned}\widehat{HAB} &= 90^\circ - \widehat{ABH} \\ &= 90^\circ - (90^\circ - \widehat{NBD}) \\ &= \widehat{NBD} \\ \Rightarrow \widehat{BDN} &= \widehat{ABH}\end{aligned}$$

$\therefore$  The 2 triangles are equals, which implies that  $\underline{DN = BH}$

Similar, for the 2 right triangles  $CMF$  &  $AHC$  at points  $M$  &  $H$  respectively, with  $AC = CF$ . Then

$$\begin{aligned}\widehat{HAC} &= 90^\circ - \widehat{ACH} \\ &= 90^\circ - (90^\circ - \widehat{MCF}) \\ &= \widehat{MCF} \\ \Rightarrow \widehat{ACH} &= \widehat{CFM}\end{aligned}$$

$\therefore$  The 2 triangles are equals, which implies that  $\underline{FM = HC}$


$$\begin{aligned}DN + FM &= BH + HC \\ &= \underline{BC} \quad \checkmark\end{aligned}$$

- b) Since  $ABDE$  is a square, then  $\widehat{BAD} = 45^\circ$

And  $ACFG$  is a square, then  $\widehat{CAF} = 45^\circ$

$$\begin{aligned}\widehat{DAF} &= \widehat{DAB} + \widehat{BAC} + \widehat{CAF} \\ &= 45^\circ + 90^\circ + 45^\circ \\ &= \underline{180^\circ}\end{aligned}$$

$\therefore$  The points  $D, A,$  &  $F$  are on a straight line.





### Exercise 18

Given a diamond  $ABCD$ ; the peak  $B$  and  $D$ , the same the perpendiculars  $BM, BN, DP, DQ$  on opposite sides. These perpendiculars are intersected at  $E$  and  $F$ .

Demonstrate that the angles of the quadrilateral  $BFDE$  are equals to the diamond and which is a diamond itself.

#### Solution

From the right triangles  $BPD$  &  $BMD$ , that implies  $\widehat{MBD} = \widehat{PDB}$

$$\Rightarrow \widehat{EBD} = \widehat{EDB}$$

Similar, from the right triangles  $BND$  &  $BQD$ , that implies  $\widehat{NBD} = \widehat{QDB}$

$$\Rightarrow \widehat{FBD} = \widehat{FDB}$$

$$\widehat{EBD} + \widehat{DBF} = \widehat{EDB} + \widehat{BDF}$$


$$\widehat{EBF} = \widehat{EDF}$$

Since,  $AC \perp BD$ , then  $EF \perp BD$

The 2 triangles  $EBF$  &  $EDF$  have  $EF$  as a common side and  $\widehat{EBF} = \widehat{EDF}$ , then

$$\widehat{BEF} = \widehat{DEF} = \widehat{BFE} = \widehat{DFE}$$

$$\widehat{BED} = \widehat{BFD}$$




Therefore; the angles of the quadrilateral  $BFDE$  are equals to the diamond and which is a diamond itself.

### Exercise 19

In a triangle  $ABC$ , we trace the median  $AM$  and  $BN$  and from  $N$  a parallel to  $BC$ , from  $C$  a parallel to  $BN$ ; that the two sides intersect at a point  $P$ . Let  $D$  be the middle point of the segment  $PN$ .

Prove that  $CD$  is parallel to  $MN$ .

#### Solution



Since the points  $M$  &  $N$  are middle of the sides  $BC$  &  $AC$  of the triangle  $ABC$ , then  
 $MN \parallel AB$

Given:  $NP \parallel MC$

$BN \parallel CP$

Since  $M$  &  $D$  are the middle points of the segments  $BC$  and  $NP$  respectively, then  
 $BN \parallel CP \parallel MD$

Therefore,  $BNPC$  is a parallelogram, and  $MC = ND$ .

Since  $MC = ND$  &  $MN = CD$


Therefore;  $MCDN$  is a parallelogram which implies to  $CD$  parallel to  $MN$

### Exercise 20

The median  $AD$  of a given triangle  $ABC$  to the side  $BC$ . The same the median  $BE$  to the side  $AC$  which intersect  $AC$  at a point  $F$ .

Prove that where  $AF = \frac{1}{3} AC$

#### Solution



Let  $DG$  be parallel to segment  $BEF$ .

**Given:**  $E$  is the middle point of the segment  $AD \Rightarrow AE = ED$

$D$  is the middle point of the segment  $BC \Rightarrow BD = DC$

Since  $EF \parallel DG$ , and  $AE = ED$ , that implies  $AF = FG$

Consider the triangles  $CDG$  and  $CBF$ :

$EF \parallel DG$ , and  $CD = DB$ , that implies  $GC = FG$

That will imply to:  $AF = FG = GC$

$$\begin{aligned} AC &= AF + FG + GC \\ &= 3AF \end{aligned}$$


Therefore;  $AF = \frac{1}{3} AC$

### Exercise 21

In a parallelogram  $ABCD$ , from the points  $A$  and  $C$  join the middle of opposite sides at  $M$  and  $N$  respectively.

Prove that the diagonal  $BD$  is divided in three equal parts.

#### Solution



$M$  is the middle point of the segment  $BC$ , then  $BM = CM$

$N$  is the middle point of the segment  $AD$ , then  $NA = ND$

From these, implies that  $AM \parallel CN$ .

From the triangles  $BEM$  &  $BCF$ , and since  $ME \parallel CF$

It will give us that  $BE = EF$

From the triangles  $DFN$  &  $DEA$ , and since  $AE \parallel FN$

It will give us that  $\Rightarrow DF = EF$

Therefore,  $BE = EF = DF$

$$BD = BE + EF + FD$$

$$= 3BE$$


Therefore; the diagonal  $BD$  is divided in three equal parts

## Exercise 22

In a parallelogram  $ABCD$ , from the point peak  $A$ , extend to the middle of sides  $BC$  and  $DC$  at  $M$  and  $N$  respectively.

Prove that the diagonal  $BD$  is divided in three equal parts.

### Solution



Let a point  $E$  be the intersection of the segments  $AM$  &  $BD$ .

Let a point  $F$  be the intersection of the segments  $AN$  &  $BD$ .

Let  $O$  be the intersection of the both diagonal  $AC$  &  $BD$ .

From the triangles  $BEM$  &  $BCF$ , and since  $ME \parallel CF$

$$\Rightarrow BE = EF$$

Similar,  $\Rightarrow DF = EF$

$$BO = OF \rightarrow OE = OF$$

$$BO = BE + EO$$

$$= BE + \frac{1}{2} BE$$

$$= \frac{3}{2} BE$$

$$BE = \frac{2}{3} BO$$

$$= \frac{2}{3} \left( \frac{1}{2} BD \right)$$

$$= \frac{1}{3} BD$$

$$DF = \frac{2}{3} DO$$

$$= \frac{2}{3} \left( \frac{1}{2} BD \right)$$

$$= \frac{1}{3} BD$$

Therefore; the diagonal  $BD$  is divided in three equal parts



### Exercise 23

Consider a triangle  $ABC$  with a bisector  $AF$  of the angle  $A$ . by  $F$ , we lead  $FE$  parallel to  $AB$ , and by  $E$  we lead  $ED$  parallel to  $BC$ .

Prove that  $AE = BD$

#### Solution

**Given:**  $\widehat{EAF} = \widehat{FAB}$

Since  $FE \parallel AB$ , then

$$\widehat{FEC} = \widehat{BAE} = 2\widehat{EAF}$$

$$\begin{aligned}\widehat{AEF} &= 180^\circ - \widehat{FEC} \\ &= 180^\circ - 2\widehat{EAF}\end{aligned}$$

Consider the triangle  $AEF$ :

$$\widehat{EAF} + \widehat{EFA} + \widehat{AEF} = 180^\circ$$

$$\widehat{EAF} + \widehat{EFA} + 180^\circ - 2\widehat{EAF} = 180^\circ$$

$$\widehat{EFA} - \widehat{EAF} = 0^\circ$$

$$\widehat{EFA} = \widehat{EAF}$$


$\therefore$  Triangle  $AEF$  is isosceles

$$\Rightarrow \underline{AE = EF}$$

**Given**  $DE \parallel BF$  &  $FE \parallel DB$

$FEDB$  is a parallelogram;


Then,  $\underline{EF = DB = AE}$



### Exercise 24

Given an isosceles trapezoid  $ABCD$  ( $AD = BC$ ) with diagonals  $AC$  and  $BD$ . The bisector of angles  $\widehat{DAB}$  and  $\widehat{DBA}$  intersect in  $F$ , and the bisector of angles  $\widehat{CBA}$  and  $\widehat{CAB}$  intersect in  $G$ . Demonstrate that  $FG$  is parallel to  $AB$

#### Solution



Consider the 2 triangles  $ABD$  &  $ABC$ :

- Both has the  $AB$  as common
- $AD = BC$

That implies to:  $\widehat{ABD} = \widehat{CAB}$

Since  $BF$  is the bisector of the angle  $\widehat{ABD}$

$$\widehat{ABF} = \widehat{FBD}$$

$$\begin{aligned} \Rightarrow \widehat{ABF} &= \frac{1}{2} \widehat{ABD} \\ &= \frac{1}{2} \widehat{CAB} \\ &= \frac{1}{2} (2\widehat{BAG}) \\ &= \widehat{BAG} \end{aligned}$$

$$\boxed{\widehat{ABF} = \widehat{BAG}}$$

From the 2 triangles  $AFB$  &  $AGB$

- Both has the  $AB$  as common
- $\widehat{ABF} = \widehat{BAG}$

$$\boxed{FG \parallel AB}$$

### Exercise 25

Let  $M$  and  $N$  be the middle points of the bases  $AB$  and  $CD$  of a trapezoid  $ABCD$ .

Let  $P$  and  $Q$  be the middle points of the diagonals  $AC$  and  $BD$  respectively.

Demonstrate that the angles  $\widehat{M}$  and  $\widehat{N}$  of quadrilateral  $MNPQ$  are equals to the angle formed by extending the sides not parallel to  $BC$  and  $AD$ , where intersect at point  $E$ .

#### Solution

Since  $N$  is the mid-point of the side  $DC$ , and  
 $P$  is the mid-point of the side  $AC$ , then

$$\Rightarrow NP \parallel AD$$

Since  $M$  is the mid-point of the side  $AB$ , and  
 $Q$  is the mid-point of the side  $DB$ , then

$$\Rightarrow QM \parallel AD$$

$$\therefore NP \parallel QM \parallel AE$$

Since  $N$  is the mid-point of the side  $DC$ , and  
 $Q$  is the mid-point of the side  $DB$ , then

$$\Rightarrow NQ \parallel CB$$


Since  $M$  is the mid-point of the side  $AB$ , and  
 $P$  is the mid-point of the side  $AC$ , then

$$\Rightarrow MP \parallel CB$$

$$\therefore NQ \parallel MP \parallel BE$$

$$\rightarrow \begin{cases} NP \parallel QM \\ NQ \parallel PM \end{cases}$$

$$\therefore \underline{\widehat{PMQ} = \widehat{PNQ}}$$



## Exercise 26

In a triangle  $ABC$ , the medians segment  $BM$  and  $CN$  intersect in right angles and the measurement are 3 and 6 units respectively.

1. Construct a geometrical to the triangle  $ABC$ .
2. In the trace of third median  $AP$  which leads  $MN$  extension such the distance  $MD = MN$ , which lead to the segments  $AD$  and  $PD$ . Calculate  $AD$  and  $DP$ .
3. What is the nature of the triangle  $APD$ ?

### Solution

1. Since  $M$  and  $N$  are the middle point of the sides  $AC$  &  $AB$ , then

$$\begin{aligned} BG &= \frac{2}{3} BM \\ &= \frac{2}{3}(3) \\ &= 2 \text{ units} \end{aligned}$$

Similar,

$$\begin{aligned} CG &= \frac{2}{3} CN \\ &= \frac{2}{3}(6) \\ &= 4 \text{ units} \end{aligned}$$

Wish, we lead to:  $GM = 1$  &  $GN = 2$

We can construct 2 perpendicular lines intersect at a point  $G$ , then we use to measure the distance from the point  $G$  to get the points  $B, C, M$ , &  $N$ .

By extending the segment  $BN$  and  $CM$  with equal distance and which it will intersect at point  $A$ .

2. Since  $ND \parallel BC$  &  $MD = MN$

The parallelogram  $BPDM$ ,  $BP = MD = MN$

Then  $PD = MB = 3 \text{ units}$


$AD \parallel CN$  and  $M$  is the intersection of the diagonals of the parallelogram  $ADCN$ , then

$$AD = CN = 6 \text{ units}$$

3.  $PD \parallel BN$  &  $MB \perp CN$ , then  $PD \perp CN$

$AD \parallel CN$  &  $PD \perp CN$ , then  $AD \perp PD$

Therefore; the triangle  $ADP$  is right triangle at point  $D$ .




### Exercise 27

Inside the triangle  $ABC$ , the median  $AD$ ,  $BE$ , and  $CF$  intersect at a point  $O$ . We take  $M$  the middle point of the segment  $OA$ ,  $N$  the middle point of segment  $OB$ .

Show that  $DEM N$  is a parallelogram.

#### Solution




$DE$  &  $MN$  are parallel to  $AB$  and equals to  $\frac{1}{2}|AB|$

That implies to  $ME \parallel DN$ .

Therefore;  $DEM N$  is a parallelogram

### Exercise 28

Inside the triangle  $ABC$ , the median  $AD$ ,  $BE$ , and  $CF$  intersect at a point  $O$ . From the point  $F$ , draw  $FG$  parallel to  $AD$  and are equals, then joint  $A$  to  $G$ .



Show that  $CG = BE$ .

#### Solution

**Given:**  $FG \parallel AD$  &  $FG = AD$

Then, the quadrilateral  $AFGD$  is a parallelogram which it results to  $DG \parallel AF$  &  $DG = AF$ .

$\rightarrow DG \parallel BF$

Since  $F$  is the mid-point of the side  $AB$ , then  $AF = DG = FB$ .

Then, the quadrilateral  $BFDG$  is a parallelogram which it results to  $FD \parallel BG$  &  $DF = GB$ .

So,  $FD \parallel BG \parallel CE$


Given that  $D$  &  $F$  are midpoints, then  $DF = \frac{1}{2} AC = CE$

And  $CE \parallel BG$  &  $DF = CE$ , then  $BGCE$  is a parallelogram.

Therefore,  $CG = BE$

### Exercise 29

The height of a triangle  $ABC$  (each of the three lines passing through a vertex of the triangle and perpendicular to the opposite side to this vertex) are  $AN$ ,  $BP$ ,  $CM$ .



From  $P$ , let  $PH$  perpendicular to  $BC$ , same from  $N$ , let  $NG$  perpendicular to  $AC$ .

Show that  $GH$  is parallel to  $AB$ .

#### Solution

Let the point  $O$  be the middle of the segment  $AB$ .

Then  $O$  is the center of the 2 triangles  $ANB$  &  $APB$ .

The triangle  $OBN$  is isosceles, implies to  $\widehat{ONB} = \widehat{OBN}$

The triangle  $OPA$  is isosceles, implies to  $\widehat{OPA} = \widehat{OAP}$


$$\begin{aligned}\widehat{PON} &= 180^\circ - (\widehat{NOB} + \widehat{POA}) \\ &= 180^\circ - (180^\circ - 2\widehat{NBO} + 180^\circ - 2\widehat{OAP}) \\ &= 2\widehat{B} + 2\widehat{A} - 180^\circ\end{aligned}$$

Consider the triangle  $PON$  with  $OP = ON$ , then

$$\begin{aligned}\widehat{OPN} &= \widehat{ONP} \\ \widehat{OPN} &= \frac{1}{2}(180^\circ - \widehat{PON}) \\ &= \frac{1}{2}(180^\circ - 2\widehat{B} - 2\widehat{A} + 180^\circ) \\ &= 180^\circ - \widehat{B} - \widehat{A}\end{aligned}$$

$$\begin{aligned}\widehat{APN} &= \widehat{APO} + \widehat{OPN} \\ &= \widehat{A} + 180^\circ - \widehat{B} - \widehat{A} \\ &= 180^\circ - \widehat{B}\end{aligned}$$

$$\begin{aligned}\widehat{CPN} &= 180^\circ - \widehat{APN} \\ &= 180^\circ - 180^\circ + \widehat{B}\end{aligned}$$



$$= \hat{B} \mid$$

From the 2 right triangles  $CHP$  &  $CGN$

$$\widehat{HPC} = \widehat{GNC}$$

$$\begin{aligned}\widehat{GHN} &= 180^\circ - \widehat{HGN} - \widehat{HNG} \\ &= 180^\circ - \widehat{HGN} - \widehat{CPH}\end{aligned}$$

$$180^\circ - \widehat{GHC} = 180^\circ - \widehat{HGN} - \widehat{CPH}$$

$$\widehat{GHC} = \widehat{HGN} + \widehat{CPH} \mid$$

Let  $Q$  be the middle point of the segment  $PN$ .

Since  $PGN$  &  $PHN$  are right triangle with the same hypothesis.

Then, the triangles  $HQN$  &  $GQN$  are isosceles.

$$\hat{H} = \hat{N} \quad \& \quad \hat{G} = \hat{P}$$

$$\begin{aligned}\widehat{QGH} &= 180^\circ - (180^\circ - 2\hat{P} + 180^\circ - 2\hat{N}) \\ &= 2\hat{P} + 2\hat{N} - 180^\circ\end{aligned}$$


$$\text{Since } QG = QH \Rightarrow \widehat{QGH} = \widehat{QHG}$$

$$\begin{aligned}\widehat{QGH} &= \frac{1}{2}(180^\circ - \widehat{GQH}) \\ &= \frac{1}{2}(180^\circ - 2\hat{P} - 2\hat{N} + 180^\circ) \\ &= 180^\circ - \hat{P} - \hat{N}\end{aligned}$$

$$\begin{aligned}\widehat{HGN} &= \widehat{QGH} - \widehat{QGN} \\ &= 180^\circ - \hat{P} - \hat{N} - 90^\circ + \widehat{QGP} \\ &= 90^\circ - \hat{P} - \hat{N} + \hat{P} \\ &= 90^\circ - \hat{N} \\ &= \widehat{NPH}\end{aligned}$$

$$\begin{aligned}\widehat{CHG} &= \widehat{HGN} + \widehat{CPH} \\ &= \widehat{NPH} + \widehat{CPH} \\ &= \widehat{NPC} \\ &= \hat{B} \mid\end{aligned}$$


Therefore,  $GH \parallel AB$





### Exercise 30

From the top of a triangle, we lead the external bisectors of angles such that formed an outside triangle such that the top of the first are the feet of the second heights.



### Solution

Let the triangle  $DEF$  where  $DA$ ,  $BE$ , and  $FC$  are heights (perpendicular to sides).

Let the point  $M$  be the middle points of the same hypotenuse of the 2 right triangles  $FAD$  &  $FCD$ . Then, the 2 triangles inscribed the same circle with the center at point  $M$ .

$$MF = MA = MC = MD$$

$$\widehat{MFA} = \widehat{MAF} \quad \& \quad \widehat{MCD} = \widehat{MDC}$$

Therefore, the triangle  $AMC$  is isosceles.

$$MA = MC \quad \& \quad \widehat{MAC} = \widehat{ACM}$$


$$\begin{aligned} \widehat{AMC} &= 180^\circ - (\widehat{FMA} + \widehat{CMD}) \\ &= 180^\circ - (180^\circ - 2\widehat{F} + 180^\circ - 2\widehat{D}) \\ &= \underline{2\widehat{F} + 2\widehat{D} - 180^\circ} \end{aligned}$$

$$\begin{aligned} \widehat{ACM} &= \frac{1}{2}(180^\circ - \widehat{AMC}) \\ &= \frac{1}{2}(180^\circ + 180^\circ - 2\widehat{F} - 2\widehat{D}) \\ &= \underline{180^\circ - \widehat{F} - \widehat{D}} \end{aligned}$$

$$\begin{aligned} \widehat{DCA} &= \widehat{DCM} + \widehat{MCA} \\ &= \widehat{D} + 180^\circ - \widehat{F} - \widehat{D} \end{aligned}$$

$$180^\circ - \widehat{ACE} = 180^\circ - \widehat{F}$$

$$\underline{\widehat{ACE} = \widehat{F}}$$



Similar,

Let the point  $N$  be the middle points of the same hypotenuse of the 2 right triangles  $FCE$  &  $FBE$ .

Then, the 2 triangles inscribed the same circle with the center at point  $N$ .

$$NF = NB = NC = NE$$

$$\widehat{NBF} = \widehat{BFN} \quad \& \quad \widehat{NEC} = \widehat{NCE}$$

Therefore, the triangle  $NBC$  is isosceles.

$$MA = MC \quad \& \quad \widehat{MAC} = \widehat{ACM}$$

$$\begin{aligned} \widehat{BNC} &= 180^\circ - (\widehat{FNB} + \widehat{CNE}) \\ &= 180^\circ - (180^\circ - 2\widehat{F} + 180^\circ - 2\widehat{E}) \\ &= \underline{2\widehat{F} + 2\widehat{E} - 180^\circ} \end{aligned}$$

$$\begin{aligned} \widehat{BCN} &= \frac{1}{2}(180^\circ - \widehat{BNC}) \\ &= \frac{1}{2}(180^\circ + 180^\circ - 2\widehat{F} - 2\widehat{E}) \\ &= \underline{180^\circ - \widehat{F} - \widehat{E}} \end{aligned}$$


$$\begin{aligned} \widehat{BCE} &= \widehat{BCN} + \widehat{NCE} \\ &= \widehat{E} + 180^\circ - \widehat{F} - \widehat{E} \end{aligned}$$

$$180^\circ - \widehat{BCD} = 180^\circ - \widehat{F}$$

$$\underline{\widehat{BCD} = \widehat{F}} \quad |$$

Then,  $\widehat{ACE} = \widehat{F} = \widehat{BCD}$

Therefore;  $CF$  is the interior bisector of  $\widehat{BCA}$  and  $DCE$  is the exterior bisector.



$$\begin{aligned} \widehat{MAC} &= \frac{1}{2}(180^\circ - \widehat{AMC}) \\ &= \frac{1}{2}(180^\circ + 180^\circ - 2\widehat{F} - 2\widehat{D}) \\ &= \underline{180^\circ - \widehat{F} - \widehat{D}} \end{aligned}$$

$$\begin{aligned} \widehat{FAC} &= \widehat{FAM} + \widehat{MAC} \\ &= \widehat{F} + 180^\circ - \widehat{F} - \widehat{D} \end{aligned}$$

$$180^\circ - \widehat{CAE} = 180^\circ - \widehat{D}$$

$$\underline{\widehat{CAE} = \widehat{D}} \quad |$$

Let the point  $P$  be the middle points of the same hypotenuse of the 2 right triangles  $DAE$  &  $BDE$ .

Then, the 2 triangles inscribed the same circle with the center at point  $P$ .

$$PE = PA = PB = PD$$

$$\widehat{PAE} = \widehat{PAE} \quad \& \quad \widehat{PBD} = \widehat{PDB}$$

Therefore, the triangle  $APB$  is isosceles.

$$PA = PB \quad \& \quad \widehat{PAB} = \widehat{PBA}$$

$$\begin{aligned} \widehat{APB} &= 180^\circ - (\widehat{DPB} + \widehat{APE}) \\ &= 180^\circ - (180^\circ - 2\hat{D} + 180^\circ - 2\hat{E}) \\ &= \underline{2\hat{D} + 2\hat{E} - 180^\circ} \end{aligned}$$

$$\begin{aligned} \widehat{PAB} &= \frac{1}{2}(180^\circ - \widehat{APB}) \\ &= \frac{1}{2}(180^\circ + 180^\circ - 2\hat{D} - 2\hat{E}) \\ &= \underline{180^\circ - \hat{D} - \hat{E}} \end{aligned}$$


$$\begin{aligned} \widehat{BAE} &= \widehat{PAE} + \widehat{PAB} \\ &= \hat{E} + 180^\circ - \hat{D} - \hat{E} \end{aligned}$$

$$180^\circ - \widehat{FAB} = 180^\circ - \hat{D}$$

$$\underline{\widehat{FAB} = \hat{D}} \quad |$$

Then,  $\widehat{FAB} = \hat{D} = \widehat{CAE}$

Therefore;  $AD$  is the interior bisector of  $\widehat{BAC}$  and  $FAE$  is the exterior bisector.



$$\begin{aligned} \widehat{NBC} &= \frac{1}{2}(180^\circ - \widehat{BNC}) \\ &= \frac{1}{2}(180^\circ + 180^\circ - 2\hat{F} - 2\hat{E}) \\ &= \underline{180^\circ - \hat{F} - \hat{E}} \quad | \end{aligned}$$



$$\begin{aligned} \widehat{CBF} &= \widehat{CBN} + \widehat{NBF} \\ &= 180^\circ - \hat{F} - \hat{E} + \hat{F} \end{aligned}$$

$$180^\circ - \widehat{CBD} = 180^\circ - \hat{E}$$

$$\underline{\widehat{CBD} = \hat{E}} \quad |$$

$$\begin{aligned} \widehat{PBA} &= \frac{1}{2}(180^\circ - \widehat{APB}) \\ &= \frac{1}{2}(180^\circ + 180^\circ - 2\hat{D} - 2\hat{E}) \\ &= \underline{180^\circ - \hat{D} - \hat{E}} \quad | \end{aligned}$$

$$\begin{aligned} \widehat{ABD} &= \widehat{DBP} + \widehat{PBA} \\ &= \hat{D} + 180^\circ - \hat{D} - \hat{E} \end{aligned}$$



$$180^\circ - \widehat{ABF} = 180^\circ - \widehat{E}$$

$$\widehat{ABF} = \widehat{E} \quad |$$

$$\text{Then, } \widehat{CBD} = \widehat{E} = \widehat{ABF}$$

Therefore;  $BE$  is the interior bisector of  $\widehat{ABC}$  and  $DBF$  is the exterior bisector.