JACK ARNOLD UK
METAL WORKS

Arnold House, Unit 24, Earls Colne Business Park, Essex CO6 2NS

Health and Safety Policy

Created in association with
MB Health and Safety Ltd
Unit 1 Hedley Avenue, Grays Essex RM20 4EL

CONTENTS

Page

Preface **3**
Health and Safety Policy Statement **4**
Policy Review **5**
Revision Control & Annual Review Summary 5
Organisation – Duties, Roles and Responsibilities **6**
Organisation Chart 6
Responsibilities **6**
Directors 6
Management Team 6
Employees 7
Health and Safety Advisor 7
Company-Appointed Contractor/Consultant 8
Designated Responsibility Summary 9
Management Arrangements **10**
Visitors and Third Parties 10
Training and Competency 10
Occupational Health 10
Mental Health & Well-Being 11
Lone Working 11
Refusal to Work on the Grounds of Health and Safety 11
Accident, Incident and Near Miss Reporting 12
The Workplace (Health, Safety & Welfare) Regulations 1992 13
Home Based Working 13
The Manual Handling Operations Regulations 1992 13
The Health and Safety (Display Screen Equipment) Regulations 1992 14
The Health and Safety (Consultation with Employees) Regulations 1996 14
The Electricity at Work Regulations 1989 14
Electrical Equipment in a Construction Environment 15
The Personal Protective Equipment at Work Regulations 1992 15
The Personal Protective Equipment at Work (Amendment) Regulations 2022 15
The Control of Substances Hazardous to Health Regulations 2002 16
The Work at Height Regulations 2005 (amended 2007) 16
The Regulatory Reform (Fire Safety) Order 2005 17
The Provision and Use of Work Equipment Regulations 1998 17
The Management of Health and Safety at Work Regulations 1999 18
The Health and Safety (First Aid) Regulations 1981 18
Protection of Young Persons 18
New and Expectant Mothers 19
Violence and Aggression 19
The Lifting Operations and Lifting Equipment Regulations 1998 19
The Control of Noise at Work Regulations 2005 20
The Confined Spaces Regulations 1997 20
The Control of Vibration at Work Regulations 2005 21
The Dangerous Substances and Explosive Atmospheres Regulations 2002 21
The Control of Asbestos Regulations 2012 22
Workplace Transport Safety 22
The Control of Lead at Work Regulations 2002 23
The Construction, Design and Management Regulations 2015 23
The Acetylene Safety (England and Wales and Scotland) Regulations 2014 25
The Pressure Systems Safety Regulations 2000 26

Preface

This is the Health and Safety Policy for Jack Arnold UK Ltd who will be referred to as 'the Company'.

The document contains information which must be followed in order to ensure the continued health, safety and welfare of the Company's employees and contractors whilst continuing to comply with the legislation which governs the work we undertake.

This is a comprehensive document that comprises of the following three sections:

- The Health and Safety Policy Statement.
- The Organisational Duties.
- The Arrangements for Managing Health and Safety.

Health and Safety Policy Statement

This is a general statement of the intentions of the Company with regard to Health and Safety. The policy statement is signed and dated by the most senior member of the Management Team and therefore indicates that Health and Safety is highly regarded, with full commitment to it from the most senior level of the Company.

The Organisational Duties

This section commences with a chart showing the safety structure of the company. It is followed by a list of individual responsibilities of personnel and contractors.

Arrangements for Managing Health and Safety

This section will contain information that will need to be followed by all levels of management, to ensure that the Company complies with current legislation and to reduce the risk to all persons who may be affected by the works carried out on the Company's behalf.

In order to reduce accidents and incidents, all personnel and contractors must adhere to the policies whilst carrying out the company's undertakings.

Where help is needed, the company engages the Health and Safety support services of M^c^Cormack Benson Health and Safety Ltd, for providing competent advice on safety matters, guidance on risk management, safety auditing, safety inspections, advice on training and, should the need occur, to investigate or advise on accidents.

The Company	-	Jack Arnold UK Ltd
MBHS	-	M^c^Cormack Benson Health and Safety Ltd
HSE	-	Health and Safety Executive
ACoP	-	Approved Code of Practice

Health and Safety Policy Statement

This is the Policy Statement for Jack Arnold UK Ltd who will be referred to as 'the Company'.

In accordance with its duty under section 2(3) of the Health and Safety at Work etc. Act 1974, and in fulfilling its obligations to employees and members of the public who may be affected by its activities, the Company has produced the following statement of policy in respect of Health and Safety:

It is our aim to achieve a working environment that is free of work-related accidents and ill health and to this end we will pursue continuing improvements from year to year.

The Company recognises its Health and Safety duties under the Health and Safety at Work etc. Act 1974 and the Management of Health and Safety at Work Regulations 1999, and all concomitant legislation, to ensure, so far as is reasonably practicable, the health and welfare at work of all employees.

Particular attention will be paid to duties required, namely:

- Provision and maintenance of safe plant and systems of work.
- Safe and healthy use, handling and storage of articles and substances.
- Provision of necessary information, instruction, training and supervision.

We undertake to discharge our statutory duties by:

- Identifying hazards in the workplace, assessing the risks related to them, and implementing appropriate preventative and protective measures.
- Providing and maintaining safe plant and work equipment.
- Establishing and enforcing safe methods of work.
- Recruiting and appointing personnel who have the skills, abilities and competence commensurate with their role and level of responsibility.
- Ensuring that tasks given to employees are consistent with their skills, knowledge and ability to perform.
- Ensuring that technical competence is maintained through the provision of refresher training as appropriate.
- Promoting awareness of Health and Safety and of good practice through the effective communication or relevant information.
- Furnishing sufficient resources needed to meet these objectives.

A successful Health and Safety programme is dependent on the participation and co-operation of all employees. All employees are aware that they have a legal duty to:

- Exercise reasonable care for the Health and Safety of themselves and others who may be affected by their acts or omissions at work.
- Co-operate with and assist the employer in meeting statutory obligations.
- Not intentionally or recklessly interfere with anything provided in the interests of health, safety and welfare.

Our Health and Safety Policy will be reviewed annually as a minimum, to monitor its effectiveness and to ensure that it reflects changing needs and circumstances. The Policy will be subject to additional review to reflect changes to legislative requirements, changes to key personnel in the Company, and advancement in technologies which affect the Company's activities.

Copies of this Health and Safety Policy Statement will be displayed in the workplace. The full company Health and Safety Policy will be available for all employees to read.

All employees, external Consultants and Contractors employed by the Company will be expected to comply with this Health and Safety Policy.

Signed: ..... Director Date: ……..

Review Date: June 2026

Policy Review

It is a requirement of the HASAWA (section 2 (3)) that an Employer shall keep their Health and Safety Policy under regular review to ensure that it remains relevant and reflects the organisation, arrangements and established processes/procedures. The Company will conduct an annual review of this Policy, or more frequently if deemed prudent to do so. This review shall cover all sections of the Policy and shall ensure that:

I. The responsibilities reflect the current management structure of the company.
2. The arrangements for managing Health and Safety remain unchanged.
3. The safe working procedures are still applicable.

Additionally, the Policy shall be reviewed as necessary to reflect any changes in Legislation, significant Company appointments and/or relevant technological advancements.

The Policy review will be completed by the appointed Health and Safety advisors in conjunction with the Company's appointed personnel. Evidence of the Policy review will be summarised in the table below.

Revision Control & Annual Review Summary

Company Approval		Jack Poulton	**MBHS Advisor**	T. Smith-Allen
Issue Number	**Date**	**Summary Details**		**By Whom**
1.0	06/2025	New Health and Safety Policy		Company: J. Poulton MBHS: T. Smith-Allen

Organisation – Duties, Roles and Responsibilities

Organisation Chart

The Company have identified and included specific responsibilities in relation to Health and Safety, as they relate to each post in the organisation.



Responsibilities

Directors

The Directors have ultimate responsibility for ensuring that the Company fulfils its legal responsibilities, that Policy objectives are achieved, and that effective management is in place for the achievement of the policies concerned with health, safety and welfare. Directors will also ensure that Company policies are reviewed as appropriate, in order to secure continuing compliance with existing policies, current legislation and any changes in the law. To these ends, they will ensure the allocation of the resources necessary to maintain sound and efficient Health and Safety arrangements.

Management Team

The personnel appointed to these job roles are those identified in the Organisation Chart with management and/or supervisory responsibilities for other members of staff and/or external contractors. They are responsible for implementing this Health and Safety Policy on a day-to-day basis. This includes encouraging and assisting the Company in reviewing and developing safety procedures and ensuring that established rules and safe working practices are adhered to. They must also ensure that employees are properly trained and receive the support they need to perform their duties. A summary of their duties is as follows:

- Ensure that necessary consideration is given at all times to the requirements of this Health and Safety Policy and, in particular, to the following:
  - Induction training including Health and Safety matters.
  - Welfare facilities.
  - Fire precautions.
  - Hazards arising from work activity and required safe methods of working.
  - Carrying out workplace inspections and advising, as and where necessary, on how to improve methods of working.
  - Investigating incidents, accidents and dangerous occurrences and recommending means of preventing recurrence.
  - Advising and assisting with safety training of personnel.

- They know their own responsibilities for implementing this Health and Safety Policy, as well as those of the employees they are responsible for.
- All accidents, incidents, near misses and dangerous occurrences are fully investigated and preventative actions are recommended in close liaison with the Health and Safety Advisor.
- Documented safe systems of work are implemented and adhered to.
- They are aware of, and implement, all safe working practices and procedures.
- Ensuring that all necessary arrangements are made and maintained in respect of emergency plan(s) and procedures.
- Ensuring that all relevant statutory records are regularly maintained and inspected.
- Ensuring that all activities carried out by Company employees will not create a risk or hazard to anyone (either employees or non-employees).
- Ensuring, likewise, that no operation carried out by contractors will place employees, or members of the public, at risk.
- Ensuring that all employees are adequately trained and competent to carry out the work allocated to them without risk.
- Ensuring that, where Health and Safety training needs are identified, arrangements for training will be made as appropriate.
- Ensuring that all Company procedures are adhered to at all times.

Employees

All employees of the Company will ensure that:

- They are fully conversant with this Health and Safety Policy.
- They co-operate with the Company in meeting its statutory duties.
- They take reasonable care of themselves and others who may be affected by their acts or omissions.
- They do not intentionally or recklessly interfere with or misuse anything provided in the interest of Health and Safety.
- All accidents, incidents, near misses and dangerous occurrences are immediately reported verbally to their direct Supervisor or Line Manager.
- They are fully conversant with all emergency procedures applicable to the area in which they are working.
- All equipment provided for personal safety is used and maintained in a condition fit for that use, and any defects are reported immediately to their direct Supervisor or Line Manager.
- Where an employee identifies any condition which in his or her opinion is hazardous, the situation is immediately reported to their direct Supervisor or Line Manager verbally, by telephone or e-mail.
- During the course of their normal duties, they use equipment and facilities that are fit and proper for the intended purpose in a safe, correct manner, as provided within the following categories:
    - Arranged, provided and/or otherwise approved by the Company.
    - Provided by the Client or Contractor with specific authorisation that they may be used by employees of the Company.
    - Provided for unrestricted use by members of the general public.

Health and Safety Advisor

The Company has appointed MBHS as their Health and Safety Advisor and source of competent advice, to assist in undertaking the measures required to comply with the requirements and prohibitions imposed by or under the relevant statutory provisions.

The Health and Safety Advisor advises the Company Management Team on the implementation of this Health and Safety Policy, advising on safe working practices, and providing employees with information about precautions in general.

The Health and Safety Advisor has the responsibility for the following:

- Ensuring the Company is aware of statutory obligations and recommended Codes of Practice.
- Advising the Company Management Team of their responsibilities for accident prevention and avoidance of Health and Safety hazards.
- Interpreting and keeping the Company management team and employees informed of new and developing legislation and other standards.
- Advising where improvements in Health and Safety standards or practices are appropriate.
- Regular health, safety, and housekeeping inspections which cover buildings, plant, equipment, services, and fire arrangements, to ensure conformity with regulations.

- Assisting with the maintenance of statutory safety records and the completion of statutory safety returns, in addition to providing support with the maintenance of general Health and Safety records required by the Company.
- Advising on possible hazards when considering the introduction of new machinery, new materials, new processes, or changes to existing ones.
- Where agreed within the contract with MBHS, overseeing and reviewing accident investigations and assisting in preparing statistics to enable monitoring of Health and Safety performance.
- Advising on Health and Safety training needs and advising on suitable training programmes.
- The provision of guidance regarding first aid, fire safety, and emergency procedures as required.

Company-Appointed Contractor/Consultant

The Company may require, from time-to-time, the services of contractors/Consultants to undertake specialist or non-routine work activities which Company employees are unable to undertake. All contractors/Consultants appointed by the Company must be able to provide auditable evidence of their competency.
A summary of their duties is as follows:

- Will be required to show that they have the necessary expertise and equipment to carry out the particular tasks they have been employed for.
- Will be required to ensure that their work is carried out in a safe manner and that their operatives have been given adequate training.
- Where a Contractor/Consultant is bringing 10 persons or more onto the Company premises, they will be required to nominate a 'Safety Supervisor'. This person is required to liaise with the Company management team and/or MBHS to ensure that all arrangements for safety, health and welfare are dealt with. The appointed Contractor/Consultant ‘Safety Supervisor’ will also be required to carefully monitor and supervise the personnel they are responsible for, ensuring compliance with all relevant regulations and the requirements of the Company Health and Safety Policy.
- Contractors/Consultants are reminded of their responsibilities, not only to their own employees, but also to all other contractors’ employees and others who may be affected by their works, including members of the public.
- They must ensure that the Company is provided with any information available that may affect Health and Safety on site.
- Where any works of a hazardous or dangerous nature are contemplated, they must provide risk assessments and discuss and agree the most suitable method of carrying out the operation with the Company prior to commencing work.
- All plant and equipment provided by the Contractor/Consultant for use by their own personnel, requiring regular inspection or testing, must be maintained and tested as required. Copies of all necessary certificates and registers must be available for review by the Company. Where weekly inspections are required, copies of documentation must be provided to the Company.
- Contractors/Consultants who will use any material or substances likely to jeopardise the Health and Safety of others must provide the Company with specific risk assessments (as required by Control of Substances Hazardous to Health Regulations 2002) that provide all necessary and adequate safety measures.
- Where noise from any work equipment being used by Contractor/Consultants (or personnel working on their behalf) is likely to exceed the first action level of 80dba, as defined by the Control of Noise at Work Regulations 2005, the Contractor/Consultant should inform the Company in order to ensure that adequate steps are taken to reduce exposure to Company employees.
- Contractors/Consultants are requested to ensure that their employees make proper use of any welfare facilities provided by the Company and that they co-operate fully with the Company management team.
- Contractors/Consultants are requested to ensure that all fire precautions are taken while working on site, that designated fire escape routes are kept clear at all times, that they provide adequate fire equipment suitable to their tasks, and that they co-operate fully with the site fire plan.
- Contractors/Consultants must inspect their working area at the beginning of every shift to ensure that it is safe to proceed with their task. They are responsible for briefing their personnel on all safety issues on site and providing documentary evidence to the Company that this has taken place.

Designated Responsibility Summary

Topic	Responsible Department
Health and Safety Policy review	Managing Director/Directors
Health and Safety administration	Company Management Team
Facility administration	Company Management Team
Health and Safety training	Company Management Team
Premises risk assessments	Company Management Team, Employees
Work activity risk assessments	Company Management Team, Employees
Display screen equipment assessments	Company Management Team, Employees
Manual handling assessments	Company Management Team, Employees
COSHH assessments	Company Management Team, Employees
Fire risk assessments	Company Management Team, Employees
Expectant/New mother risk assessments	Company Management Team, Employees
Young Person risk assessments	Company Management Team, Employees
First Aid	Company Management Team
Emergency Planning	Company Management Team, Employees
Vetting Contractor/Consultants	Company Management Team
Monitoring of Health and Safety in the workplace	Company Management Team, Employees
Site inspections	Company Management Team
Audits	Company Management Team
Accident, Incident and Near Miss investigations	Company Management Team

*** The Company have agreed a level of support from MBHS on the above topics. If assistance is required please refer to the current contract agreement for clarification of service support level provided.*

Management Arrangements

Visitors and Third Parties

Company premises
Visitors to the company premises may not be aware of the risks associated with the site, therefore all visitors must:

- Proceed, on arrival, to the reception/office area.
- Be made aware of the Company requirements and rules for visitors.
- Be accompanied by the person they are visiting, who in turn is responsible for the visitor's safety and ensuring that visitors are aware of any hazardous process or situation they may be exposed to.

Site locations/work areas/premises
Any visitors to work locations that are under the control of the Company may not be aware of the risks associated with the site, therefore all visitors must:

- Have authorisation from a Company representative to be in the work area.
- Comply with the site rules that are communicated on arrival.
- Adhere to any designated traffic/pedestrian routes.
- Stay within the site area they have been nominated or instructed to visit.

Training and Competency

Preventing accidents and ill health caused by work is a key priority for everyone at the Company. The Directors recognise that competent employees are valuable and that providing Health and Safety information and training helps them to:

- Ensure their employees are not injured or made ill by the work they carry out.
- Develop a positive Health and Safety culture, where safe and healthy working becomes second nature to everyone.
- Find out how Health and Safety could be managed better.
- Meet legislative requirements.

Members of the Management Team will be provided with all relevant additional training, which will enable them to undertake the Health and Safety responsibilities that have been allocated to them. Members of the Management Team will be responsible for ensuring that the Company and all its employees maintain the ethos of continual improvement in Health and Safety standards and culture.

The Management Team will establish a Companywide competency matrix that covers all employees and those working on behalf of the Company. The matrix will outline all levels of training that has been achieved, skills and held competencies including any required refresher or renewal dates of training. This matrix will be reviewed an annual basis, as a minimum, and will provide the Management Team with sufficient information to create a rolling Employee Training and Development plan. It will be the responsibility of the Management Team to ensure that the competency matrix is kept up to date and reflects the standards held by all personnel.

An annual training plan will be established following the review of the competency matrix. The plan will include both internal and external training requirements. Specialist training, both operational and required by legislation, will be included.

Records of all training will be included on the competency matrix and copies of attained certification kept on employee personnel files.

Occupational Health

Where deemed necessary by the Management Team, the Company will arrange for an Occupational Health Practitioner to conduct pre-employment medical assessments appropriate to the job requirements.

General health conditions are included within the pre-employment screening and where deemed necessary, continued at intervals, as prescribed by the appointed Occupational Health Practitioner.

Health risks are included within the company risk assessment process that identifies significant hazards and subsequent control measures/monitoring to be applied.

On-going monitoring of Occupational Health is completed at appropriate intervals by the Management Team and includes the use of a health questionnaire relating to general topics (completion is required for each employee).

Health surveillance records for each employee that is exposed to specific hazards/issues etc will be maintained for 40 years from the date of the last entry due to possible delay from exposure of the hazard to the onset of ill health.

Mental Health & Well-Being

The Management Team recognise that employees or those working on behalf of the Company do so for a large proportion of their lives and as such can impact on an individuals' well-being. The overlapping and interaction between an individual's home and work life are recognised as potentially creating an increase in general stresses and pressure that they may feel. As such, all are made fully aware that they can approach the Management Team or designated individuals that have received specific training, to discuss any issue or concern that they may have

To this end the following goals have been established:

- Build and maintain a workplace environment and culture that supports mental health, overall health and wellbeing, and prevents discrimination (including bullying and harassment)
- Increase employee knowledge and awareness of mental health and wellbeing issues and behaviours
- Reduce stigma around depression and anxiety in the workplace
- Develop a programme of initiatives for identified at-risk areas
- Facilitate employees' participation in initiatives that support wellbeing and mental health
- Provide training and resources to deliver these initiatives
- Provide support for those affected by wellbeing issues

Lone Working

The Company endeavours to avoid lone working whenever possible. However, the Management Team are aware that employees may, from time to time, be lone workers at either the Company premises, from their home address or when visiting/working at clients' premises.

Whilst there is no legal requirement to conduct a specific, separate risk assessment for lone workers the Company will ensure that issues and hazards that may significantly affect or impact those lone working are included within the relevant activity or task based risk assessments. These assessments will also include the relevant mitigation control measures required to eliminate, avoid or at lease minimise the outcome of any hazard to as low as reasonably practicable.

Those employees that are selected or identified as being a lone worker will be sufficiently experienced and fully understand the risks and precautions involved in their work and the location that they work in. The Management Team will outline and set the limits to what can and cannot be done while working alone and will ensure employees that are lone working are:

- competent to deal with the requirements of the job
- suitably trained in the use of any technical solutions provided
- able to recognise when to seek advice from elsewhere.

All those employees that are lone working must:

- Ensure they have read and understood any risk assessments that have been compiled for the activity they are working on, especially any detailed arrangements where lone working is applicable.
- Ensure they adhere to any systems developed for their protection while working alone.
- Take personal responsibility for sharing information regarding their whereabouts (time out, location being visited, contact details, expected time of return).
- Report any incidents concerning lone working to enable systems to be reviewed and revised.
- If not returning to the Company base at the end of the last visit, notify their appointed member of the Company Management Team to inform them that they have left their client/location and they are okay (or otherwise).

Refusal to Work on the Grounds of Health and Safety

Employees, self-employed and contractors/consultants of the Company will at all times exercise diligence in monitoring their safe working environment for themselves and other persons in the working area.

It is a condition that all employees, self-employed and contractors/consultants shall comply with the following:
If any situation arises which an employee believes will or has resulted in an unsafe working environment for some or all, they must bring their concern to the attention of their direct supervisor so it can be investigated and resolved to an acceptable conclusion, if possible.

- The employee must clearly describe what the concerns or issues actually are.
- If a member of the Company Management Team cannot be immediately contacted the relevant work should <u>stop</u>.

- The most senior member of staff will check that there are no instructions or information available to resolve the issue.
- If the member of the Company Management Team does not support the concern, a 'second opinion' is to be sought to either verify the findings or support the concerns.
- Providing the concern is genuine, even if it is ultimately seen to be unfounded, the employee will not be the subject of any detrimental action by the company.

The Company will take all reasonable measures to ensure that those persons covered by this process (employees, self-employed, contractors/consultants) are aware that their continued employment will not be affected in the event of any invoking of this policy.

Accident, Incident and Near Miss Reporting

Accidents (no matter how minor an injury may be), incidents, and near misses will be included in the accident book located at the company premises.

If an accident, incident, or near miss has occurred in a work situation then a member of the Management Team will review the events to establish the actual or underlying cause. This process should enable the Company to establish which existing processes require amending and/or identify additional control measures that will be required to prevent a re-occurrence. The fact that there is an accident at work premises does not, in itself, mean that the accident is work-related – the work activity itself must contribute to the accident. An accident is 'work-related' if any of the following played a significant role:

- the way the work was carried out
- any machinery, plant, substances or equipment used for the work
- the condition of the site or premises where the accident happened

The Company recognises and accepts the legal duties placed upon them by the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 that require them to report and record some work-related accidents.

The timescales for reporting and/or recording accident information is:

- Accidents resulting in the death of any person, specified injuries to workers, non-fatal accidents requiring hospital treatment to non-workers and dangerous occurrences must be reported without delay (fatal accidents or accidents resulting in a specified injury to a worker can be reported by telephone 0845 300 9923). **A report must be submitted to the HSE within 10 days of the incident.**
- Over-seven-day injuries, where an employee or self-employed person is away from work or unable to perform their normal work duties for more than 7 consecutive days. **A report must be submitted to the HSE within 15 days of the incident.**
- Over-three day-injuries will be recorded using the Company accident book/form and filed securely to protect any personal information.

Incapacitation means that the worker is absent or is unable to do work that they would reasonably be expected to do as part of their normal work.

The Company also accept that they must report, without delay, confirmed diagnoses of certain occupational diseases, where these are likely to have been caused or made worse by their work. These diseases include:

- carpal tunnel syndrome
- severe cramp of the hand or forearm
- occupational dermatitis
- hand-arm vibration syndrome
- occupational asthma
- tendonitis or tenosynovitis of the hand or forearm
- any occupational cancer
- any disease attributed to an occupational exposure to a biological agent

Clarification on the criteria relating to the above will be sought via the HSE website and MBHS.

All reporting of any accident/incident, occupational disease etc will be reported online via the Health and Safety Executive website.

Accident/Incident records, including accident book entries and RIDDOR notifications will be retained for 3 years from the date of the last entry (or, if the accident involves a child/ young adult, then until that person reaches the age of 21). Retention of other medical records related to particular topics or events are detailed within the relevant section of this policy.

The Workplace (Health, Safety & Welfare) Regulations 1992

The Management Team ensures that the company premises meet the health, safety and welfare needs of all its employees, contractors, members of the public and people with disabilities. Due consideration has been given to the working environment, ensuring it is adequate in respect of ventilation, working temperature, lighting, cleaning materials, traffic routes, falling objects, translucent doors, general welfare, toilets, washing facilities, drinking water and eating facilities.

Welfare facilities are provided by the client when employees are required to work away from the Company premises. When these facilities are not available, the Management Team ensure that suitable provision is made by either utilising facilities that are readily available to the public (where works are being completed within a 10 hour period) or a purpose-built mobile oasis unit comprising:

- Suitable toilet facilities for the number of persons working on site;
- Suitable washing facilities to include hot and cold running water, hand basins large enough to wash, face, hands and forearms. Soap and towels or hand dryers will be provided and restocked as necessary.
- A suitable rest area to include tables and chairs with backs, a kettle or urn for boiling water and a means for preparing food i.e. gas ring or microwave oven.
- A suitable supply of fresh drinking water;
- An area for the storage of clothing and drying room for drying wet clothing.

Home Based Working

The Company recognises and accepts that their health and safety responsibilities are the same for those employees that are appointed or required to work from home, as they are for any other member of the workforce.

Before a member of the workforce is authorised to work from home, either on a temporary or permanent basis, the Company will give due consideration to the following areas:

- The nature and duration of the work to be undertaken?
- Whether the work activities can be safely carried out from home?
- Is specialised equipment, including remote access to IT systems, and/or skill set required to carry out the tasks required?
- The control measures that will need to be implemented to protect them?
- How communication will be maintained between the Company and the homeworker?

The Company will undertake a ‘suitable and sufficient’ assessment relating to home working in collaboration with the proposed homeworker covering the aforementioned topics in sufficient detail, to enable the Management Team to make a decision on whether home working can be carried out in a manner that ensures the health, safety and wellbeing of the individual concerned.

The Manual Handling Operations Regulations 1992

The Company is aware of the requirements placed upon it by the regulations. In order to meet these legislative requirements and to protect those employees who may be affected by manual handling activity, the Company will:

- So far as is reasonably practicable avoid the need for hazardous manual handling.
- Conduct a suitable risk assessment for any hazardous manual handling that cannot be avoided.
- So far as is reasonably practicable reduce the risk of injury from hazardous manual handling.

Manual handling risk assessments will be conducted by the Management Team, assisted by the Health and Safety Advisor, and will take into account:

- The task being completed and how the risk(s) can be reduced.
- The individual(s) conducting the task and any training requirement.
- The load involved in the activity and any method that could be used to reduce it to a more manageable size.
- The work environment where the activity will take place.

Employees of the Company are made aware of their responsibilities and duties during the induction process and via a manual handling guidance document. All employees will:

- Follow any implemented safe systems of work.
- Use any supplied equipment in the manner they have been trained to do.
- Co-operate with the Company on Health and Safety matters.
- Tell their line manager/supervisor if they identify hazardous handling activities.
- Make sure that their work activities do not put others at risk.

The Health and Safety (Display Screen Equipment) Regulations 1992

The Management Team will consider tasks undertaken by employees and any individual that is identified as being a DSE "user" of display screen equipment, e.g. PC/laptop users, are required to complete a workstation self-assessment form. The HSE definition of a "user" - a person who uses DSE on a daily basis for an hour or more at a time - will be applied by the Management Team. Completed forms are reviewed by the Management Team, assisted by the Health and Safety Advisor, and any issues or queries will be discussed with the DSE user. The assessments will consider factors such as the workstation set-up, equipment (chair, keyboard, screen, etc.), the environment (lighting, heating, etc.), and types of work being completed.

The Company will ensure that free eye/eyesight testing and correction is available for those employees identified as using DSE.

The Management Team ensure that all relevant training and information is provided to an employee to enable them to undertake the work involving DSE in a safe manner.

The Health and Safety (Consultation with Employees) Regulations 1996

The Management Team recognise that having, and maintaining, a mechanism for communicating relevant Health and Safety information is important in establishing an on-going positive Health and Safety culture. To this end, the Company will consult with employees or their representatives on the following:

- The introduction of any work activity or issue which may substantially affect their Health and Safety at work, for example the introduction of new equipment or new systems of work.
- The contact details of the person nominated as the company competent person with regards to Health and Safety.
- Information on the risks and dangers arising from the work activities, measures implemented to reduce or get rid of these risks, and what employees should do if they are exposed to a risk.
- The planning/organisation for Health and Safety training.

Additional information is displayed via the HSE poster displayed in the workplace, safety posters, leaflets, safety pamphlets and verbal safety information.

The Company encourages all employees to enter into the spirit of the regulations by taking part in discussions with their supervisor/line manager. Any required actions from the discussions are agreed with both parties and escalated through the Management Team for opinion and rectification where necessary. Any action taken as a result of the information given by an employee will be communicated directly to them.

The Company fully involves, or will involve, non-English speaking employees, including labour only. The Management Team, assisted by the appointed Health and Safety Advisors, will utilise documents that are readily available on the HSE website in different languages. These documents and any specific site instructions will be aided by pictograms and interpreters if required.

The Electricity at Work Regulations 1989

The Company will ensure electrical equipment is physically capable of doing the job and designed and constructed so that mechanical and electrical stresses do not cause the equipment to become unsafe. Electrical equipment will be visually checked by the user to spot early signs of damage or deterioration. The user's visual check will include:

- Switching off and unplugging the equipment before any checks.
- Checking that the plug is correctly wired (but only if they are competent to do so).
- Ensuring that the fuse is correctly rated by checking the equipment rating plate or instruction book.
- Checking that the plug is not damaged and that the cable is properly secured, with no internal wires visible.
- Checking the electrical cable is not damaged and has not been repaired with insulating tape or an unsuitable connector (damaged cable will only be replaced with a new cable by a competent person).
- Checking that the outer cover of the equipment is not damaged in a way that will give rise to electrical or mechanical hazards.
- Checking for burn marks or staining that suggests the equipment is overheating.
- Ensuring any trailing wires are positioned so that they are not a trip hazard and are less likely to get damaged.

If employees are concerned about the safety of equipment, they are advised to stop it from being used and report the matter to a member of the Management Team, who will arrange for the faulty equipment to be removed from service until a qualified electrician undertakes a more thorough check.

Electrical Equipment in a Construction Environment

Electrical equipment on construction sites will be treated in a more stringent manner due to the potentially harsh nature of the working environment.

Tools that use 110v will be subjected to a thorough visual inspection on a weekly basis by the operator, a formal visual inspection by a competent person on a monthly basis, and a combined inspection/test before use and at three-monthly intervals thereafter.

Where site rules allow, the use of 240v tools will be restricted with the added protection of a suitable RCD.

Tools that use 240v will be subject to a thorough visual inspection by the operator on a daily/every shift basis, a formal visual inspection by a competent person on a weekly basis, and a combined inspection/test before first use and then on a monthly basis thereafter.

Site offices supplied by temporary single phase 230V or 415V three phase electrical supplies will need to be tested on a three monthly basis and the distribution sub-circuits protected by an RCD.

Work 'live' systems may only be undertaken if absolutely justified and by suitably trained and authorised persons, within a strict permit control system. It is company policy to supply and use 110v for all tools.

All electrical tools will be subject to Portable Appliance Testing (PAT) at intervals, in line with the guidance given by the HSE.

The Personal Protective Equipment at Work Regulations 1992

The Company recognises that Personal Protective Equipment (PPE) should only be used when risks cannot be avoided or sufficiently reduced by other preventative measures or through work re-organisation. The company will ensure that there is sufficient supply of PPE when required and that all employees are suitably trained in its safe storage and use.

PPE will be provided free of charge to all employees. Allocation of PPE will be supervised by the Management Team who will monitor it's use and, in consultation with those wearing it, ensure that it remains suitable, wearable and provides the correct level of for the task in hand.

Other persons working on behalf of the Company e.g. self-employed, labour agency will be obliged to meet/provide specific PPE requirements. Where this is not possible, the Management Team may decide to provide any required PPE but the cost of this provision will not be at the Company expense. In these instances, agreement on payment for PPE will be with the persons "employer" and not the person (unless they are one and the same e.g. self-employed person).

It is the employee's and sub-contractor's duty to not misuse or interfere with any Health and Safety equipment, including PPE, supplied for their safety. All PPE issued must be worn, used and stored as per the manufacturer's specification.

The Management Team, assisted by the Health and Safety Advisor if appropriate, ensures that a suitable review is completed when more than one type of PPE is being worn, to confirm that each type of equipment is compatible with the other(s) and continues to provide suitable protection for the wearer.

The Company ensures that Respiratory Protective Equipment (RPE) is selected whilst taking into consideration the characteristics of the RPE wearer's needs. Any nominated wearer of RPE will be subject to face piece fit testing to ensure that the RPE fits the wearer correctly. All users of RPE are provided with suitable training specific to the equipment and a maintenance programme will be implemented where appropriate. It is the responsibility of the authorised wearer of RPE to ensure it is checked before each and every use.

The Personal Protective Equipment at Work (Amendment) Regulations 2022

The Company recognise the amendments that have been made relating to the types of duties and responsibilities that both they and their employees under PPER 1992 remain unchanged but have now been extended to limb (b) workers, as defined in PPER 2022. The Regulations provide clarification on those that would be classified as a worker under "limb (b)" and generally they are those that:

- carry out casual or irregular work for one or more organisations
- after 1 month of continuous service, receive holiday pay but not other employment rights such as the minimum period of statutory notice
- only carry out work if they choose to

- have a contract or other arrangement to do work or services personally for a reward (the contract doesn't have to be written) and only have a limited right to send someone else to do the work, for example swapping shifts with someone on a pre-approved list (subcontracting)
- are not in business for themselves (they do not advertise services directly to customers who can then also book their services directly)

Limb (b) category of "worker" is generally not used by the Company.

These changes do not apply to those who have a 'self-employed' status.

The Control of Substances Hazardous to Health Regulations 2002

Before any hazardous substances are used during a work process, a material safety data sheet (MSDS) will be requested from the supplier and an appropriate assessment made of the risks from that substance undertaken by a member of the Management Team, assisted by the Health and Safety Advisor. Alternative less harmful substances will be used wherever possible.

Assessments will consider storage, handling, and aspects of use, exposure, PPE requirements, workers' health, and emergency actions. The Management Team will brief employees on any hazard or substance precautions, with written records being held at the Company premises. Employee Health Surveillance records, as specified by and within this legislation, will be retained for 40 years from the date of the last entry.

Following the assessment, any substance or material that has a flammable content will be stored in a separate area and held within a metal, fire retardant cabinet.

In order to comply with the legislative requirements placed upon it, the Company will provide adequate control of exposure to substances by:

- Applying the eight principles of good practice
  - *Design and operate processes and activities to minimise emission, release, and spread of substances hazardous to health.*
  - *Take into account all relevant routes of exposure - inhalation, skin absorption, and ingestion - when developing control measures.*
  - *Control exposure by utilising measures proportionate to the health risk.*
  - *Choose the most effective and reliable control options which minimise the escape and spread of substances hazardous to health.*
  - *Where adequate control of exposure cannot be achieved by other means, provide, in conjunction with other control measures, suitable Personal Protective Equipment.*
  - *Check and review regularly all elements of control measures for their continuing effectiveness.*
  - *Inform and train all employees on the hazards and risks from the substances with which they work and the use of control measures developed to minimise the risks.*
  - *Ensure that the introduction of control measures does not increase the overall risk to Health and Safety.*
- Ensuring that the Workplace Exposure Limit is not exceeded.
- Ensuring that exposure to substances which can cause occupational asthma, cancer, or damage to genes that can be passed from one generation to another, is reduced as low as is reasonably practicable.
- Ensuring that records of tests and examinations of control systems and protective equipment identified as control measures under the legislation are retained for at least 5 years.

The Work at Height Regulations 2005 (amended 2007)

It is the policy of the Company to comply with the Work at Height Regulations 2005, which apply to all work at height where there is a risk of a fall liable to cause personal injury. A place is 'at height' if a person could be injured falling from it, even if it is at or below ground level. 'Work' includes moving around at a place of work (except by a staircase in a permanent workplace) but not travel to or from a place of work.

In accordance with these regulations, the Company will:

- Avoid work at height wherever possible.
- Use work equipment or other measures to prevent falls where they cannot avoid working at height.
- Where a risk of a fall cannot be eliminated, use work equipment or other measures to minimise the distance and consequences of a fall, should one occur.

Before any work at height takes place, the below must be followed:

- If there is an alternative means of carrying out work, which removes the need to work at height, this should be utilised.
- All work at height must be properly planned, organised and carried out under appropriate supervision, in as safe a way as is reasonably practicable.

For all work at height, the Company will:

- Use the most suitable equipment.
- Give collective protection measures (e.g. guard rails) priority over personal protection measures (e.g. safety harness).
- Take account of the work conditions and the risks to the safety of all those at the place where the work equipment is to be used.
- Plan for emergencies and rescue.
- Take into account weather conditions that could endanger Health and Safety.
- Ensure that those working at height are trained and competent.
- Ensure that the place where work at height is done is safe.
- Ensure that the equipment is appropriately inspected.
- Ensure that the risks from fragile surfaces and falling objects are properly controlled.
- Take account of the relevant risk assessments that have been carried out.

The Regulatory Reform (Fire Safety) Order 2005

The Company will make a suitable and sufficient assessment of the risks to which relevant persons are exposed whilst working at the premises. This assessment will be used for the purpose of identifying the measures they need to take to comply with the requirements and prohibitions imposed on them by the Order. The nature of the assessment will vary according to the type and use of the premises, the persons who use or may use the premises, and the risks associated with that use. The completed risk assessment will be reviewed regularly by the Management Team to ensure it remains up to date and valid, and to reflect any significant changes that may have taken place.

The Company will ensure systems are in place to check all fire procedures and that monitoring, testing and maintenance of firefighting equipment, emergency lighting and alarm systems, is completed. The Management Team, assisted by the Health and Safety Advisor, will conduct regular tours/inspections of the premises and work activities to ensure that identified control measures have been implemented.

Fire Action signage will be placed in prominent positions throughout the premises to act as a reminder for all employees, visitors, contractors, etc. of the emergency evacuation procedure.

The fire procedures will be under the control of the Management Team.

The Provision and Use of Work Equipment Regulations 1998

As a means of ensuring that tools and equipment provided for work activities are suitable, the Management Team will conduct a suitable assessment to consider the current provision of protection and preventative measures.

All tools and equipment purchased, and used by employees, will have suitable control measures to protect employees against risks associated with dangerous parts of machinery, e.g. fixed guards, interlocked guards, etc. All users of Company tools and equipment will be suitably trained in their use. The Management Team ensures that all relevant information and instructions on the use of work equipment is readily available to all employees for review.

Equipment will be checked by the user prior to use, ensuring that all controls, indicators, switches and displays are clear and free from obstruction, dirt, damage, etc. If any faults, defects or concerns are identified during the pre-use checks it is the responsibility of the user to notify their Supervisor/Manager and await a decision on rectification/replacement. All faulty/defective tools will be removed from service to prevent them being used.

All equipment will be maintained in good working order by the Company. Employees are required to liaise with their Management Team representative if they have any queries or concerns regarding a piece of equipment. The piece of equipment in question will be removed from service to prevent use and a suitable replacement acquired.

The Company is aware that for larger pieces of equipment, for example a fixed piece of machinery, an immediate replacement is not practical. In this circumstance, the Management Team will arrange for a suitable repair to be completed by a person with the relevant competency and skill set.

On occasions, the Company may need to hire in equipment, due to specialised work or quantity of work. The equipment will only be obtained from approved hire companies which supply the appropriate training and supporting documentation to ensure all employees and sub-contractors are suitably trained in the use of the equipment.

The Management of Health and Safety at Work Regulations 1999

The Company will make appropriate arrangements for effective preventative or protective measures identified as a result of risk assessments. The Management Team, and where agreed by contract, assisted by the Health and Safety Advisor, will ensure that:

- All premises and activities subject to risk assessments are assessed in accordance with the relevant legislation, using an appropriate documented format.
- Such assessments are repeated whenever any of the following factors occur:
  - Change in legislation.
  - Change in control measures.
  - Significant change in work carried out.
  - Transfer to new technology.
  - Original assessment is no longer valid.
- Assessments are recorded and copies held at the company premises.
- The results of all such assessments are communicated to, and available for inspection by, all employees (an acknowledgement form will be used to ensure that all persons affected by the work activity or premises have read and understood the content and the role they must undertake).
- All assessments identify necessary protective and preventative measures.
- Specific assessments are completed for specified groups – Young Persons, Expectant/New Mothers.

The Management Team will monitor safety performance on an informal daily basis by visual inspections, observations and ensuring discussions relating to health and safety topics/issues with employees.

The Company have appointed MBHS as their source for Health and Safety assistance and competent advice and will have ready access to a suitably competent advisor. This access will include random visits to the Company premises or location where their work activities are being undertaken if it is within the scope of service agreed with MBHS. The site visit will be used to monitor performance and ensure that all employees are aware of, and implementing, the standards which have been set and are required. The appointed Health and Safety Advisor will compile a report following each visit, detailing topics discussed and any actions required for completion.

If deemed required by the Management Team and within the scope of service agreed with MBHS, the allocated Health and Safety Advisor will undertake an annual audit of safety standards following a standard set of questions established to ascertain the level of legislative compliance of the Company. At least one member of the Management Team will participate in the audit process and provide answers and documentary evidence on behalf of the Company.

The Health and Safety (First Aid) Regulations 1981

The Company ensures that a sufficient number of employees are identified and trained in emergency aid and/or are First Aiders. The identity and location of the nominated First Aid employees will be included on notice boards and the specific First Aid signage. First Aid kits will be located throughout the premises and it is the responsibility of the First Aid personnel to ensure that the kits are checked on a regular basis and remain suitably stocked.

Each Company vehicle is equipped with a First Aid kit which is easily accessible to all employees at any one time during working hours. The kits are checked and restocked by the Company every three months, unless the employee notifies the Management Team that supplies have been used up, in which case items will be restocked as and when required.

Protection of Young Persons

The Company will ensure that young persons (under 18 years of age) employed by them are protected at work from any risks to their Health and Safety which are a consequence of their lack of experience or because they have not yet fully mentally and physically matured. Therefore, a specific risk assessment will be undertaken before work commences, as part of the induction process for young persons.

Where this concerns a child (not over compulsory school age), in addition to carrying out this assessment, its findings must be communicated to a person having parental responsibilities/rights for that child. Where the young person is on a ‘relevant’ scheme, i.e. work placement, then the placement organisation must be involved in the assessment process.

New and Expectant Mothers

The Company is aware of the obligations placed upon them by legislation regarding an employee who has notified them in writing that she is a new or expectant mother. When an employee provides written notification (regulation 18 of MHSW) to the Company stating that she is pregnant, or that she has given birth within the past six months, or that she is breastfeeding, the relevant member(s) of the Management Team will immediately review any risk assessments applicable to the work activity(s) being undertaken. In addition to this review, a member of the Management Team, assisted by the Health and Safety Advisor, will conduct a specific assessment for the employee in question. If this risk assessment has identified any risks to the Health and Safety of a new or expectant mother, or that of her baby, and these risks cannot be avoided by taking any necessary preventative and protective measures under other relevant Health and Safety legislation, then the Company will take action to remove, reduce or control the risk. If the risk cannot be removed, the Company will take the following actions:

Action 1 - Temporarily adjusts the employee's working conditions and/or hours of work or, if that is not possible:
Action 2 - Offer her suitable alternative work (at the same rate of pay) if available or if that is not feasible:
Action 3 - Suspend her from work on paid leave for as long as necessary, to protect her Health and Safety, and that of her child.

Violence and Aggression

The Company, both as an organisation and a Management Team, will not tolerate harassment and violence of any kind. This stance is followed throughout the Company and includes the relationships between colleagues, employees and client staff, and between staff and any other third party.

Issues of harassment and violence will be treated as disciplinary offences (up to and including dismissal or, if appropriate, criminal action). The list below is an indicator as to what constitutes harassment or violent conduct. It is not an exhaustive list and other issues may be considered by the management team as equal to those listed below:

- Physical violence.
- Verbal violence and aggression (abusive language, swearing).
- Sexual innuendo.
- Intimidation.
- Invasion of personal privacy.
- Exclusion of individuals.
- Abusive or prank phone calls/emails.

The Company will provide support, via the Management Team, to anyone who has been subjected to harassment/violence. This support may include counselling by a health professional.

The Company will ensure that training is provided to employees to prevent and deal with the risks of harassment and violence. The Company will conduct risk assessments for their work activities, and include/consider risks to employees from violence and aggression.

The Lifting Operations and Lifting Equipment Regulations 1998

The Company will ensure that lifting equipment that they own, predominantly within the company factory environment, is subjected to an assessment to ensure the equipment is suitable for the intended task. This assessment will ensure that lifting equipment provided for use at work is:

- Strong and stable enough for the particular use and marked to indicate safe working loads
- Positioned and installed to minimise any risks
- Used safely. i.e. the work is planned, organised and performed by competent people
- Subject to on-going thorough examination and, where appropriate, inspection by competent people.

Thorough Examinations completed by an independent "competent person" are arranged by the management team at a frequency that is in line with the requirements specified within the Regulations.

- in the case of lifting equipment for lifting persons or an accessory for lifting, at least every 6 months
- in the case of other lifting equipment, at least every 12 months
- in either case, in accordance with an examination scheme
- each time that exceptional circumstances which are liable to jeopardise the safety of the lifting equipment have occurred.

Site based lifting process and/or equipment, the Company will utilise the services of either a specialist contractor or Hire Company who will be responsible for ensuring that assessment(s), known as "Thorough Examination", are

completed in line with legislative requirements and frequency so as to ensure that the equipment being used is suitable for the intended task. This assessment will ensure that lifting equipment provided for use at work is:

- Strong and stable enough for its particular use and marked to indicate safe working loads.
- Positioned and installed to minimise any risks.
- Used safely, i.e. the work is planned, organised, and performed by competent people.
- Subject to on-going thorough examination and, where appropriate, inspection by competent people.

Copies of the latest Thorough Examination(s) will be required by the Company before any lifting equipment is used on a project or task.

The Control of Noise at Work Regulations 2005

The Company fully accepts the requirements placed upon it by these regulations. To enable the Company to fulfil the obligations placed upon it, the Management Team will:

- Assess the risks to employees from noise at work.
- Take action to reduce the noise exposure that produces those risks.
- Provide employees with hearing protection if noise exposure cannot be reduced enough by other methods. The Regulations identify both “Lower” and “Upper” Exposure Action Values and these are:
  Lower Exposure Action Values:
    - daily or weekly exposure of 80 dB
    - peak sound pressure of 135 dB
  Upper Exposure Action Values:
    - daily or weekly exposure of 85 dB
    - peak sound pressure of 137 dB
- Make sure the Exposure Limit Values on noise exposure are not exceeded. These are:
    - daily or weekly exposure of 87 dB
    - peak sound pressure of 140 dB
- Provide employees with information, instruction, and training relative to the task(s) that they are undertaking and the appropriate method of using supplied noise/hearing protection.
- Carry out health surveillance where there is a risk to health. The Company will retain Health Surveillance Records for 40 years from the date of the last entry due to the potential delay from exposure to excessive work based noise and the onset of hearing loss or attributable ill health.

It is the Company policy to ensure that tools and equipment purchased and used by employees has noise reduction built into the design.

Any noise-control equipment that is put in place by the Company must be properly used and maintained by employees. An equipment maintenance programme is in place and includes:

- Inspecting all noise-control equipment (such as silencers or enclosures) to make sure they are kept in good condition.
- Monitoring the equipment's effectiveness by using a sound level meter (SLM) to ascertain a basic understanding of noise levels.
- A process for the removal of defective equipment that requires attention or repair and subsequent notification to the nominated member of the Management Team.

The Confined Spaces Regulations 1997

The Company is aware that these Regulations have provided a definition of a ‘confined space’. Firstly, it is a place which is substantially (though not always entirely) enclosed and, secondly, there will be a reasonably foreseeable risk of serious injury from hazardous substances or conditions within the space or nearby.

The Company will prevent their employees, or others (appointed contractor/consultants) who are to any extent within the Company control, from entering or working inside a confined space where it is reasonably practicable to undertake the work without entering the space. Where it is not reasonably practicable to avoid entering a confined space to undertake work, the Company will ensure that a safe system of work is used, including methods of entry, monitoring of atmospheres, ensuring that PPE/RPE required is adopted by trained competent personnel only.

The Company will ensure that suitable arrangements are included within any safe system of work for emergency rescue. The emergency plan will include consideration of:

- Any required rescue and resuscitation equipment.
- Method of raising the alarm and rescue.

- Method of safeguarding the rescuers.
- Fire safety.
- Control of plant and equipment.
- First Aid provision.
- Public emergency services.
- Training.

The Control of Vibration at Work Regulations 2005

The Company will ensure a suitable risk assessment is carried out by the Management Team, assisted by the Health and Safety Advisor if agreed by contract, to assess the risk of both Hand Arm and Whole Body vibration to its employees.

The risk assessment will identify the control measures which the Company need to implement to ensure that exposure levels are reduced to an acceptable level to both Hand Arm Vibration Syndrome (HAVS) and Whole Body Vibration Syndrome (WBVS).

As a minimum, the Company will ensure that:

- The Exposure Action Value (EAV) and Exposure Limit Value (ELV) is established using the information issued by the equipment manufacturer.
- Suitable tools with vibration reduction features are used.
- Ensure working patterns are established to rotate and limit the time spent using vibratory tools.
- Supply and train employees in the correct use and storage of Personal Protective Equipment (e.g. anti-vibration gloves).
- Check for and encourage employees to report any signs or symptoms of HAVS/WBVS.
- Provide information and training to avoid unnecessary exposure to vibrations.
- Provide appropriate health surveillance for those personnel that have been identified as requiring monitoring.

Where health surveillance on HAVS/WBVS and/or associated circulatory diseases attributable to exposure to vibration has been completed the Company will keep a health record for each employee for 40 years due to possible delay from exposure to onset of ill health. The Company will offer individual employees a copy of their health records when they leave the Company or the employee ceases to be exposed to vibration. The record will be kept up to date and will include:

- identification details of the employee
- employee's history of exposure to vibration
- the outcome of previous health surveillance in terms of fitness for work, and any restrictions required
- Tier 1 and Tier 2 questionnaire results (as long as they are not confidential) even if an employee has said they have no symptoms.

The Dangerous Substances and Explosive Atmospheres Regulations 2002

The Company will ensure that where a dangerous substance is, or **is liable** to be, present, a suitable and sufficient assessment of the risks will be completed by a competent person. The regulation imposes a duty to classify workplaces into hazardous and non-hazardous areas. These areas will be defined and signage indicating their location will be posted around the site.

Where elimination of a substance cannot be achieved, the Company will:

- Reduce the amount of dangerous substances to a minimum.
- Avoid any minimal release.
- Control the release at source, i.e. by extraction systems.
- Prevent the formation of an explosive atmosphere.
- Following any release, the collection, containment, and removal will be done in a controlled and safe manner.
- Avoid ignition sources.
- Segregate incompatible substances.
- Ensure that containers of dangerous substances will be appropriately labelled that clearly identify the contents and any associated hazards.

Provide employees with suitable and sufficient information, instruction and training on the appropriate precautions and actions to be taken in order to safeguard themselves and other employees at the workplace, where a dangerous substance is present.

The Company will put in place procedures and arrangements necessary to deal with an accident, incident, or emergency relating to a dangerous substance in the workplace.

The Control of Asbestos Regulations 2012

The Company do not undertake any Asbestos Containing Materials (ACMs) removal works as this is outside the scope of work activities conducted. In addition, the employees have not been trained to carry out removal works and the company is not licensed by the HSE to conduct these works, including submission of a written scheme of work 14 days prior to commencement

The Company avoids works where asbestos-containing materials are knowingly located, unless assurances are given by the client responsible for managing/controlling the on-going condition of the Asbestos Containing Materials (ACMs) that no risk is posed to employees. The Company will ensure awareness training is given to those employees who may be exposed to asbestos.

Any required Asbestos Awareness Training will be provided by an individual or organisation that has suitable experience, qualification and competency in asbestos training and awareness. The training will include the properties of asbestos and its effects on health, the types, uses and likely occurrence of asbestos and ACMs in buildings and plant, the procedures to be followed when dealing with uncontrolled release of asbestos dust and how to avoid the risks from asbestos, e.g. not disturbing the fabric of the building unless it can be confirmed that ACMs are not present. Annual review/refresher training will be undertaken by those employees who may come into contact with ACMs.

In the event of an employee working in a location that has been identified as containing ACMs, the Management Team will ensure that suitable PPE and RPE is worn. The wearing of PPE/RPE by employees will only be required as a precautionary measure as the Company do not work with ACMs and will ensure the Client has fulfilled their 'duty to manage' as required by the regulation.

Employees working at non-company premises/locations will be required to follow the clients requirements and control measures. It is a responsibility of the client to ensure that control measures remain in place. However, all employees are required to adhere to the client site rules and this includes ensuring that implemented control measures are not compromised and remain in good condition. These controls include the client's provision of signs and notices detailing ACM areas.

Employees will not touch any ACMs which have been removed, suitably sealed (double-bagged, swan neck tied) clearly marked/labelled and stored in sealed receptacles.

The Company will establish and maintain a Health Surveillance Record for any employee that is exposed to ACM's for 40 years from the date of the last entry due to the possible delay from the exposure of a hazard to the onset of ill health.

Workplace Transport Safety

All work vehicles provided and used by the Company will be suitable for the purpose for which they are provided.

The Company will ensure that vehicles are provided with a safe way to get into and out of the cab, and any other parts of the vehicle that need to be accessed regularly. All company vehicles will provide protection for drivers against any event that can harm them (e.g. bad weather, falling objects, inhospitable environment, vehicle overturns, etc.).

Drivers of company vehicles are required to conduct a pre-use visual inspection. This check includes ensuring all lights and indicators are working and that they have clear and unobstructed visibility around the vehicle.

All work vehicles provided by the Company will be suitable for their intended purpose and capable of carrying any specified load intended. The Safe Working Load (SWL) MUST NEVER exceeded by company drivers.

Workplace vehicles will be subject to a routine maintenance program by a competent and qualified person. This includes any legislative requirements placed upon types of equipment, e.g. hi-abs.

All those employees required to use work vehicles will either have an existing qualification that they have achieved through training, or the Company will provide adequate resources to train the employee (using a suitably qualified, competent trained person) in the safe use and operation of the vehicle. Training will be reviewed, monitored and provided on an on-going basis to ensure suitable CPD (Continuous Professional Development) is maintained.

The Company will authorise nominated employees to drive company work vehicles. This authorisation will only be given on the proviso that the employee is suitably trained, qualified (where appropriate) and competent to drive the vehicle.

The Control of Lead at Work Regulations 2002

The Company will ensure no work liable to result in exposure to lead will start until the Management Team, assisted by the Health and Safety Advisor, have made a suitable and sufficient assessment to determine whether exposure is liable to be **significant**.

The Company will either prevent exposure to lead or, where this is not reasonably practicable, make sure that exposure is adequately controlled by means other than PPE, so far as is reasonably practicable.

The Company will provide medical surveillance where exposure is or is liable to be **significant**. This surveillance will be conducted at a frequency rate decided by the appointed Occupational Health Practitioner. The Company will retain Health Surveillance Records for 40 years from the date of the last entry due to the possible delay from the exposure of a hazard to the onset of ill health.

The Construction, Design and Management Regulations 2015

The Construction (Design & Management) Regulations (CDM) are the main set of regulations for managing the health, safety and welfare of construction projects. CDM applies to all building and construction work and includes new build, demolition, refurbishment, extensions, conversions, repair and maintenance.

The CDM Regulations define three main roles for managing the health and safety of a construction project.
The Client has overall responsibility for the successful execution of the project and the Principal Designer (PD) and Principal Contractor (PC) lead on different phases of the project.

The Principal Designer and Principal Contractor have an important role in co-ordinating health and safety. All three duty holders must have good working relationships from the outset if the project is to be delivered in a safe and healthy manner. This enables the provision and flow of information to ensure that health and safety is considered when making decisions.

The Company is aware of the specific responsibilities issued to designated duty holders within a project and will follow the applicable guidance notes/industry information regarding management of a construction project.

Client
CDM2015 defines a client as anyone for whom a construction project is carried out. The regulations apply to both **domestic** and **commercial** clients. The Company will only undertake the role of a **commercial** client as they are an organisation for whom a construction project is carried out in connection with a business, whether the business operates for profit or not.

The Company recognise that when they are undertaking the role of “Client” on a construction project they have overall responsibility for the successful management of the project. As part of their role as Client, the Company will ensure that:

- They have the skills, knowledge and experience of CDM processes (or appoint a suitably competent CDM Advisor to assist them – this appointment may be separate from the other appointed duty holders).
- They establish a Client Brief which sets out the key requirements and communicates the aims and aspirations for the project. This will generally be a documented process but for simplistic projects verbal briefing may be issued but a record held of the discussion.
- They check the competence and resources of all appointees and allow sufficient time and resources for all stages.
- Where a project has more than one contractor they appoint, in writing, a Principal Designer who has the appropriate skills, knowledge, experience and competency relevant to the project.
- Where a project has more than one contractor they appoint, in writing, a Principal Contractor who has the appropriate skills, knowledge, experience and competency relevant to the project.
- There are suitable management arrangements for the project, including welfare facilities. These arrangements will be monitored and verified throughout the project by either progress meetings, site visits or other forms of communication.
- Pre-construction information that is reasonably obtainable is provided to Designers and Principal Contractors.
- Notification is made to the HSE (using the F10 form readily available on the HSE website) where a project is expected to last more than 30 working days, or exceed 500 person days and have more than 20 workers working on the project at any one time.
- They confirm with the appointed Principal Contractor that the Construction Phase Plan is project-specific, has considered and mitigated the pre-construction information provided and its content is proportionate to the site risks.
- At project completion the Health and Safety File is provided by the Principal Designer.

Principal Contractor
The Company recognises that the role of Principal Contractor is given to the contractor in overall charge of the construction phase of a project. Any PC appointment undertaken by the Company will be formally issued, in writing, by the project Client. A member of the Company management team will confirm that they are the sole PC for the project (or part thereof).

The Company will only accept a PC appointment for those projects that they are capable of undertaking. The Company management team are aware that the capability to complete the project as PC will be dependent on designated personnel having the right skills, knowledge, training and experience that are relevant to the project.

The Company recognise that the role of PC is a key duty holder within CDM2015 who has the responsibility for managing health and safety on a construction site.

A summary of the key actions that will be completed by the Company whilst undertaking the PC role are:

Planning -
Preparing a construction phase plan that is proportionate to the hazards and risks identified, relevant to the project and capable of providing information that ensures the work is carried out without risk to health or safety.

Managing -
Implementing the construction phase plan, including facilitating co-operation and co-ordination between trade personnel contractors.

Workforce -
Employing (or appointing) people doing work on behalf of the Company that:

- Have the necessary skills, knowledge, training and experience to do the job safely without putting their own or others' health and safety at risk.
- Are properly supervised and given clear instructions.
- Have the right tools, equipment, plant, materials and protective clothing.
- Engage with Company staff about health and safety issues.
- Undertake health surveillance where required.

The Company will assess potential sub-contractors (including labour only personnel) using a combination of reference reviews, competency checks e.g. individual's capabilities, SSIP and professional trade membership(s) and interview (where required).

Monitoring -
Reviewing, revising and refining the plan and checking work is being carried out safely and without risks to health. This will be completed using site inspections by suitably competent in-house personnel and inspections/audits by the Company external H&S advisors where required or deemed necessary.

Security -
Making suitable provision to prevent unauthorised access to the site by using fencing, security patrols, scaffold alarms and other controls e.g cctv. The level of security measures applied by the Company on a project will be relevant to the potential risk of unauthorised access.

Welfare -
Making sure that suitable facilities are provided throughout the construction phase and that they are kept in good order at all times. These facilities are:

- Lit and ventilated toilets (suitable for men and women).
- Lit and ventilated washing facilities next to the toilets, including hot, cold or warm running water.
- Soap or hand cleaner, towels or means of drying hands.
- Supply of drinking water and cups.
- Facilities for rest (tables and chairs).
- Where required, changing rooms, drying rooms and lockers.

Induction -
Providing any person working on site (workers), regular visitors and others information about risks relevant to the project at that given point in time. The induction will cover an outline of the project, emergency arrangements, known hazards associated with the site, training/competency arrangements and accident/incident reporting requirements. Site rules that are relevant to the project, environment and Company rules will be established and provided during the induction process. One-off or occasional visitors will be allowed on site but only whilst accompanied at all times by an inducted person who has been authorised by the Company to escort people around site.

Design -
To discuss with the Principal Designer any design issues or change to a design that may be required and provide any relevant information for the Health and Safety File when requested.

Designer
When the Company is acting in the role of Designer in a construction project, they will ensure that they:

- Check the Client is aware of their duties.
- Use the general principles of prevention to eliminate hazards and reduce risks during the design process by taking account of the health and safety risks which may affect anyone working on site (or anyone else who may be affected during construction), those who may maintain or clean the building once it is built and those who use the building as a workplace.
- Provide relevant information about any residual risks.

In addition to the above, if a project meets the relevant criteria the Company will:

- Check that the Client has appointed a Principal Designer.
- Check that the Client has appointed a Principal Contractor.
- Provide any information needed for the Health and Safety file.

Contractor
When the Company have been appointed as a Contractor on a construction project, they are aware they have the responsibility to manage and control health and safety risks for their employees and any contractors (including self-employed sub-contractors) that they have appointed. To do this the Company will:

- Provide detail on meeting the Client's requirements.
- Review and implement mitigation on any preconstruction information provided by the Principal Designer.
- Review the relevant parts of the construction phase plan and any other requirements identified by the Principal Contractor.
- Only use a workforce that have the right skills, knowledge, training, experience and provide suitable levels of supervision for those working on their behalf.
- Ensure those carrying out the work that the Company have been appointed to complete have the right plant, tools, equipment, materials and personal protective equipment.
- Provide relevant information and instructions to workers by briefing workers on relevant risk assessment and method statements.
- Co-ordinate their work with those of other contractors and the Principal Contractor.
- Inform the principal contractor of any intention to sub-contract elements of their work.

The Acetylene Safety (England and Wales and Scotland) Regulations 2014

The Company recognises their responsibilities regarding the safety requirements when carrying out any routine or non-routine activity that is associated with the use of Acetylene.

Requirements for any acetylene equipment or acetylene manifold
The Company will only purchase and use any acetylene equipment or acetylene manifold if it has been appropriately designed, manufactured and operated to prevent, so far as is reasonably practicable—

- the uncontrolled combustion of acetylene gas;
- the decomposition of acetylene gas; and
- the formation of acetylene–derived compounds that pose a risk or are liable to initiate decomposition of acetylene gas.

To this end, the Company will ensure that any acetylene equipment or acetylene manifold used during their course of business if it has been designed and manufactured to—

- withstand the thermal and mechanical stresses of any decomposition of the acetylene gas that it contains;
- dissipate or direct the thermal and mechanical stresses of any decomposition of the acetylene gas that it contains.

Further requirements for an acetylene manifold
The Company are aware that an acetylene manifold may only be used if it is—

- designed to prevent the mixture of air, or oxygen, with acetylene gas within the acetylene manifold;
- fitted with rigid pipework with an internal diameter equal to or less than 25mm;
- fitted with a flexible hose where rigid pipework is not practicable and the flexible hose—
    - is kept at the minimum practicable length
    - has an internal diameter equal to or less than 25mm; and
- not subjected to pressure greater than that within any attached cylinder.

Requirements of a system of connected acetylene equipment
The Company will ensure that a system of connected acetylene equipment may only be used if it is fitted—

- with a pressure regulation device that is—
    - designed and constructed for use with compressed acetylene gas; and
    - positioned as close as is reasonably practicable to the acetylene manifold or, where no acetylene manifold is used, to the cylinder;

- within one metre of the pressure regulation device, with a flame arrestor
- with a non-return device, effective against the return of gas towards the cylinder, and a quick-acting shut-off device, and both devices are positioned as close as is reasonably practicable to the acetylene manifold or, where no acetylene manifold is used, to the cylinder.

Requirements for a flame arrestor
The Company will ensure that a flame arrestor (put into service after the relevant date) may only be used if, at the time it is put into service, it complies with the requirements of BSEN 730-1:2002 or any other relevant international standard.

Requirement for an isolation valve
The Company will ensure that a manually operated isolation valve is fitted as close as is reasonably practicable upstream of each acetylene burner or acetylene-consuming equipment.

Cylinder colouring
The Company will liaise with their supplier to request that any acetylene cylinder provided to them is painted, on both its body and shoulder, in the colour matching number 3007 of the Classic RAL system.

The Pressure Systems Safety Regulations 2000

Before a pressure system is operated the Company will ensure that a written scheme of examination has been drawn up and prepared by a suitably competent person. The level of expertise needed by the competent person depends on the size and complexity of the system in question. The level of expertise, knowledge and experience needed in different circumstances, pressure systems are divided into three categories, Minor Systems, Intermediate Systems and Major Systems. The information contained within the latest version of the associated Approved Code of Practice (L122 - Safety of pressure systems, regulation 8) that gives clear definition of the three categories should be taken as an indication of the range of systems covered rather than providing clear-cut divisions.

The Company will ensure that each system should be individually assessed and an informed decision made on which of the categories is the most appropriate. As a minimum, the following information will be included in any written scheme of examination:

- Identification of the item of plant or equipment and parts of the system which are to be examined..
- The nature of the examination required, including the inspection and testing to be carried out on any protective devices.
- The preparatory work necessary to enable the item to be examined safely.
- Specify what examination is necessary before the system is first used.
- The maximum interval between examinations.
- The critical parts of the system which, if modified or repaired, should be examined by a competent person before it is used again.
- The name of the competent person certifying the written scheme and the date of the certification

The competent person appointed to conduct any examination of the system(s) should have sufficient practical and theoretical knowledge and actual experience of the type of system under examination to enable defects or weaknesses to be identified and an assessment made of their significance in terms of the integrity and safety of the equipment.

The Company must ensure that it is expected that the competent person examines and report on all parts of the system covered by the written scheme of examination. The competent person should be satisfied that, as a result of the examination, the condition of the parts included in the written scheme and their fitness for continued use has been properly assessed. On completion of an examination of the system, the Company must ensure that the appointed Competent Person provides a written report detailing all relevant details including:

- Identification of system or parts examined.
- The condition of the system or parts examined (and those parts not examined)
- Results of the examination.
- Any repairs needed and the timescale for completion.
- Any changes in the safe operating limits and the date by which they should be made.
- Any change in the written scheme of examination & other observations.
- The date the examination took place &the date by which the next examination must be completed.
- Name and address of competent person & their signature.

Copies of all examinations of the system will be held on file by the Company and readily available for review by the management team and/or interested party e.g. Insurer.