

# PREVENTIVE MAINTENANCE REPORT (MASTER)

Template includes 15 units (2 pages per unit). Duplicate pages in PDF Expert if more units are found.

## PROJECT OVERVIEW

Customer Name:

Site Address:

Date:

Technician(s):

Work Order #:

## SITE MAP / UNIT LOCATION OVERVIEW

Paste/insert roof plan or aerial image here. Tag units to match Unit ID/Tag fields.

*SITE MAP IMAGE BOX*

Lead Technician Signature:

Date:

*Kenneth Groves*

UNIT 1 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)


PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 1 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.



UNIT 2 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## **UNIT 2 – EVIDENCE & PHOTO NOTES**

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 3 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 3 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 4 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)



## UNIT 4 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 5 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 5 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 6 – WORK, DATA & RECOMMENDATIONS

Unit ID/Tag:

Serial:

Manufacturer:

Model:

Age:

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |
|----------------------------|------------------|--------------------|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 6 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 7 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 7 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 8 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)



## UNIT 8 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 9 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 9 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 10 – WORK, DATA & RECOMMENDATIONS

Unit ID/Tag:

Serial:

Manufacturer:

Model:

Age:

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |
|----------------------------|------------------|--------------------|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 10 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 11 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 11 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 12 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)



## UNIT 12 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 13 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 13 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

# UNIT 14 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

## PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

## OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

## GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

## RECOMMENDED ACTIONS (OBSERVATION-BASED)

### PRIORITY A – MONITOR (LONG-TERM)

### PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

### PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 14 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.

UNIT 15 – WORK, DATA & RECOMMENDATIONS

|               |         |      |
|---------------|---------|------|
| Unit ID/Tag:  | Serial: |      |
| Manufacturer: | Model:  | Age: |

PM SCOPE (INCLUDED)

|         |                     |           |                  |
|---------|---------------------|-----------|------------------|
| Filters | Belts               | Evap Coil | Cond Coil        |
| Drain   | Electrical (visual) | Safeties  | General cleaning |

OPERATIONAL READINGS (OBSERVATION ONLY)

|                            |                  |                    |  |
|----------------------------|------------------|--------------------|--|
| Supply Temp (°F)           | Return Temp (°F) | Delta-T (°F)       |  |
| Compressor Amps (L1/L2/L3) | Blower Amps      | Condenser Fan Amps |  |
| Voltage (L-L / L-N)        | Refrigerant Type |                    |  |

GENERAL OBSERVATIONS (NON-DIAGNOSTIC)

RECOMMENDED ACTIONS (OBSERVATION-BASED)

PRIORITY A – MONITOR (LONG-TERM)

PRIORITY B – ATTENTION RECOMMENDED (MID-TERM)

PRIORITY C – ACTION RECOMMENDED (NEAR-TERM)

## UNIT 15 – EVIDENCE & PHOTO NOTES

Insert up to 6 photos. Basic photos are sufficient. Add a short typed caption.