

# Scan

Scan or type a barcode (7 digits) then Enter. Lookup and validation are formula-driven — no VBA.

## Scan

Scan / type barcode:

Status:

EMPTY

### Lookup result (formula staging)

| Barcode | ContainerID | ProductID |
|---------|-------------|-----------|
|         |             |           |

### Container detail

|                |  |
|----------------|--|
| Container ID   |  |
| Barcode        |  |
| Product        |  |
| Batch / Lot    |  |
| Status         |  |
| Location       |  |
| Expiry         |  |
| Expiry class   |  |
| Opened         |  |
| Duplicate flag |  |

### Validation & allowed next actions

|                      |                |
|----------------------|----------------|
| Allowed next actions |                |
| Blocking conditions  | Scan a barcode |

Workflow (interim manual mode): scan → review card → perform transaction on Containe  
Scanner: USB keyboard wedge, Enter suffix, Code 128 labels.

| ProductName | BatchLotNumber | ExpiryDate | StorageLocationID | LocationName | Status | OpenedDate |
|-------------|----------------|------------|-------------------|--------------|--------|------------|
|             |                |            |                   |              |        |            |

rs/Transactions sheets. VBA phase adds atomic commit + scan reset/focus.

| ExpiryClass | Duplicate Flag | LookupState |
|-------------|----------------|-------------|
| NoExpiry    |                | EMPTY       |