라라벨

라우터

```
🕶 invest.php ×
PLATFORM
 Q
                > app
> Console
> Exceptions
                                                                                              2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 6 27 28 29 31 32 33 4 35 36 37 8 39 40 41 24 43
90
2
                  > Http
> Logging
$
                 > Models
> Providers
> Wein
品
                > Wein
> bootstrap
> config
> database
> lang
> public
> resources
                                                                                                              Here is where you can register web routes for your application. These routes are loaded by the RouteServiceProvider within a group which contains the "web" middleware group. Now create something great!
                                                                                                          // 투자하기
Route::prefix('invest')->group(function () {
Route::controller(InvestController::class)->group(function () {
L 4/ 메인 "investMain');
                voutes
veb
board.php
company.php
invest.php
                                                                                                                             // 상품성세
Route::get('/detail/{loan_app_no}', 'investDetail');
Route::any('/postingimg', 'getPostingImg');
                  invest.pnp
join.php
loan.php
login.php
mypage.php
                                                                                                                            // 투자하기
Route::post('/investaction',
Route::post('/investcancel',
                 api.php channels.php
                                                                                                                             // 법인투자안내
Route::get('/investcorp',
Route::post('/investcorpaction',
                 console.php
web.php
                                                                                                                                                                                                         'investCorp');
'investCorpAction');
            web.php
> storage
> tests
> vendor
• .editorconfig
$ .env.example
$ .env.local
• .gitattributes
> ਸ12
                                                                                                                            // FANAZH DHE W LOS
Route::get('/investinfo',
Route::get('/investorapp/{div}',
Route::post('/investorapp',
                                                                                                                                                                                                         'investInfo');
'investInfoForm');
'investInfoApp');
0
                                                                                                                             // 예상수익계신기
Route::post('/calcexpectmoney', 'calcExpectMoney');
 ₩
             > 타임라인
'helen* ↔ ⊗ 0 △ 0 % 0
                                                                                                                                                                                                                                                                                                                                                      줄 1, 열 1 공백: 4 UTF-8 CRLF PHP 🗗
```

미들웨어

라라벨 1

```
platform
Ð
        탐색기
                                             RedirectFinishJoin.php ×
                             ា ២០គ
       PLATFORM
                                             app > Http > Middleware > ♥ RedirectFinishJoin.php
Q

√ app

→ Console
                                               90
2
         ✓ Http✓ Controllers✓ Common
                                                           * Handle an incoming request.
$
                                                            BoardController.php
CertController.php
H
                                                            * @param string|null ...$guards
* @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
            CompanyController.php
             ndexController.php
                                                          public function handle(Request $request, Closure $next)
            > Invest
                                                             $url = explode("/", $request->path());
            M JoinController.php
                                                              // 로그인 한 사람에 한해, 회원가입 완료여부 체크
if(Session::has('no') && ( $url[0]=="invest" || $url[0]=="loan" || $url[0]=="mypage" ))
            M LoanController.php
                                                                  if(!Session::has('kyc_step'))
                                                                       $_SEND['usr_info_no'] = Session::get('no');
$kyc = Api::sendDataFunc($_SEND, "getjoinprot
Session::put('kyc_step', $kyc['kyc_step']);
            Mypage
           MypageController.php
Controller.php
                                                                                                                      ocess");
           ∨ Middleware
                                                                  $kyc_step = Session::get('kyc_step');
if($kyc_step=="A")
           # EncryptCookies.php
           ** LoginCheck.php
                                                                      return redirect('/join/idcheck');
           PreventRequestsDuringMainte
                                                                   else if($kyc_step=="B")
           RedirectifAuthenticated.php
TrimStrings.php
TrustHosts.php
                                                                      return redirect('/join/registeracct');
           TrustProxies.php
VerifyCsrfToken.php
                                                                      return $next($request);
           Kernel.php
         > Logging
0
      wodels
> Providers
> 개요
         > Models
                                                                  return $next($request);
₩
      > 타임라인
          en* ↔ ⊗ 0 ∆ 0 % 0
                                                                                                                                                                          줄 1, 열 1 공백: 4 UTF-8 CRLF PHP 🕃
```

컨트롤러

```
⇔ CertController.php ×
PLATFORM
                                  中に甘り自
                                                      app > Http > Controllers > Common > 🦛 CertController.php
Q

√ app

→ Console
                                                      > Exceptions
0
0
2
                                                                   *
* @param \Illuminate\Http\Request $request
* @return Array

    Controllers

$
             Common

BoardController.php

CertController.php

CompanyController.php
                                                                       品
                                                                                                                                        // NICE로부터 부여받은 사이트 코드
// NICE로부터 부여받은 사이트 텍스워드
// Linux = /철대경로/ , Window = D:\\철대경로\\ , D:\철대경로\
// 영호화된 경과 데이타
              m IndexController.php
             > Invest
> Join
               M JoinController.php
              ∨ Loan

** LoanController.php
                                                                       Log::debug("[PH_CERT][SUCC][START]");
Log::debug("[PH_CERT][SUCC][RETURN_DATA][".$enc_data."]");
                                                                                                                                                                                                                                         > Login
                                                                       // 데이터 유효성 검증 if(preg_match('~[^0-9a-zA-Z+/=]~', $enc_data, $match))
              Mypage
             MypageController.php
Controller.php
                                                                            $rslt['return_msg'] = "암호화 데이터 유효성 검증 오류";
Log::debug("[PH_CERT][SUCC][ERR][".$match[0]."]");
            > Middleware
           M Kernel.php
           > Logging
                                                                       if(base64_encode(base64_decode($enc_data))!=$enc_data)
           > Models
> Providers
                                                                            $rslt['return_msg'] = "암호화 데이터 유효성 검증 오류";
Log::debug("[PH_CERT][SUCC][ERR][BASE64]");
         > Wein
> bootstrap
          > config
> database
                                                                        // 데이터 처리
if ($enc_data != "")
         > lang
> public
                                                                             // 영호화된 결과 데이터의 복호화
$plaindata = '$cb_encode_path DEC $sitecode $sitepasswd $enc_data';
if ($plaindata == -1)
         > resources
> routes
0
                                                                                 $rslt['return_msg'] = "암/복호화 시스템 오큐";
         > storage
         > tests
· 개요
· 타임라인
                                                                             else if ($plaindata == -4)
£$$
             n* ↔ ⊗ o ∆ o %/o
                                                                                                                                                                                                          출 1. 열 1 공백: 4 UTF-8 CRLF PHP 🕃
```

라라벨