0. SETUP
1. TRANSFORMER MODELS
Introduction
Natural Language Processing
Transformers, what can they do?
How do Transformers work?
Encoder models
Decoder models
Sequence-to-sequence models
Bias and limitations
Summary
End-of-chapter quiz
2. USING 🤗 TRANSFORMERS
3. FINE-TUNING A PRETRAINED MODEL
4. SHARING MODELS AND TOKENIZERS
5. THE 🤗 DATASETS LIBRARY
6. THE 🤗 TOKENIZERS LIBRARY
7. MAIN NLP TASKS
8. HOW TO ASK FOR HELP
9. BUILDING AND SHARING DEMOS NEW
COURSE EVENTS

Join the Hugging Face community
and get access to the augmented documentation experience
Collaborate on models, datasets and Spaces
Faster examples with accelerated inference
Switch between documentation themes
Sign Up to get started

Decoder models

Decoder models

Ask a question



Decoder models use only the decoder of a Transformer model. At each stage, for a given word the attention layers can only access the words positioned before it in the sentence. These models are often called *auto-regressive models*.

The pretraining of decoder models usually revolves around predicting the next word in the sentence.

These models are best suited for tasks involving text generation.

Representatives of this family of models include:

- CTRL
- GPT
- GPT-2
- Transformer XL

← Encoder models
Sequence-to-sequence models →