

Date: July 9, 2019

Technical Report

De: Paul KOWALCZYK À: Jean-Yves DELANNOY

Antoine EMERY

Copie:

Ref: Pages: 9

Classification Models for Ready Biodegradability

Lorem ipsum dolor sit amet, quisque sed elit nunc duis est rutrum, posuere euismod magna odio sed egestas, turpis convallis integer suspendisse facilisis suspendisse, cras nibh lorem fusce accumsan. Ornare mus aliquam, phasellus vitae ac. Ac in posuere, ullamcorper suspendisse potenti accumsan, donec eu enim fusce, vel accumsan vivamus mauris, lorem lacus erat facilisis cras praesentium in. Ornare lectus risus, magna tincidunt sit a dolor bibendum non. Cras tellus. Metus in condimentum cillum, sed quis libero egestas eget ipsum blandit, aliquam rhoncus fusce integer dictumst duis, facilisis duis felis et vel dignissim.

Paul KOWALCZYK

Contents

1	Introduction	3
2	Materials and Methods	4
	2.1 Data Set Construction	4
	2.2 Calculation of Molecular Descriptors	
	2.3 Calculation of Molecular Fingerprints	
	2.4 Modeling Methods	
	2.5 Definition of Model Applicability Domain	
	2.6 Privileged Substructures Analysis	
	2.7 Performance Evaluation of Models	
	2.7 I enormance Evaluation of Wodels	4
3	Results	5
	3.1 Chemical Space Analysis	5
	3.2 Performance of Descriptor-Based Models	
	3.3 Performance of Fingerprint-Based Models	
	3.4 Role of the Applicability Domain (AD)	
	3.5 Privileged Substructure for Chemical Biodegradation	
	Joan State S	•
4	Discussion	6
	4.1 Comparison of Different Modeling Methods	6
	4.2 Diversity of the Data Set	
	4.3 Relevance of Selected Chemical Descriptors to the Biodegradability Mechanism	
	4.4 Visual Analysis of Substructure Alerts for Chemical Biodegradation	
5	Conclusion	7
6	Associated Content	8
7	References	a

Introduction

Materials and Methods

- 2.1 Data Set Construction
- 2.2 Calculation of Molecular Descriptors
- 2.3 Calculation of Molecular Fingerprints
- 2.4 Modeling Methods
- 2.5 Definition of Model Applicability Domain
- 2.6 Privileged Substructures Analysis
- 2.7 Performance Evaluation of Models

Results

- 3.1 Chemical Space Analysis
- 3.2 Performance of Descriptor-Based Models
- 3.3 Performance of Fingerprint-Based Models
- 3.4 Role of the Applicability Domain (AD)
- 3.5 Privileged Substructure for Chemical Biodegradation

Discussion

- 4.1 Comparison of Different Modeling Methods
- 4.2 Diversity of the Data Set
- 4.3 Relevance of Selected Chemical Descriptors to the Biodegradability Mechanism
- 4.4 Visual Analysis of Substructure Alerts for Chemical Biodegradation

Conclusion

Associated Content

References