



**MONASH**  
University

MONASH  
BUSINESS  
SCHOOL

# Monash Beamer Class Demonstration

Rob J Hyndman

July 10, 2020

# Outline

- 1 Intro
- 2 Using R
- 3 RMarkdown Examples

# Outline

- 1 Intro
- 2 Using R
- 3 RMarkdown Examples

# Slide with bullets

- Bullet 1
- Bullet 2
- Bullet 3

Use `\alert` to **highlight** some text

## Some enumeration

- 1 The first item
- 2 Stuff
- 3 Nonsense

# Outline


- 1 Intro
- 2 Using R
- 3 RMarkdown Examples

# Slide with R output

```
summary(cars)
```

##	speed	dist
##	Min. : 4.0	Min. : 2.00
##	1st Qu.:12.0	1st Qu.: 26.00
##	Median :15.0	Median : 36.00
##	Mean :15.4	Mean : 42.98
##	3rd Qu.:19.0	3rd Qu.: 56.00
##	Max. :25.0	Max. :120.00

# Slide with graphics



# Slide with mathematics

Quantile score for observation  $y$ . For  $0 < p < 1$ :

$$S(y_t, q_t(p)) = \begin{cases} p(y_t - q_t(p)) & \text{if } y_t \geq q_t(p) \\ (1 - p)(q_t(p) - y_t) & \text{if } y_t < q_t(p) \end{cases}$$

Average score over all percentiles gives the best distribution forecast:

$$QS = \frac{1}{99T} \sum_{p=1}^{99} \sum_{t=1}^T S(q_t(p), y_t)$$



# Outline


- 1 Intro
- 2 Using R
- 3 RMarkdown Examples

## R Figure

The following code generates the plot on the next slide (taken from `help(bxp)` and modified slightly):

```
library(stats)
set.seed(753)
bx.p <- boxplot(split(rt(100, 4),
                      gl(5, 20)), plot=FALSE)
bxp(bx.p, notch = FALSE, boxfill = "orange",
    frame = FALSE, outl = TRUE,
    main = "Example from help(bxp)")
```

# R Figure



# R Table

A simple `knitr::kable` example:

```
knitr::kable(mtcars[1:4, 1:7],  
             caption="(Parts of) the mtcars dataset")
```

**Table 1:** (Parts of) the mtcars dataset

	mpg	cyl	disp	hp	drat	wt	qsec
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02
Datsun 710	22.8	4	108	93	3.85	2.320	18.61
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44

## For more information:

- See the RMarkdown repository for more on RMarkdown
- See the binb repository for more on binb
- See the binb vignettes for more examples.