RULE ID	BEHAVIOUR	LABEL	FILES
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	Show Files com/amap/api/col/p0003l/dx.java com/blankj/utilcode/util/ImageUtils.java com/ptg/adsdk/lib/utils/ot/LruDiskUtils.java com/tange/base/toolkit/FileUtil.java com/tg/appcommon/android/AbImageUtil.java com/ubixnow/ooooo/oo0oo0.java
00003	Put the compressed bitmap data into JSON object	camera	com/ptg/adsdk/lib/utils/ot/LruDiskUtils.java
00004	Get filename and put it to JSON object	file collection	Show Files com/alipay/sdk/m/d0/b.java com/alipay/sdk/m/q/b.java com/alipay/sdk/m/x/o.java com/alliance/ssp/ad/t/h.java com/amap/api/col/p0003l/bv.java com/amap/api/col/p0003l/ft.java com/amap/api/col/s/cf.java com/anythink/china/b/f.java com/anythink/core/common/d/t.java com/beizi/fusion/tool/v.java com/blankj/utilcode/util/LogUtils.java com/bytedance/pangle/e/b.java com/kuaishou/weapon/p0/an.java com/kwad/components/core/d/a.java com/kwad/sdk/crash/report/d.java com/kwad/sdk/crash/report/upload/b.java com/kwad/sdk/crash/report/upload/d.java com/kwad/sdk/resourceCache/b.java com/kwad/sdk/utils/g.java com/octopus/ad/internal/view/AdViewImpl.java com/ptg/adsdk/lib/utils/ot/LruDiskUtils.java com/qq/e/comm/managers/plugin/PM.java com/ss/android/downloadlib/a.java com/ss/android/downloadlib/g/m.java com/ss/android/socialbase/appdownloader/c.java com/ss/android/socialbase/appdownloader/f/java com/tencent/beacon/a/d/g.java com/tencent/bugly/sla/dl.java com/tencent/cos/xml/model/object/PostObjectRequest.java com/wangmai/okhttp/request/base/BodyRequest.java qm/qm/qma/e.java
00005	Get absolute path of file and put it to JSON object	file	Show Files com/alibaba/sdk/android/emas/e.java com/alipay/sdk/m/f0/b.java com/alipay/sdk/m/q/b.java com/alipay/sdk/m/x/d.java com/alliance/ssp/ad/d0/b.java com/amap/api/col/p0003l/ft.java com/amap/api/col/s/cf.java com/anythink/basead/b/e/a.java com/anythink/china/b/f.java com/anythink/core/common/t/d.java com/anythink/core/common/u/g.java com/beizi/ad/internal/f/c.java com/blankj/utilcode/util/CacheDiskUtils.java com/blankj/utilcode/util/LogUtils.java com/bytedance/pangle/e/b.java com/bytedance/pangle/plugin/d.java com/bytedance/pangle/res/a/c.java com/bytedance/sdk/openadsdk/api/plugin/e.java com/kuaishou/weapon/p0/u.java com/kwad/components/ad/feed/widget/q.java com/kwad/components/core/da.java com/kwad/components/core/webview/tachikoma/i.java com/kwad/sdk/resourceCache/b.java com/kwad/sdk/utils/g.java com/octopus/ad/internal/network/ServerResponse.java com/ptg/adsdk/lib/utils/ot/LruDiskUtils.java com/com/qre/comm/managers/plugin/PM.java com/ss/android/downloadlib/a.java com/ss/android/downloadlib/g/m.java com/ss/android/socialbase/appdownloader/c.java com/ss/android/socialbase/appdownloader/i/f.java com/tencent/bugly/sla/LooperReport.java com/tencent/bugly/sla/dl.java com/tencent/bugly/sla/dp.java com/tencent/bugly/sla/ds.java com/tencent/bugly/sla/inijava com/umeng/commonsdk/UMConfigure.java com/umeng/commonsdk/internal/c.java qm/qm/qma/f.java

about:blank 1/25

RULE ID	BEHAVIOUR	LABEL	FILES
00009	Put data in cursor to JSON object	file	Show Files com/amazonaws/mobileconnectors/s3/transferutility/TransferUtility.java com/autonavi/aps/amapapi/storage/a.java com/iflytek/cloud/SpeechUtility.java com/kuaishou/weapon/p0/br.java com/kwad/components/core/c/h.java com/ss/android/socialbase/downloader/model/DownloadInfo.java com/tencent/bugly/sla/bx.java com/tencent/bugly/sla/gm.java com/tencent/bugly/sla/gn.java com/tencent/mm/opensdk/openapi/BaseWXApiImplV10.java com/ubix/ssp/ad/core/monitor/data/c/d.java com/ubixnow/ooooo/ooOO0000.java com/umeng/analytics/process/UMProcessDBHelper.java org/android/agoo/message/MessageService.java
00010	Read sensitive data(SMS, CALLLOG) and put it into JSON object	sms calllog collection	com/kuaishou/weapon/p0/br.java com/tencent/mm/opensdk/openapi/BaseWXApiImplV10.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	Show Files com/autonavi/aps/amapapi/utils/j.java com/bytedance/pangle/provider/a.java com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_er.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_hu.java com/tencent/mm/opensdk/openapi/BaseWXApiImplV10.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00012	Read data and put it into a buffer stream	file	Show Files anet/channel/util/SerializeHelper.java com/alibaba/sdk/android/emas/e.java com/alibaba/sdk/android/oss/internal/SequenceUploadTask.java com/alibaba/sdk/android/tbrest/utils/Base64.java com/alibaba/sdk/android/stbrest/utils/Base64.java com/alibaba/sdk/android/tbrest/utils/Base64.java com/alliance/ssp/ad/s/b.java com/amazonaws/util/Md5Utils.java com/anythink/core/common/res/a.java com/anythink/dlopt/common/a/l.java com/blankj/utilcode/util/FileUUtils.java com/blankj/utilcode/util/FileUtils.java com/blankj/utilcode/util/FileUtils.java com/blankj/utilcode/util/FileUtils.java com/blankj/utilcode/util/FileUtils.java com/blankj/utils/SHA256.java com/blankj/utils/pltil.java com/huawei/secure/android/common/util/ZipUtil.java com/huawei/hms/utils/SHA256.java com/huawei/secure/android/common/util/ZipUtil.java com/insightvision/openadsdk/net/volley/a/d.java com/jd/ad/sdk/jad_bo/jad_an.java com/kwad/sdk/core/download/a.java com/jd/ad/sdk/core/imageloader/core/download/BaselmageDownloader.java com/kwad/sdk/core/webview/b/b.java com/kwad/sdk/core/imageloader/core/download/BaselmageDownloader.java com/kwad/sdk/core/webview/b/b.java com/kwad/sdk/crash/utils/h.java com/kwad/sdk/utils/ce.java com/kwad/sdk/utils/q.java com/kwad/sdk/utils/w.java com/ptg/adsdk/inner/request/PlDownloadManager.java com/qy/sdk/img/a/h.java com/qy/sdk/img/e.java com/tange/core/media/render/DeviceScreenRecord.java com/tange/feature/media/play/decoration/MediaScreenRecord.java com/tencent/bugly/sla/bn.java com/tencent/bugly/sla/bn.java com/tencent/bugly/sla/bn.java com/tencent/bugly/sla/bn.java com/tencent/bugly/sla/bn.java com/tencent/pusp/sdk/f/m.java com/tg/appcommon/android/AbFileUtil.java com/vivo/push/util/u.java com/wangmai/bb.java com/xiaomi/push/ch.java com/xiaomi/push/cs.java com/xiaomi/push/x.java io/objectbox/BoxStoreBuilder.java org/greenrobot/essentials/io/FileUtils.java

about:blank 2/25

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	Show Files anet/channel/util/SerializeHelper.java cn/lion/ad/inland/base/util/device/VlionDeviceInfo.java com/airbhb/lottie/network/NetworkFetcher.java com/airbhb/lottie/network/NetworkFetcher.java com/airbhba/sdk/android/oss/crashdefendc/a java com/airbba/sdk/android/oss/internal/ResumableDownloadTask.java com/alibaba/sdk/android/oss/internal/ResumableUploadTask.java com/alibaba/sdk/android/oss/internal/SequenceUploadTask.java com/alibaba/sdk/android/oss/internal/SequenceUploadTask.java com/alibaba/sdk/android/oss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/SequenceUploadTask.java com/alibaba/sdk/android/joss/internal/Sequence/Int

about:blank 3/25

RULE ID	BEHAVIOUR	LABEL	FILES
			com/innos/innos/innos/innos/insightivision/openadsdk/inage/glide/a/a.java com/insightivision/openadsdk/inage/glide/a/a.java com/insightivision/openadsdk/inage/glide/a/a.java com/insightivision/openadsdk/inage/glide/a/a.java com/insightivision/openadsdk/inel/volley/a/d.java com/insightivision/openadsdk/inel/volley/a/d.java com/insightivision/openadsdk/inel/volley/a/d.java com/insightivision/openadsdk/inel/volley/a/d.java com/insightivision/openadsdk/inel/volley/a/d.java com/insightivision/openadsdk/inel/java com/insightivision/openadsdk/ing/a/d.java com/insightivision/openadosdk/ing/a/d.java com/insightivision/openadosdk/ing/a/dispava com/insightivision/openadosdk/ing/a/dispava com/insightivision/openadosdk/ing/a/dispava com/insightivision/openadosdk/ing/a/dispava com/insightivision/openadosdk/ing/a/dispava com/insightivision/insightiv

about:blank 4/25

RULE ID	BEHAVIOUR	LABEL	FILES
			okio/OkioJvmOkioKt.java org/greenrobot/essentials/io/FileUtils.java org/mozilla/universalchardet/UniversalDetector.java p054/C5879.java qm/qm/qma/e.java shark/FileSourceProvider.java shark/HprofHeader.java z102z/x743x.java z102z/z963z.java
00014	Read file into a stream and put it into a JSON object	file	Show Files com/alibaba/sdk/android/crashdefend/c/a.java com/alibaba/sdk/android/emas/e.java com/alipay/sdk/m/d0/b.java com/alipay/sdk/m/x/d.java com/alipay/sdk/m/x/o.java com/amap/api/col/p0003l/bv.java com/amap/api/col/p0003l/ft.java com/amap/api/col/s/cf.java com/beizi/fusion/tool/v.java com/kwad/sdk/core/webview/b/b.java com/kwad/sdk/crash/report/upload/b.java com/kwad/sdk/resourceCache/b.java com/octopus/a/a.java com/ss/android/socialbase/appdownloader/f/a/e.java com/ss/android/socialbase/downloader/i/f.java com/tencent/qmsp/sdk/d/c.java com/tg/push/AliYunPushFixer.java com/umeng/ccg/d.java com/xiaomi/push/ch.java qm/qm/qma/e.java
00015	Put buffer stream (data) to JSON object	file	Show Files anet/channel/strategy/dispatch/b.java com/alibaba/sdk/android/emas/e.java com/anythink/core/common/m/a.java com/kwad/sdk/core/network/a/c.java com/tencent/qmsp/sdk/d/c.java com/tramini/plugin/a/e/a.java
00016	Get location info of the device and put it to JSON object	location collection	com/amap/api/location/AMapLocation.java com/anythink/core/common/m/e.java
00018	Get JSON object prepared and fill in location info	location collection	com/amap/api/col/p0003l/h.java

about:blank 5/25

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	Show Files anet/channel/strategy/m.java cn/haorui/sdk/activity/HRNativeInterstitialActivity.java cn/haorui/sdk/core/download/d.java cn/haorui/sdk/core/utils/CacheUtil.java cn/haorui/sdk/core/utils/Download/d.java cn/haorui/sdk/core/utils/Download/d.java cn/haorui/sdk/core/utils/Download/d.java cn/haorui/sdk/core/utils/Download/man/da/linad/base/c6.java com/airbnb/lottie/network/NetworkFetcher.java com/ainda/filnad/base/c6.java com/airbnb/lottie/network/NetworkFetcher.java com/airbnb/lottie/network/NetworkFetcher.java com/airbnb/lottie/network/NetworkFetcher.java com/airbnb/lottie/network/NetworkFetcher.java com/airbnb/sdk/android/oss/internal/SequenceUploadTask.java com/alibaba/sdk/android/oss/internal/SequenceUploadTask.java com/alibaba/sdk/android/brest/utils/AppUtils.java com/alima/tanx/core/adj/splash/SplashAdCacheManager.java com/alibaba/sdk/android/brest/utils/AppUtils.java com/alima/tanx/core/web/cache/WebVewCacheInterceptor.java com/alima/tanx/core/web/cache/WebVewCacheInterceptor.java com/alima/tanx/core/web/cache/WebVewCacheInterceptor.java com/alima/tanx/core/web/cache/WebVewCacheInterceptor.java com/alima/tanx/core/web/cache/WebVewCacheInterceptor.java com/alipay/sdk/m/e0/cjava com/alipay/sdk/m/g/bjava com/alipay/sdk/m/e0/cjava com/alipay/sdk/m/g/bjava com/alipay/sdk/m/e0/cjava com/alipay/sdk/m/g/bjava com/alipay/sdk/m/e0/cjava com/alipay/sdk/m/g/bjava com/alipay/sdk/m/g/bjava com/alipay/sdk/m/g/bjava com/alipay/sdk/m/g/bjava com/alipa/sdk/m/g/bjava com/alipay/sdk/m/g/bjava com/alipay

about:blank 6/25

RULE ID	BEHAVIOUR	LABEL	FILES
			com/insightvision/openadsdk/g/b/a/c.java com/insightvision/openadsdk/g/b/a/d.java com/insightvision/openadsdk/utils/FileUtils.java
			com/jd/ad/sdk/jad_kn/jad_cp.java com/jd/ad/sdk/jad_lu/jad_iv.java com/jd/ad/sdk/jad_ud/jad_fs.java
			com/kuaishou/weapon/p0/ac.java com/kuaishou/weapon/p0/dn.java com/kuaishou/weapon/p0/r.java
			com/kuaishou/weapon/p0/u.java com/kwad/components/ad/c/b/a.java com/kwad/components/ad/feed/widget/c.java
			com/kwad/components/ad/feed/widget/q.java com/kwad/components/ad/interstitial/f/f.java
			com/kwad/components/ad/splashscreen/d/a.java com/kwad/components/core/d/a.java com/kwad/components/core/video/k.jav
			com/kwad/components/core/webview/tachikoma/i.java com/kwad/framework/filedownloader/d.java
			com/kwad/framework/filedownloader/f/f.java com/kwad/library/b/a.java com/kwad/library/solder/lib/c.java
			com/kwad/library/solder/lib/d/c.java com/kwad/library/solder/lib/f.java com/kwad/library/solder/lib/g.java
			com/kwad/library/solder/lib/h.java com/kwad/sdk/collector/b.java com/kwad/sdk/collector/j.java
			com/kwad/sdk/core/diskcache/a.java com/kwad/sdk/core/download/b/a.java
			com/kwad/sdk/core/imageloader/cache/disc/impl/BaseDiskCache.java
			com/kwad/sdk/core/imageloader/core/LoadAndDisplayImageTask.java com/kwad/sdk/core/videocache/a/d.java
			com/kwad/sdk/core/webview/b/c/a.java com/kwad/sdk/crash/a/a.java com/kwad/sdk/crash/utils/g.java
			com/kwad/sdk/crash/utils/h.java com/kwad/sdk/resourceCache/b.java com/kwad/sdk/utils/as.java com/kwad/sdk/utils/be.java
			com/kwad/sdk/utils/bn.java com/kwad/sdk/utils/br.java com/kwad/sdk/utils/ce.java com/kwad/sdk/utils/g.java
			com/kwad/sdk/utils/q.java com/kwad/sdk/utils/w.java com/leyou/fusionsdk/k.java com/mcto/sspsdk/a/d/d.java
			com/mcto/sspsdk/a/d/e.java com/mcto/sspsdk/a/h/e.java com/mcto/sspsdk/a/h/f.java
			com/netease/nis/basesdk/crash/BaseJavaCrashHandler.java com/netease/nis/captcha/CaptchaWebView.java
			com/netease/nis/captcha/a.java com/octopus/ad/internal/a/a/d.java com/octopus/ad/internal/network/ServerResponse.java
			com/octopus/ad/internal/utilities/ImageManager.java com/ptg/adsdk/inner/request/PlDownloadManager.java
			com/ptg/adsdk/inner/utils/PlPatchHandler.java com/ptg/adsdk/lib/utils/ot/FileUtils.java
			com/ptg/adsdk/lib/utils/ot/LruDiskUtils.java com/ptg/ptgapi/component/videocache/cache/ProxyVideoCacheManager.java
			com/ptg/ptgapi/component/videocache/file/Files.java com/ptg/ptgapi/download/DownloadHelper.java
			com/ptg/ptgapi/download/DownloadService.java com/ptg/ptgapi/download/beans/DownloadInfo.java
			com/ptg/ptgapi/utils/DownloadUtils.java com/qq/e/comm/managers/plugin/PM.java com/qq/e/comm/managers/plugin/h.java
			com/qy/sdk/d/a/e.java com/qy/sdk/download/b/f.java com/qy/sdk/download/c/a.java com/ss/android/downloadlib/a.java
			com/ss/android/downloadlib/addownload/h.java com/ss/android/downloadlib/g/m.java
			com/ss/android/socialbase/appdownloader/a/d.java com/ss/android/socialbase/appdownloader/c.java
			com/ss/android/socialbase/appdownloader/d.java com/ss/android/socialbase/downloader/i/f.java com/ta/a/b/e.java
			com/tange/base/toolkit/FileUtil.java com/tange/core/camera/base/tookit/MediaCaptureAssistant.java
			com/tange/core/media/render/DeviceScreenRecord.java com/tange/core/media/source/impl/cloud/CloudStorageDownloader.jav
			com/tange/core/media/source/impl/cloud/gif/GifCacheManager.java
			com/tange/core/trouble/shooting/entry/MediaCaptureExporter.java
			com/tange/core/trouble/shooting/upload/CloudFileUpload.java
			com/tange/feature/media/play/decoration/MediaScreenRecord.java
			com/tange/ieatale/media/play/decoration/MediaScreenhecord.java com/tange/iot/core/cloud/storage/impl/ObjectStorageTencent.java
			com/tange/not/core/ctoud/storage/impl/ObjectStorageTencent.java com/tange/module/device/feature/DeviceFeatureObjectBox.java com/tange/module/log/XLogProxy.java
			com/tange/module/log/collection/RuntimeLogging.java com/tange/module/log/xLogFroxy.java
			com/tencent/bugly/crashreport/crash/jni/NativeCrashHandler.java com/tencent/bugly/sla/LooperReport.java
			com/tencent/bugly/sla/av.java com/tencent/bugly/sla/bn.java com/tencent/bugly/sla/da.java com/tencent/bugly/sla/di.java

about:blank 7/25

RULE ID	BEHAVIOUR	LABEL	FILES
			com/tencent/bugly/sla/dj.java com/tencent/bugly/sla/dl.java com/tencent/bugly/sla/dp.java com/tencent/bugly/sla/du.java com/tencent/bugly/sla/di.java com/tencent/bugly/sla/di.java com/tencent/bugly/sla/di.java com/tencent/bugly/sla/di.java com/tencent/bugly/sla/ib.java com/wangmai/b.java com/wangmai/b.java com/wangmai/b.java com/wangm
00023	Start another application from current application	reflection control	Show Files com/mcto/sspsdk/component/webview/c.java com/octopus/ad/utils/b/d.java com/qy/sdk/i/f.java com/ss/android/socialbase/appdownloader/c.java com/ubix/ssp/ad/e/v/c.java com/wangmai/yc.java
00024	Write file after Base64 decoding	reflection file	Show Files com/beizi/ad/internal/view/f.java com/iflytek/idata/extension/z895z.java com/tange/base/toolkit/FileUtil.java com/umeng/commonsdk/stateless/d.java com/xiaomi/clientreport/processor/a.java
00028	Read file from assets directory	file	Show Files com/amap/api/col/p0003l/fb.java com/anythink/basead/exoplayer/j/c.java com/anythink/china/b/a.java com/autonavi/base/amap/mapcore/FileUtil.java com/caverock/androidsvg/SimpleAssetResolver.java com/qq/e/comm/managers/plugin/b.java

about:blank 8/25

RULE ID	BEHAVIOUR	LABEL	FILES
00030	Connect to the remote server through the given URL	network	Show Files anet/channel/session/b.java com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/alibaba/sdk/android/ams/common/util/a.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/tbrest/request/UrlWrapper.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/tbrest/rest/b.java com/alimm/tanx/ui/image/glide/load/data/HttpUrlFetcher.java com/alipay/sdk/m/r/a.java com/alliance/ssp/ad/q/a.java com/ampa/api/col/p0003l/ic.java com/amap/api/col/s/dw.java com/anythink/basead/b/b/c.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/f/e/a/a.java com/anythink/basead/lv.java com/anythink/basead/lv.java com/anythink/core/common/m/a.java com/anythink/core/common/a/l.java com/apidhink/core/common/res/image/b.java com/baidu/mobads/sdk/internal/an.java com/baidu/mobads/sdk/internal/an.java com/baidu/mobads/sdk/internal/f/a.java com/beizi/ad/internal/f/a.java com/beizi/ad/internal/f/a.java com/beizi/ad/internal/f/a.java com/beizi/ad/internal/f/a.java com/beizi/ad/internal/h/d.java com/beizi/ad/v2/d/b.java com/beizi/fusion/tool/v.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/bytedance/sdk/openadsdk/downloadnew/b.java com/fo/compat/core/uttis/net/RtbHttpUtlis.java com/fo/compat/utlis/net/RtbHttpUtlis.java com/fo/compat/utlis/net/RtbHttpUtlis.java com/fo/compat/utlis/pl/request/PlDownloadManager.java com/insightvision/openadsdk/image/glide/load/a/f.java com/kwad/sdk/jad_kv/jad_jw.java com/jd/ad/sdk/jad_zm/jad_jt.java com/kwad/fsdk/crash/report/upload/b.java com/kwad/sdk/hl.java com/mcto/sspsdk/c/f.java com/netease/nis/basesdk/HttpUtli.java com/netease/nis/captcha/g.java com/ptg/adsdk/internal/network/a.java com/ctopus/ad/internal/utlitlites/HTTPGet.java com/netease/nis/captcha/g.java com/ptg/adsdk/internal/network/a.java com/ctopus/ad/internal/utlitlites/HTTPGet.java com/netyletyletyletyletyletyletyletyletyletyl
00031	Check the list of currently running applications	reflection collection	com/blankj/utilcode/util/AppUtils.java com/ptg/adsdk/lib/tracking/DpTrackingManager.java com/vivo/push/c/v.java
00033	Query the IMEI number	collection	Show Files cn/vlion/ad/inland/base/f5.java com/anythink/china/c/c.java com/insightvision/openadsdk/g/a/a/d.java com/kwad/sdk/utils/br.java com/mcto/sspsdk/b/c.java com/qy/sdk/c/m/k.java com/tencent/beacon/a/c/e.java com/tg/appcommon/android/AbAppUtil.java com/umeng/commonsdk/statistics/common/DeviceConfig.java com/wangmai/adIdUtils/utils/IdUtils.java com/wangmai/b2.java com/wangmai/common/utils/DeviceIdentifierHelper.java com/wangmai/common/utils/Utils.java
00034	Query the current data network type	collection network	Show Files com/alibaba/sdk/android/httpdns/p/b.java com/alibaba/sdk/android/tool/NetworkUtils.java com/alipay/sdk/m/d0/b.java com/amap/api/col/s/ca.java com/anythink/core/common/u/m.java com/blankj/utilcode/util/NetworkUtils.java com/huawei/hms/scankit/p/C7573sb.java com/jd/ad/sdk/jad_fq/jad_hu.java com/kwad/sdk/utils/an.java com/mcto/sspsdk/b/d.java com/octopus/ad/internal/utilities/UserEnvInfoUtil.java com/qy/sdk/c/m/k.java com/tencent/beacon/a/c/e.java com/tencent/bugly/sla/af.java com/tencent/bugly/sla/cp.java com/tg/network/socket/detection/utils/LDNetUtil.java com/ubix/ssp/ad/e/v/c.java com/ubixnow/ooooo/oO0000.java com/umeng/commonsdk/statistics/common/DeviceConfig.java

about:blank 9/25

RULE ID	BEHAVIOUR	LABEL	FILES
00035	Query the list of the installed packages	reflection	Show Files cn/vlion/ad/inland/base/util/device/VlionDeviceInfo.java com/qy/sdk/i/f.java com/tange/base/toolkit/AppUtil.java com/tg/icam/appcommon/android/AppUtil.java com/tg/message/helper/WebViewItemHelper.java java/com/tg/app/WebViewHelper.java
00036	Get resource file from res/raw directory	reflection	Show Files cn/haorui/sdk/adsail_ad/view/scaleImage/SubsamplingScaleImageView.java cn/haorui/sdk/core/webiew/TaskCenterJs.java cn/vlion/ad/inland/base/c6.java cn/haorui/sdk/core/webview/TaskCenterJs.java cn/vlion/ad/inland/base/c6.java cn/vlion/ad/inland/base/x0.java com/alibaba/sdk/android/push/notification/CustomNotificationBuilder.java com/alibaba/sdk/android/push/notification/J.java com/alibaba/sdk/android/push/notification/J.java com/alibaba/sdk/android/push/notification/J.java com/alibaba/sdk/android/push/notification/J.java com/alipay/sdk/app/PayTask.java com/alipay/sdk/m/x/o.java com/aliyun/ams/emas/push/notification/f.java com/amap/api/col/p0003l/fo.java com/alipay/sdk/m/x/o.java com/aliyun/ams/emas/push/notification/f.java com/amap/api/col/p0003l/fo.java com/amap/api/col/soca.java com/autonavi/aps/amapapi/utils/j.java com/beizi/ad/internal/e/a.java com/autonavi/aps/amapapi/utils/j.java com/beizi/ad/internal/e/a.java com/betap/openid/base/m_c.java com/binonor/push/sdk/p0.java com/btedance/pangle/transform/ZeusTransformUtils.java com/eytap/openid/base/m_c.java com/huswei/hms/push/HmsMessaging.java com/huswei/hms/scankit/util/b.java com/fitytek/cloud/SpeechUtility.java com/huswei/hms/push/HmsMessaging.java com/huswei/hms/scankit/util/b.java com/fitytek/cloud/SpeechUtility.java com/kwad/sdk/core/webview/b/c/a.java com/kwad/sdk/core/webview/b/c/a.java com/kwad/sdk/core/webview/b/c/a.java com/kwad/sdk/component/webview/c.java com/ptg/ptgapi/utils/DownloadUtils.java com/qy/sdk/download/c/b.java com/gts/apato-mon/tys/adk/downloadlib/g/h.java com/gts/android/downloadlib/adownloade/e.java com/ss/android/socialbase/appdownloader/a/b.java com/ss/android/socialbase/appdownloader/view/a.java com/ss/android/socialbase/appdownloader/view/a.java com/tange/base/toolkit/AppUtil.java com/tange/module/login/google/MarketHelper.java com/tange/module/upgrade/UpgradeInstalls.java com/tange/module/login/google/MarketHelper.java com/tange/module/upgrade/UpgradeInstalls.java com/tg/app/helper/PermissionHelper.java com/tg/app/hel
00042	Query WiFi BSSID and scan results	collection wifi	com/kwad/sdk/utils/cd.java
00043	Calculate WiFi signal strength	collection wifi	com/huawei/hms/framework/common/NetworkUtil.java
00044	Query the last time this package's activity was used	collection reflection	com/blankj/utilcode/util/ProcessUtils.java

about:blank 10/25

RULE ID	BEHAVIOUR	LABEL	FILES
00045	Query the name of currently running application	collection reflection	com/blankj/utilcode/util/ProcessUtils.java com/ptg/adsdk/lib/tracking/DpTrackingManager.java
00048	Query the SMS contents	sms collection	com/tg/app/SMSBroadcastReceiver.java
00049	Query the phone number from SMS sender	sms collection	com/tg/app/SMSBroadcastReceiver.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	Show Files cn/haorui/sdk/core/webview/TaskCenterJs.java cn/vlion/ad/inland/ad/utils/VlionOpenJdDplinkActivity.java cn/vlion/ad/inland/base/x0.java com/alimm/tanx/core/ad/browser/TanxBrowserContainer.java com/alimm/tanx/core/ad/browser/tanxc_do.java com/alipay/sdk/app/PayResultActivity.java com/alipay/sdk/m/a0/d.java com/alipay/sdk/map/PayResultActivity.java com/alipay/sdk/m/a0/d.java com/alipay/sdk/m/ab/plis.java com/alipay/sdk/app/PayResultActivity.java com/alipay/sdk/m/a0/d.java com/alipay/maps/AMapUtils.java com/aliliance/ssp/ad/activity/DeepLinkProxyActivity.java com/anythink/core/cativity/component/PrivacyPolicyView.java com/anythink/core/basead/ae.java com/beizi/ad/DownloadService.java com/beizi/ad/internal/activity/a.java com/beizi/ad/internal/fc.java com/beizi/ad/internal/h/w.java com/beizi/ad/internal/fc.java com/beizi/ad/internal/h/w.java com/beizi/ad/internal/fc.java com/beizi/ad/internal/h/w.java com/beizi/ad/internal/fc.java com/beizi/ad/internal/h/w.java com/beizi/ad/internal/fc.java com/beizi/ad/internal/h/w.java com/beizi/ad/internal/view/f.java com/blankj/utilcode/util/PermissionUtils.java com/base/mc_java com/blankj/utilcode/util/PermissionUtils.java com/heytap/openid/base/mc_java com/huawei/hms/push/hmsMessaging.java com/jinsightvision/openadsdk/da.java com/insightvision/openadsdk/template/rendering/splash/c/a.java com/jinsightvision/openadsdk/da.java com/kwad/sdk/isdl.java com/kebview/java com/kwad/sdk/jad_er/jad_an.java com/kwad/sdk/utils/j.java com/mcto/sspsdk/component/webview/j.java com/mcto/sspsdk/component/webview/j.java com/mcto/sspsdk/component/webview/j.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/activity/DownloadDialogActivity.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/activity/jDownloadDialogActivity.java com/octopus/sal/ad/in.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/view/f.java com/octopus/ad/internal/view/f

about:blank 11/25

RULE ID	BEHAVIOUR	LABEL	FILES
00052	Deletes media specified by a content URI(SMS, CALL_LOG, File, etc.)	sms	com/bytedance/pangle/provider/a.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_iv.java
00053	Monitor data identified by a given content URI changes(SMS, MMS, etc.)	sms	com/vivo/identifier/IdentifierIdClient.java
00054	Install other APKs from file	reflection	Show Files com/beizi/ad/DownloadService.java com/insightvision/openadsdk/utils/g.java com/octopus/ad/DownloadService.java com/octopus/ad/internal/activity/DownloadDialogActivity.java com/ptg/ptgapi/utils/DownloadUtils.java com/ss/android/socialbase/appdownloader/c.java com/tg/appcommon/android/AbAppUtil.java com/wangmai/yc.java
00055	Query the SMS content and the source of the phone number	sms collection	com/tg/app/SMSBroadcastReceiver.java
00056	Modify voice volume	control	Show Files com/alimm/tanx/core/view/player/core/audio/DefaultAudioManager.java com/blankj/utilcode/util/VolumeUtils.java com/kwad/sdk/core/video/videoview/a.java com/ptg/ptgapi/component/videoplayer/NiceVideoPlayer.java com/tange/feature/media/play/ring/RingtoneManager.java com/tg/app/view/video/ACVideoView.java org/webrtc/audio/WebRtcAudioTrack.java org/webrtc/voiceengine/WebRtcAudioTrack.java
00058	Connect to the specific WIFI network	wifi control	com/tange/module/core/wifi/scan/AccessPointScanImpl.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	Show Files cn/vlion/ad/inland/base/f5.java com/alibaba/sdk/android/tool/NetworkUtils.java com/anythink/china/c/d.java com/blankj/utilcode/util/DeviceUtils.java com/kwad/sdk/utils/br.java com/qy/sdk/c/m/k.java com/tencent/beacon/a/c/e.java com/tg/appcommon/android/TGWifiUtil.java

about:blank 12/25

RULE	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	Show Files cn/haorui/sdk/activity/HRDetailActivity, java cn/haorui/sdk/core/webview/java cn/haorui/sdk/core/writa.java cn/haorui/sdk/core/urita.java cn/haorui/sdk/core/urita.java cn/haorui/sdk/core/urita.java cn/haorui/sdk/core/webview/java cn/viion/ad/inland/ad/utits/ViionOpenJdDplinkActivity.java cn/viion/ad/inland/base/dj.java cn/viion/ad/inland/base/dj.java cn/viion/ad/inland/base/dj.java cn/viion/ad/inland/base/dj.java com/alipay/sdk/mp/dj.java com/alipay/sdk/mp/ad/inland/base/dj.java com/alipay/sdk/mp/ad/inland/base/dj.java com/alipay/sdk/mp/ad/inland/base/dj.java com/alipay/sdk/mp/ad/injava com/alipay/sd

about:blank 13/25

RULE ID	BEHAVIOUR	LABEL	FILES
			com/tange/base/toolkit/AppUtil.java com/tange/module/login/google/MarketHelper.java com/tange/module/upgrade/DownloadService.java com/tange/module/upgrade/UpgradeInstalls.java com/tencent/mm/opensdk/openapi/BaseWXApiImplV10.java com/tencent/qmsp/sdk/g/e/c.java com/tg/app/activity/CloudServiceActivity.java com/tg/app/activity/account/PrivacyActivity.java com/tg/app/activity/device/add/ReAddFaildActivity.java com/tg/app/activity/device/settings/DeviceCallSettingsActivity.java com/tg/app/activity/device/settings/DeviceTumbleSettingsActivity.java com/tg/app/activity/device/settings/DeviceTumbleSettingsActivity.java com/tg/app/adapter/BirdStatisticsAdapter.java com/tg/app/activity/device/settings/StatisticsBirdActivity.java com/tg/app/adapter/BirdStatisticsAdapter.java com/tg/app/helper/BadgeUtils.java com/tg/app/helper/PermissionHelper.java com/tg/appcommon/android/AbAppUtil.java com/tg/message/adapter/AlSimilarityAdapter.java com/tg/message/helper/WebViewItemHelper.java com/tg/message/adapter/AlSimilarityAdapter.java com/tg/message/helper/WebViewItemHelper.java com/tg/push/PushManager.java com/ubix/ssp/ad/e/v/c.java com/ubix/ssp/ad/e/v/c.ja
00065	Get the country code of the SIM card provider	collection	Show Files com/huawei/hms/framework/network/grs/local/model/CountryCodeBean.java com/huawei/hms/ml/common/utils/CountryCodeBean.java com/huawei/hms/scankit/p/AbstractC7558ob.java com/huawei/hms/scankit/p/C7528h.java com/jd/android/sdk/coreinfo/CoreInfo.java
00066	Query the ICCID number	collection	cn/vlion/ad/inland/base/f5.java com/kwad/sdk/utils/br.java com/umeng/commonsdk/statistics/common/DeviceConfig.java
00067	Query the IMSI number	collection	Show Files cn/haorui/sdk/core/utils/RequestUtil.java cn/vlion/ad/inland/base/util/device/VlionDeviceInfo.java com/alimm/tanx/core/utils/NetWorkUtil.java com/alipay/sdk/m/d0/b.java com/anythink/china/c/b.java com/insightvision/openadsdk/g/a/a/d.java com/kwad/sdk/utils/br.java com/qy/sdk/c/m/k.java com/tencent/beacon/a/c/e.java com/umeng/commonsdk/statistics/common/DeviceConfig.java com/wangmai/b2.java com/wangmai/common/utils/Utils.java
00072	Write HTTP input stream into a file	command network file	Show Files com/alibaba/sdk/android/push/f/a.java com/alipay/sdk/m/r/a.java com/anythink/dlopt/common/a/l.java com/baidu/mobads/sdk/internal/am.java com/beizi/ad/internal/h/u.java com/fo/compat/utils/pl/request/PlDownloadManager.java com/huawei/hms/hatool/k1.java com/kuaishou/weapon/p0/l.java com/kwad/sdk/api/loader/k.java com/kwad/sdk/core/download/a.java com/netease/nis/captcha/f.java com/ptg/adsdk/inner/request/PlDownloadManager.java com/ptg/adsdk/lib/utils/img/DownloadImageTask.java com/tencent/qmsp/sdk/b/d.java com/tg/appcommon/android/AbFileUtil.java com/ubixnow/ooooo/oo0oo0.java com/xiaomi/push/service/ae.java
00075	Get location of the device	collection location	com/kwad/sdk/utils/x.java com/wangmai/common/utils/LocationUtils.java

about:blank 14/25

RULE ID	BEHAVIOUR	LABEL	FILES
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	Show Files com/alibaba/sdk/android/oss/common/OSSLogToFileUtils.java com/autonavi/aps/amapapi/utils/j.java com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/jd/ad/sdk/jad_lw/jad_cp.java com/kuaishou/weapon/p0/br.java com/tencent/mm/opensdk/openapi/BaseWXApilmplV10.java com/tencent/mm/opensdk/openapi/MMSharedPreferences.java com/ubix/ssp/ad/core/monitor/data/b.java com/ubix/ssp/ad/core/monitor/data/c/a.java com/ubixnow/ooooo/oO00000.java com/ubixnow/ooooo/oO00ooo0.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00078	Get the network operator name	collection telephony	Show Files com/alibaba/sdk/android/tbrest/utils/DeviceUtils.java com/alipay/sdk/m/d0/b.java com/amap/api/col/p0003l/fo.java com/amap/api/col/s/ca.java com/blankj/utilcode/util/NetworkUtils.java com/insightvision/openadsdk/f/a.java com/jd/ad/sdk/jad_fq/jad_hu.java com/jd/android/sdk/coreinfo/CoreInfo.java com/umeng/commonsdk/statistics/common/DeviceConfig.java com/wangmai/o.java
00079	Hide the current app's icon	evasion	Show Files com/taobao/accs/utl/UtilityImpl.java com/vivo/push/c/ag.java com/vivo/push/c/f.java com/xiaomi/mipush/sdk/u.java com/xiaomi/push/service/XMPushService.java
00082	Get the current WiFi MAC address	collection wifi	Show Files cn/vlion/ad/inland/base/f5.java com/alibaba/sdk/android/tool/NetworkUtils.java com/anythink/china/c/d.java com/kwad/sdk/utils/br.java com/qy/sdk/c/m/k.java com/tencent/beacon/a/c/e.java com/tg/appcommon/android/TGWifiUtil.java
00083	Query the IMEI number	collection telephony	Show Files cn/vlion/ad/inland/base/f5.java com/kwad/sdk/utils/br.java com/mcto/sspsdk/b/c.java com/tg/appcommon/android/AbAppUtil.java com/umeng/commonsdk/statistics/common/DeviceConfig.java com/wangmai/common/utils/Utils.java
00088	Create a secure socket connection to the given host address	command network	Show Files com/huawei/secure/android/common/SecureSSLSocketFactory.java com/huawei/secure/android/common/ssl/SSFCompatiableSystemCA.java com/huawei/secure/android/common/ssl/SecureSSLSocketFactory.java com/huawei/secure/android/common/ssl/SecureSSLSocketFactoryNew.java

about:blank 15/25

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command	Show Files anet/channel/session/b.java anet/channel/strategy/dispatch/b.java com/alibaba/sdk/android/httpdns/h/b.java com/alibaba/sdk/android/ssc/compon/auth/OSSAuthCredentialsProvider.java com/alibaba/sdk/android/oss/common/utils/HttpdnsMini.java com/alibaba/sdk/android/push/f/a.java com/alibaba/sdk/android/oss/common/utils/HttpdnsMini.java com/alibaba/sdk/android/push/f/a.java com/alibaba/sdk/android/brest/request/UrlWrapper.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/brest/request/UrlWrapper.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/brest/request/UrlWrapper.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/brest/request/PreloadTask_java com/alimn/tanx/core/view/player/cache/videocache/HttpUrlSource.java com/alimn/tanx/core/view/player/cache/videocache/HttpUrlSource.java com/alimn/tanx/core/view/player/cache/videocache/HttpUrlSource.java com/alimn/tanx/core/view/player/cache/videocache/HttpUrlSource.java com/alibaba/sdk/android/blayer/com/alibaba/sdk/alibaba/sdk/mlayer/com/alibaba/sdk/mlayer/com/alibaba/sdk/sdk/sdk/sdk/sdk/sdk/sdk/sdk/sdk/sdk

about:blank 16/25

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	Show Files com/alimm/tanx/core/ad/browser/tanxc_do.java com/alipay/sdk/app/APayEntranceActivity.java com/alipay/sdk/app/H5PayActivity.java com/alipay/sdk/m/x/o.java com/anythink/core/common/n.java com/beizi/ad/DownloadService.java com/blankj/utilcode/util/MessengerUtils.java com/beizi/ad/DownloadService.java com/blankj/utilcode/util/MessengerUtils.java com/huawei/hms/support/api/push/PushReceiver.java com/insightvision/openadsdk/download/DownloadAppActivity.java com/qq/e/ads/ADActivity.java com/tange/feature/device/binding/chain/impl/DeviceBindingWiredSearchInterceptor.java com/tencent/mm/opensdk/openapi/BaseWXApiImplV10.java com/tencent/qcloud/logutils/LogActivity.java com/tg/app/activity/device/DeviceListActivity.java com/tg/app/activity/device/list/DeviceListFragment.java com/tg/login/activity/LoginActivity.java com/tg/login/activity/OverSeaLoginActivity.java com/ubix/ssp/open/comm/AdActivity.java com/vivo/push/a.java com/wangmai/insightvision/openadsdk/download/DownloadAppActivity.java com/xiaomi/mipush/sdk/f.java com/xiaomi/mipush/service/ad.java
00092	Send broadcast	command	Show Files com/alipay/sdk/m/x/o.java com/huawei/hms/adapter/BaseAdapter.java com/tg/app/TGSdkHelper.java com/tg/app/push/TangeMessageReceiver.java com/tg/appcommon/android/ImageUtils.java
00094	Connect to a URL and read data from it	command	Show Files anet/channel/strategy/dispatch/b.java com/alibaba/sdk/android/push/f/a.java com/alibaba/sdk/android/tbrest/rest/b.java com/alimm/tanx/core/view/player/cache/videocache/HttpUrlSource.java com/alipay/sdk/m/r/a.java com/alipay/sdk/m/r/b.java com/alibaba/sdk/m/r/e.java com/anap/api/col/p0003l/ic.java com/amap/api/col/s/dw.java com/amazonaws/http/UrlHttpClient.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/l/a.java com/anythink/core/common/m/a.java com/anythink/dlopt/common/a/a.java com/anythink/basead/l/a.java com/beizi/ad/internal/h/b.java com/beizi/ad/internal/h/d.java com/beizi/ad/internal/h/b.java com/beizi/ad/internal/h/b.java com/beizi/ad/internal/h/d.java com/beizi/ad/internal/h/b.java com/beizi/ad/internal/beizi/siava com/siava com/kuaishou/weapon/p0/Ljava com/kwad/sdk/api/loader/h.java com/kwad/sdk/core/download/a.java com/kwad/sdk/core/network/a/b.java com/kwad/sdk/core/videocache/h.java com/kwad/sdk/h/l.java com/mcto/sspsdk/core/network/a/b.java com/ctopus/ad/internal/alibiise/DownloadFactory.java com/ptg/adsdk/lib/core/net/NetUtils.java com/ptg/adsdk/lib/utils/img/DownloadImageTask.java com/ptg/gdasdk/lib/core/net/NetUtils.java com/ptg/adsdk/lib/utils/img/DownloadImageTask.java com/ptg/ptgapi/component/videocache/HttpUrlSource.java com/ptg/adsdk/lib/common/e.java com/dy/sdk/d/d/i.java com/ptg/download/cc.java com/tencent/qmsp/sdk/b/d.java com/tg/appcommon/android/AbFileUtil.java com/tramini/plugin/a/e/a.java com/ubix/ssp/ad/e/s/c.java com/ubix/ssp/ad/e/w/h/h.java com/wiaomi/push/av.java com/ubixnow/ooooo/oooooloooolooooloooolooooloooo

about:blank 17/25

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command	Show Files anet/channel/session/b, java anet/channel/strategy/dispatch/b, java com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/alibaba/sdk/android/baccon/b, java com/alibaba/sdk/android/beacon/b, java com/alibaba/sdk/android/brest/request/UrlWrapper.java com/alibaba/sdk/android/brest/rest/b, java com/alibance/ssp/ad/do/f, java com/alibance/ssp/ad/ga, java com/alibance/ssp/ad/ga, java com/alibance/ssp/ad/ga, java com/alibance/ssp/ad/ga, java com/alibance/ssp/ad/ga, java com/alibance/ssp/ad/ga, java com/alibance/ssp/ad/ga/acom/anazonaws/http/UrlHttpClient.java com/anythink/basead/spa/acom/anythink/basead/spa/acom/anythink/basead/spa/acom/anythink/basead/spa/acom/anythink/dopt/common/ad.java com/anythink/dopt/common/ad.java com/anythink/dopt/common/ad.java com/beizi/ad/internal/h/d, java com/beizi/da/java com/beizi/ad/internal/h/d, java com/beizi/ad/internal/h/d, java com/beizi/ad/internal/billis/pl/request/PlRequest/PlRequest/PlRequest/PlRequest/plR
00102	Set the phone speaker on	command	com/tg/app/activity/device/CameraViewActivity.java com/tg/app/activity/device/LockBellViewActivity.java
00104	Check if the given path is directory	file	com/autonavi/aps/amapapi/utils/j.java
00107	Write the IMSI number into a file	collection telephony file command	com/wangmai/common/utils/Utils.java

about:blank 18/25

RULE ID	BEHAVIOUR	LABEL	FILES
00108	Read the input stream from given URL	network command	Show Files anet/channel/strategy/dispatch/b.java com/alibaba/sdk/android/push/common/util/a/c.java com/alibaba/sdk/android/push/f/a.java com/alibaba/sdk/android/push/g/i.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/push/g/i.java com/alibaba/sdk/android/tbrest/rest/b.java com/alibaba/sdk/android/push/f/a.java com/alibaba/sdk/android/push/g/i.java com/alibaba/sdk/android/brest/rest/b.java com/alibaba/sdk/android/push/g/i.java com/alibaba/sdk/mr/a.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/alipay/sdk/mr/b.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/l/a.java com/anythink/core/common/m/a.java com/anythink/core/common/m/a.java com/beizi/ad/internal/h/b.java com/beizi/ad/internal/h/b.java com/beizi/d/internal/h/b.java com/beizi/d/internal/h/b.java com/beizi/d/internal/h/b.java com/fo/compat/core/utils/net/RtbHttpUtils.java com/huawei/hms/hatool/k1.java com/fitytek/idata/extension/z235z.java com/insightvision/openadsdk/download/j.java com/kuaishou/weapon/p0/l.java com/fitytek/idata/extension/z235z.java com/insightvision/openadsdk/download/j.java com/kuaishou/weapon/p0/l.java com/kwad/sdk/api/loader/h.java com/kwad/sdk/core/download/s.java com/kwad/sdk/core/network/a/b.java com/mkwad/sdk/core/videocache/h.java com/mkwad/sdk/core/ownload/salyava com/mcto/sspsdk/adva com/mcto/s

about:blank 19/25

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network	Show Files anet/channel/session/b.java anet/channel/strategy/dispatch/b.java com/alibaba/sdk/android/ams/common/util/a.java com/alibaba/sdk/android/beacon/b.java com/alibaba/sdk/android/beacon/b.java com/alibaba/sdk/android/beacon/b.java com/alibaba/sdk/android/beacon/b.java com/alibaba/sdk/android/beacon/b.java com/alibaba/sdk/android/beacon/b.java com/alibaba/sdk/android/push/f/a.java com/alibaba/sdk/android/oss/common/utils/HttpdtsOurce.java com/alibam/tanx/ui/imageg[dide/load/data/HttpUffether.java com/alibapa/sdk/m/r/a.java com/alliance/ssp/ad/d/d.java com/alliance/ssp/ad/p/d.java com/alliance/ssp/ad/p/d.java com/alliance/ssp/ad/p/d.java com/alliance/ssp/ad/p/d.java com/alliance/ssp/ad/p/d.java com/alliance/ssp/ad/p/d.java com/anap/api/col/sdk.java com/ansp/hthpk/basead/b/bc.java com/anythink/basead/b/bc.java com/anythink/basead/b/bc.java com/anythink/basead/b/bc.java com/anythink/basead/b/bc.java com/anythink/basead/b/bc.java com/anythink/basead/b/bc.java com/anythink/dlopt/common/a/j.java com/baidu/mobads/sdk/internal/an_java com/beizi/ad/internal/h/d.java com/b
00112	Get the date of the calendar event	collection calendar	Show Files com/alibaba/fastjson/util/TypeUtils.java com/blankj/utilcode/util/TimeUtils.java com/wangmai/w.java com/insightvision/openadsdk/fastjson/b/d.java com/tange/base/toolkit/DateUtil.java com/wangmai/w.java
00115	Get last known location of the device	collection location	Show Files cn/vlion/ad/inland/base/util/device/VlionDeviceInfo.java com/alliance/ssp/ad/manager/SensitiveInfoManager.java com/beizi/ad/internal/h/s.java com/jd/ad/sdk/jad_qd/jad_dq.java com/wangmai/common/utils/LocationUtils.java

about:blank 20/25

RULE ID	BEHAVIOUR	LABEL	FILES
00117	Get the IMSI and network operator name	telephony collection	com/alipay/sdk/m/d0/b.java com/umeng/commonsdk/statistics/common/DeviceConfig.java
00119	Write the IMEI number into a file	collection file telephony command	com/tg/appcommon/android/AbAppUtil.java com/wangmai/common/utils/Utils.java
00121	Create a directory	file command	Show Files com/amap/api/col/p0003l/fl.java com/autonavi/aps/amapapi/utils/j.java com/tange365/pick/PickOrTakeImageActivity.java com/tencent/bugly/sla/dg.java
00123	Save the response to JSON after connecting to the remote server	network command	Show Files com/alliance/ssp/ad/q/a.java com/anythink/basead/f/e/a/a.java com/anythink/core/common/m/a.java com/beizi/fusion/tool/v.java com/kwad/sdk/api/loader/h.java com/kwad/sdk/core/network/a/b.java com/kwad/sdk/crash/report/upload/b.java com/kwad/sdk/h/l.java com/tencent/bugly/sla/cr.java com/tramini/plugin/a/e/a.java
00125	Check if the given file path exist	file	Show Files com/amap/api/col/p0003l/fl.java com/amap/api/col/s/bw.java com/autonavi/aps/amapapi/utils/j.java com/baidu/mobads/sdk/internal/ca.java com/beizi/ad/DownloadService.java com/bytedance/pangle/plugin/PluginManager.java com/huawei/hms/feature/dynamic/DynamicModule.java com/kwad/sdk/utils/g.java com/octopus/ad/internal/activity/DownloadDialogActivity.java com/tange365/pick/PickOrTakeImageActivity.java com/tencent/bugly/sla/dg.java com/tg/app/activity/device/settings/AlertSoundListActivity.java com/tg/app/activity/device/settings/CustomAlertSoundActivity.java com/tg/app/helper/TtsHelper.java com/ubix/ssp/ad/e/v/c.java com/ubix/ssp/ad/h/c/b.java com/ubix/ssp/ad/k/a.java qm/qm/qma/f.java
00130	Get the current WIFI information	wifi collection	Show Files anet/channel/status/b.java cn/vlion/ad/inland/base/f5.java com/alibaba/sdk/android/tool/NetworkUtils.java com/anythink/china/c/b.java com/anythink/china/c/d.java com/blankj/utilcode/util/NetworkUtils.java com/huawei/hms/framework/common/NetworkUtil.java com/jd/android/sdk/coreinfo/jad_an.java com/kwad/sdk/utils/br.java com/kwad/sdk/utils/cd.java com/mcto/sspsdk/b/c.java com/netease/nis/captcha/d.java com/qy/sdk/c/m/k.java com/tange/base/toolkit/NetworkUtil.java com/tange/feature/binding/connect/ap/AccessPointConnect.java com/tange/module/add/connect/DeviceApConnect.java com/tange/module/core/wifi/scan/AccessPointScanImpl.java com/tange/module/core/wifi/scan/WifiToolkit.java com/tencent/beacon/a/c/e.java com/tg/app/activity/device/add/DeviceProgressFragment.java com/tg/app/activity/device/add/EnterPasswordActivity.java com/tg/appcommon/android/TGWifiUtil.java com/tg/network/socket/detection/LDNetDiagnoService.java com/tg/network/socket/detection/utils/LDNetUtil.java com/umeng/commonsdk/statistics/common/DeviceConfig.java com/umeng/commonsdk/utils/UMUtils.java com/wangmai/common/utils/Utils.java

about:blank 21/25

RULE ID	BEHAVIOUR	LABEL	FILES
00132	Query The ISO country code	telephony collection	Show Files com/huawei/hms/framework/network/grs/local/model/CountryCodeBean.java com/huawei/hms/ml/common/utils/CountryCodeBean.java com/huawei/hms/scankit/p/C7528h.java com/jd/android/sdk/coreinfo/CoreInfo.java com/tg/network/socket/detection/LDNetDiagnoService.java
00134	Get the current WiFi IP address	wifi collection	com/jd/android/sdk/coreinfo/CoreInfo.java com/tg/appcommon/android/TGWifiUtil.java com/tg/network/socket/detection/utils/LDNetUtil.java
00137	Get last known location of the device	location collection	Show Files cn/vlion/ad/inland/base/util/device/VlionDeviceInfo.java com/alliance/ssp/ad/manager/SensitiveInfoManager.java com/jd/ad/sdk/jad_qd/jad_dq.java com/wangmai/common/utils/LocationUtils.java
00139	Get the current WiFi id	collection wifi	com/tange/base/toolkit/NetworkUtil.java com/tange/module/core/wifi/scan/AccessPointScanImpl.java com/tg/network/socket/detection/LDNetDiagnoService.java
00146	Get the network operator name and IMSI	telephony collection	com/alipay/sdk/m/d0/b.java com/umeng/commonsdk/statistics/common/DeviceConfig.java
00147	Get the time of current location	collection location	com/amap/api/col/p0003l/g.java
00153	Send binary data over HTTP	http	Show Files com/alibaba/sdk/android/tbrest/request/UrlWrapper.java com/alibaba/sdk/android/tbrest/rest/b.java com/amap/api/col/p0003l/ic.java com/amap/api/col/s/dw.java com/beizi/fusion/tool/v.java com/inno/innosdk/utils/i.java com/insightvision/openadsdk/net/volley/a/g.java com/kwad/sdk/api/loader/h.java com/netease/nis/basesdk/HttpUtil.java com/netease/nis/captcha/g.java com/ta/a/b/b.java com/tange/module/add/configure/NetworkConfigureWithHTTP.java com/tencent/bugly/sla/AttaEventReportTask.java com/tencent/bugly/sla/az.java com/tencent/bugly/sla/ba.java com/tencent/bugly/sla/cr.java com/tencent/bugly/sla/fw.java com/wangmai/eb.java com/xiaomi/push/av.java
00162	Create InetSocketAddress object and connecting to it	socket	Show Files anet/channel/session/b.java com/alibaba/sdk/android/httpdns/j/c.java com/alibaba/sdk/android/httpdns/n/c.java com/anythink/core/common/m/c/a/c.java com/tencent/qmsp/sdk/b/a.java com/tg/network/socket/detection/LDNetSocket.java

about:blank 22/25

RULE ID	BEHAVIOUR	LABEL	FILES
00163	Create new Socket and connecting to it	socket	Show Files anet/channel/detect/d.java anet/channel/session/b.java com/alibaba/sdk/android/httpdns/j/c.java com/alibaba/sdk/android/httpdns/n/c.java com/alliance/ssp/ad/q/a.java com/amap/api/col/p0003l/ic.java com/amap/api/col/s/dw.java com/anythink/basead/l/a.java com/anythink/core/common/m/a.java com/anythink/core/common/m/c/a/c.java com/anythink/core/common/res/image/b.java com/anythink/dlopt/common/a/a.java com/anythink/dlopt/common/a/l.java com/fo/compat/core/utils/net/RtbHttpUtils.java com/kwad/sdk/core/network/a/b.java com/ptg/adsdk/lib/core/net/NetUtils.java com/tencent/qmsp/sdk/b/a.java com/tg/network/socket/detection/LDNetSocket.java com/tramini/plugin/a/e/a.java com/xiaomi/push/fi.java com/xiaomi/push/service/ae.java com/xiaomi/push/service/z.java
00175	Get notification manager and cancel notifications	notification	com/anythink/dlopt/common/b/a.java com/tg/app/helper/VIVOHelper.java
00177	Check if permission is granted and request it	permission	com/huawei/hms/hmsscankit/RemoteView.java com/huawei/hms/scankit/TextureViewSurfaceTextureListenerC7495c.java
00183	Get current camera parameters and change the setting.	camera	Show Files com/blankj/utilcode/util/FlashlightUtils.java com/huawei/hms/scankit/p/C7516e.java com/huawei/hms/scankit/p/C7536j.java com/huawei/hms/scankit/p/C7540k.java com/huawei/hms/scankit/p/C7548m.java com/huawei/hms/scankit/p/C7552n.java org/webrtc/Camera1Session.java
00187	Query a URI and check the result	collection sms calllog calendar	Show Files com/autonavi/aps/amapapi/utils/j.java com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_er.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_hu.java com/kuaishou/weapon/p0/br.java com/tencent/mm/opensdk/openapi/MMSharedPreferences.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00188	Get the address of a SMS message	sms	Show Files com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_er.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_hu.java com/tencent/mm/opensdk/openapi/MMSharedPreferences.java com/tencent/qcloud/core/util/QCloudUtils.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00189	Get the content of a SMS message	sms	Show Files com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_er.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_hu.java com/tencent/mm/opensdk/openapi/MMSharedPreferences.java com/tencent/qcloud/core/util/QCloudUtils.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java

about:blank 23/25

RULE ID	BEHAVIOUR	LABEL	FILES
00191	Get messages in the SMS inbox	sms	Show Files cn/haorui/sdk/core/oaid/impl/i.java cn/haorui/sdk/core/oaid/impl/p.java cn/vlion/ad/inland/base/a1.java com/alipay/sdk/m/de.java com/alipay/sdk/m/l0/f.java com/alipay/sdk/m/s0/b.java com/alipay/sdk/m/x/n.java com/alipay/sdk/m/s0/b.java com/alipay/sdk/m/x/n.java com/alipay/sdk/m/s0/b.java com/alipay/sdk/m/x/n.java com/anythink/odopt/a/a/m.java com/alipay/sdk/m/s0/b.java com/anythink/core/common/n.java com/anythink/odopt/a/a/m.java com/alipay/sdk/pownloadService.java com/beizi/fusion/da/e.java com/beizi/fusion/da/j.java com/beizi/fusion/sm/b/a/p.java com/beizi/fusion/sm/b/a/p.java com/beizi/fusion/sm/b/a/p.java com/beizi/fusion/sm/b/a/p.java com/beizi/fusion/sm/b/a/p.java com/beizi/fusion/sm/b/a/p.java com/beizi/fusion/sm/b/a/p.java com/blankj/utilcode/util/UriUtils.java com/beizi/fusion/sm/b/a/jad_sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_eq.java com/jd/ad/sdk/jad_kx/jad_eq.java com/kwad/sdk/core/e/a/j.java com/ctopus/ad/b/ja.java com/ctopus/ad/be/d.java com/ctopus/ad/be/d.java com/ctopus/ad/be/d.java com/ctopus/ad/be/d.java com/ctopus/ad/utils/a/b/p.java com/ctopus/ad/internal/activity/DownloadDialogActivity.java com/ctopus/ad/utils/a/b/i.java com/ctopus/ad/utils/a/b/p.java com/ptg/oaid/imp/MeizuDevicelDHelper.java com/ptg/oaid/imp/VivoDevicelDHelper.java com/ptg/ptgapi/utils/DownloadUtils.java com/qumeng/advlib/open/oaid/qma/c.java com/qumeng/advlib/open/oaid/qma/c.java com/tencent/qmsp/sdk/fa/o.java com/tencent/qmsp/sdk/g/c/.java com/tencent/qmsp/sdk/g/c/.java com/tencent/qmsp/sdk/g/e/c.java com/tencent/qmsp/sdk/g/e/c.java com/ubix/ssp/ad/e/v/a0/h/j.java com/ubix/ssp/ad/e/v/a0/h/q.java com/ubix/ssp/ad/e/v/a0/h/j.java com/ubix/ssp/ad/e/v/a0/h/q.java com/ubix/ssp/ad/e/v/a0/h/g.java com/ubix/ssp/ad/e/v/a0/h/g.java com/wangmai/adldUtils/oaid/impl/SamsungHomeBadger.java org/repackage/com/vivo/identifier/DataBaseOperation.java p194/C7164.java
00192	Get messages in the SMS inbox	sms	Show Files com/amazonaws/mobileconnectors/s3/transferutility/TransferDBUtil.java com/beizi/ad/DownloadService.java com/octopus/ad/DownloadService.java com/octopus/ad/internal/activity/DownloadDialogActivity.java
00200	Query data from the contact list	collection contact	Show Files com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_er.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_hu.java com/tencent/mm/opensdk/openapi/MMSharedPreferences.java com/tencent/qcloud/core/util/QCloudUtils.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00201	Query data from the call log	collection calllog	Show Files com/jd/ad/sdk/jad_kx/jad_dq.java com/jd/ad/sdk/jad_kx/jad_er.java com/jd/ad/sdk/jad_tg/jad_an.java com/jd/ad/sdk/jad_xk/jad_hu.java com/tencent/mm/opensdk/openapi/MMSharedPreferences.java com/tencent/qcloud/core/util/QCloudUtils.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00202	Make a phone call	control	Show Files com/beizi/ad/internal/view/f.java com/blankj/utilcode/util/DeviceUtils.java com/blankj/utilcode/util/IntentUtils.java com/octopus/ad/internal/view/f.java
00203	Put a phone number into an intent	control	Show Files com/beizi/ad/internal/view/f.java com/blankj/utilcode/util/DeviceUtils.java com/blankj/utilcode/util/IntentUtils.java com/octopus/ad/internal/view/f.java

about:blank 24/25

RULE ID	BEHAVIOUR	LABEL	FILES
00208	Capture the contents of the device screen	collection screen	org/webrtc/ScreenCapturerAndroid.java

about:blank 25/25