

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.	Show Files cn/haorui/sdk/core cn/vlion/ad/inland/base/util/c com/alliance/ssp/ad/manager com/amap/api/col/p0003l/h.ja com/autonavi/aps/amapapi/c com/beizi/ad/internal/h/s.jav com/jd/ad/sdk/jad_qd/jad_dc com/kwad/sdk/utls/bh.java c com/tange/module/core/wifi/ com/tg/appcommon/android, com/tg/network/socket/detec com/ubixnow/ooooo/oOOoOC
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.	Show Files cn/haorui/sdk/core cn/vlion/ad/inland/base/util/c com/alliance/ssp/ad/manager com/amap/api/col/p0003l/h.ja com/autonavi/aps/amapapi/c com/beizi/ad/internal/h/s.jav com/jd/ad/sdk/jad_qd/jad_dc com/kwad/sdk/utls/bh.java c com/tange/module/core/wifi/ com/tg/appcommon/android, com/tg/network/socket/detec com/ubixnow/ooooo/oOOoOC
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	normal	access extra location provider commands	Access extra location provider commands. Malicious applications could use this to interfere with the operation of the GPS or other location sources.	Show Files com/amap/api/col,

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.	Show Files anet/channel/statu c/z235z.java cn/haorui/sdk/co cn/haorui/sdk/core/utls/Dow cn/haorui/sdk/core/utls/Requ cn/vlion/ad/inland/base/uttl/c cn/vlion/ad/inland/base/uttl/i cn/vlion/ad/inland/base/uttl/r com/alibaba/sdk/android/htt com/alibaba/sdk/android/tbr com/alibaba/sdk/android/too com/alimm/tanx/core/utls/N com/alimm/tanx/core/web/ca com/alimm/tanx/ui/image/gli com/alipay/android/phone/m com/alipay/sdk/m/d0/b.java c com/alipay/sdk/m/z/b.java co com/alliance/ssp/ad/manager com/amap/api/col/p0003l/fo.j com/amazonaws/mobileconn com/amazonaws/mobileconn com/amazonaws/mobileconn com/anythink/basead/exopla com/anythink/basead/exopla com/anythink/china/c/c.java c com/anythink/core/common/i com/anythink/dlopt/common com/autonavi/aps/amapapi/r com/autonavi/aps/amapapi/u com/autonavi/base/amap/ma com/baidu/mobads/sdk/inter com/beizi/ad/internal/h/a.jav com/beizi/ad/internal/h/t.jav com/blankj/utilcode/util/Devi com/blankj/utilcode/util/Phor com/bumptech/glide/manage com/fo/compat/core/utls/Net com/fo/compat/utls/pl/reque com/huawei/hms/android/Sy com/huawei/hms/framework/ com/huawei/hms/framework/ com/huawei/hms/hatool/x0.j com/huawei/hms/utls/NetWc com/inno/innosdk/utls/Netw com/inno/innosdk/utls/j.java com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/jd/ad/sdk/jad_ob/jad_hu com/jd/ad/sdk/jad_zk/jad_sf. com/jd/android/sdk/coreinfo/ com/kuaishou/weapon/p0/an com/kwad/framework/filedov com/kwad/sdk/core/Networkl com/kwad/sdk/mobileid/a/a/i com/kwai/library/ipneigh/b.ja com/netease/nis/basesdk/Http com/netease/nis/captcha/g.ja com/octopus/ad/internal/uttl com/octopus/ad/internal/uttl com/ptg/ad/sdk/inner/request com/ptg/ad/sdk/lib/utls/NetW com/ptg/ad/sdk/lib/utls/dev/C com/qy/sdk/c/m/k.java com/q com/ss/android/socialbase/a com/ss/android/socialbase/dc

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/ss/android/socialbase/dc com/ss/android/socialbase/dc com/ta/a/c/d.java com/tange/ com/tange/core/trouble/shoo com/tange/module/add/confi com/tange/module/core/wifi/ com/tange/module/core/wifi/ com/tange/module/socket/Sc com/tange/module/upgrade/# com/tanx/exposer/tanxc_do/t com/taobao/accs/utl/AdapterI com/tencent/beacon/a/c/e.jav com/tencent/bugly/sla/af.java com/tencent/qcloud/core/util com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/appcommon/android, com/tg/appcommon/helper/C com/tg/network/socket/UDPV com/tg/network/socket/detec com/tg/network/socket/detec com/ubix/ssp/ad/e/r/t/b.java com/ubixnow/ooooo/oO00OC com/ubixnow/ooooo/w.java o com/umeng/commonsdk/fran com/umeng/commonsdk/stat com/umeng/commonsdk/util: com/vivo/push/util/q.java con com/wangmai/adIdUtils/utills/ com/wangmai/common/utills/ com/wangmai/common/utills/ com/wangmai/insightvision/o com/wangmai/insightvision/o com/wangmai/qa.java com/xi org/webRTC/NetworkMonitorA
android.permission.ACCESS_NOTIFICATION_POLICY	normal	marker permission for accessing notification policy.	Marker permission for applications that wish to access notification policy.	Show Files p054/C5904.java

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.	Show Files anet/channel/statu cn/vlion/ad/inland/base/util/i com/alibaba/sdk/android/too com/alliance/ssp/ad/manager com/ama/api/col/s/ca.java c com/anythink/china/c/b.java c com/autonavi/aps/amaapi/r com/blankj/utilcode/util/Devi com/huawei/hms/framework/ com/insightvision/openadsdk com/jd/ad/sdk/jad_zk/jad_sf. com/jd/android/sdk/coreinfo/ com/kwad/sdk/utis/br.java cc com/mcto/sspsdk/b/c.java coi com/netease/nis/captcha/d.ja com/ss/android/socialbase/dc com/tange/base/toolkit/Netw com/tange/core/trouble/shoo com/tange/feature/binding/cc com/tange/feature/binding/s com/tange/feature/device/bin com/tange/feature/device/bin com/tange/module/add/ap/D com/tange/module/add/confi com/tange/module/add/confi com/tange/module/add/confi com/tange/module/add/conn com/tange/module/core/wifi/ com/tange/module/core/wifi/ com/tange/module/core/wifi/ com/tange/module/socket/So com/tanx/exposer/tanxc_do/t com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/appcommon/android, com/tg/appcommon/helper/C com/tg/network/socket/UDPL com/tg/network/socket/detec com/tg/network/socket/detec com/ubix/ssp/ad/e/r/t/b.java c com/umeng/commonsdk/fran com/umeng/commonsdk/stat com/umeng/commonsdk/util: com/wangmai/insightvision/o com/xiaomi/push/av.java org/

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.	Show Files anet/channel/statu cn/haorui/sdk/core/utis/Dow cn/haorui/sdk/core/utis/Req com/alibaba/sdk/android/htt com/alibaba/sdk/android/tbr com/alibaba/sdk/android/too com/alimm/tanx/core/utis/Ar com/alimm/tanx/core/view/pl com/alimm/tanx/core/web/ca com/alimm/tanx/ui/image/gli com/alipay/apmobilesecurity com/alipay/sdk/m/z/b.java co com/alliance/ssp/ad/manager com/amap/api/col/p0003l/fo.j com/amazonaws/mobileconn com/amazonaws/mobileconn com/amazonaws/mobileconn com/amazonaws/mobileconn com/anythink/basead/exopl com/anythink/core/common/i com/anythink/dlopt/common com/autonavi/aps/amapapi/u com/autonavi/base/amap/ma com/baidu/mobads/sdk/inter com/beizi/ad/internal/h/t.jav com/blankj/utilcode/util/Net com/bumptech/glide/manage com/bytedance/pangle/j.java com/fo/compat/utis/pl/reque com/huawei/hms/framework/ com/huawei/hms/scankit/p/C com/iflytek/cloud/msc/modul com/inno/innosdk/utis/j.java com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/jd/ad/sdk/bl/video/Vide com/jd/ad/sdk/jad_zk/jad_sf. com/jd/android/sdk/coreinfo/ com/kuaishou/weapon/p0/bg com/kwad/framework/filedov com/kwad/sdk/core/video/vic com/kwad/sdk/utis/br.java cc com/mcto/sspsdk/e/l/o.java c com/netease/nis/captcha/d.ja com/octopus/ad/internal/utili com/ptg/adSDK/inner/request com/ptg/adSDK/lib/utis/NetW com/ptg/ptgapi/component/v com/qy/sdk/c/m/k.java com/c com/ss/android/socialbase/dc com/ss/android/socialbase/dc com/ss/android/socialbase/dc com/ta/a/c/d.java com/tange/

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/tange/feature/media/pla com/tange/module/core/wifi/ com/tange/module/socket/So com/tange/module/upgrade/ com/tanx/exposer/tanxc_do/t com/tencent/beacon/a/c/e.jav com/tencent/bugly/sla/af.java com/tencent/qcloud/core/ut com/tg/app/activity/device/Ci com/tg/app/activity/device/Lc com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/view/video/ACVic com/tg/appcommon/android, com/tg/data/media/AudioRea com/tg/network/socket/detec com/ubix/ssp/ad/e/w/e.java c com/ubixnow/ooooo/w.java o com/umeng/commonsdk/stat com/umeng/commonsdk/ut com/vivo/push/util/NotifyAda com/wangmai/f3.java com/w com/wangmai/insightvision/o com/wangmai/qa.java com/xi org/webrtc/NetworkMonitorA org/webrtc/audio/WebRtcAud org/webrtc/voiceengine/Webf org/webrtc/voiceengine/Webf
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.	Show Files cn/haorui/sdk/core com/alimm/tanx/core/utis/N com/blankj/utilcode/util/Netw com/fo/compat/utis/pl/reque com/iflytek/cloud/msc/modul com/insightvision/openadsdk com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/inuker/bluetooth/library, com/netease/nis/basesdk/Htt com/ptg/ad SDK/inner/request com/tange/module/core/wifi/ com/tg/app/activity/device/Ci com/tg/app/activity/device/Lc com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/view/video/ACVic com/tg/data/media/AudioRea com/vivo/push/util/NotifyAda com/wangmai/insightvision/o org/webrtc/NetworkMonitorA
android.permission.BLUETOOTH_ADVERTISE	dangerous	required to advertise to nearby Bluetooth devices.	Required to be able to advertise to nearby Bluetooth devices.	
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.	
android.permission.BLUETOOTH_SCAN	dangerous	required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.	Show Files com/inuker/blueto com/inuker/bluetooth/library,
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.	Show Files com/blankj/utilcoc com/huawei/hms/scankit/p/C org/webrtc/Camera1Enumera

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.CHANGE_NETWORK_STATE	normal	change network connectivity	Allows applications to change network connectivity state.	Show Files anet/channel/statu cn/vlion/ad/inland/base/util/i com/amap/api/col/s/ca.java o com/insightvision/openadsdk com/kwad/sdk/mobileid/a/a/i com/ss/android/socialbase/dc com/tange/core/trouble/shoo com/tange/module/core/wifi/ com/tange/module/socket/So com/tanx/exposer/tanxc_do/t com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/appcommon/helper/C com/tg/network/socket/UDPV com/ubix/ssp/ad/e/r/t/b.java com/umeng/commonsdk/fran com/xiaomi/push/av.java org/
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.	Show Files com/autonavi/aps/ com/blankj/utilcode/util/Devi com/tange/feature/binding/se com/tange/feature/device/bin com/tange/feature/device/bin com/tange/module/add/ap/Di com/tange/module/add/confi com/tange/module/add/conn com/tange/module/core/wifi/ com/tange/module/core/wifi/ com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/appcommon/android, com/tg/network/socket/detec org/webrtc/NetworkMonitorA
android.permission.DISABLE_KEYGUARD	normal	disable keyguard	Allows applications to disable the keyguard if it is not secure.	Show Files com/tange/base/tc
android.permission.GET_PACKAGE_INFO	unknown	Unknown permission	Unknown permission from android reference	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.GET_TASKS	dangerous	retrieve running applications	Allows application to retrieve information about currently and recently running tasks. May allow malicious applications to discover private information about other applications.	Show Files anet/channel/util/l cn/haorui/sdk/core/utis/Dow cn/vlion/ad/inland/base/util/l cn/vlion/ad/inland/base/util/c com/alibaba/sdk/android/cra com/alibaba/sdk/android/too com/aliyun/ams/emas/push/r com/blankj/utilcode/util/App com/bytedance/android/open com/fo/compat/utis/RtbLifec com/fo/compat/utis/pl/utis/s com/huawei/hms/framework/ com/huawei/hms/push/utis/f com/iflytek/cloud/SpeechUtili com/jd/android/sdk/coreinfo/ com/kwad/sdk/utis/ay.java c com/ptg/adSDK/lib/lifecycle/L com/ptg/adSDK/lib/tracking/C com/qq/e/comm/managers/p com/qy/sdk/i/f.java com/rou com/ss/android/downloadlib com/ta/utdid2/device/c.java c com/tange/module/log/XLogf com/tencent/beacon/a/c/b.jav com/tencent/bugly/sla/cn.jav com/tencent/bugly/sla/io.jav com/tg/appcommon/android, com/umeng/commonsdk/fran com/vivo/push/util/z.java com com/wangmai/okhttp/model/



PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	Show Files anet/channel/dete anet/channel/session/TnetSp anet/channel/session/d.java a anetwork/channel/Request.ja anetwork/channel/entity/Req cn/haorui/sdk/core/loader/b.j cn/haorui/sdk/core/utils/Http cn/vlion/ad/inland/base/util/i com/airbnb/lottie/network/De com/airbnb/lottie/network/De com/alibaba/sdk/android/am: com/alibaba/sdk/android/http com/alibaba/sdk/android/http com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/pus com/alibaba/sdk/android/pus com/alibaba/sdk/android/pus com/alibaba/sdk/android/tbre com/alibaba/sdk/android/tbre com/alimm/tanx/core/net/okt com/alimm/tanx/core/net/okt com/alimm/tanx/core/net/okt com/alimm/tanx/core/net/okt com/alimm/tanx/core/Utils/N com/alimm/tanx/core/view/pl com/alimm/tanx/core/view/pl com/alimm/tanx/core/view/pl com/alimm/tanx/core/view/pl com/alimm/tanx/core/view/pl com/alimm/tanx/core/view/pl com/alimm/tanx/core/web/ca com/alimm/tanx/ui/image/gli com/alipay/android/phone/m com/alipay/sdk/m/r/a.java coi com/alliance/ssp/ad/d0/f.java com/alliance/ssp/ad/q/a.java com/alliance/ssp/ad/r/e.java c com/amap/api/col/p0003l/ic.j com/amap/api/maps/model/l com/amazonaws/Request.jav com/amazonaws/auth/AWS4S com/amazonaws/http/Apache com/amazonaws/http/UrlHttp com/amazonaws/metrics/Met com/amazonaws/services/s3/ com/amazonaws/util/ClassLo com/amazonaws/util/XpathUt com/anythink/basead/b/c/c.j com/anythink/basead/exoplay com/anythink/basead/l/a.java com/anythink/core/common/i com/anythink/dlopt/common com/anythink/dlopt/common com/baidu/mobads/sdk/inter com/beizi/ad/internal/f/a.java com/beizi/ad/internal/h/d.jav com/beizi/ad/internal/h/u.jav com/beizi/ad/internal/i/h.jav com/beizi/ad/internal/view/A com/beizi/fusion/tool/ap.java com/blankj/utilcode/util/Devi

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/bumptech/glide/load/da com/bytedance/sdk/openads com/bytedance/sdk/openads com/fo/compat/core/utills/htt com/fo/compat/core/utills/net com/fo/compat/utills/net/Rtbt com/fo/compat/utills/pl/reque com/fo/compat/utills/pl/reque com/huawei/hms/framework/ com/huawei/hms/framework/ com/huawei/hms/hatool/w.ja com/huawei/hms/opendevic com/huawei/secure/android/c com/iflytek/idata/extension/z com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/jd/ad/sdk/jad_kv/jad_jw com/jd/ad/sdk/jad_ud/jad_bc com/jd/ad/sdk/jad_zm/jad_iv com/jd/android/sdk/coreinfo/ com/kuaishou/weapon/p0/bl. com/kwad/framework/filedov com/kwad/sdk/api/core/TLSC com/kwad/sdk/api/loader/k.ja com/kwad/sdk/core/imageloa com/kwad/sdk/core/network/ com/kwad/sdk/core/network/ com/kwad/sdk/core/vidoeac com/kwad/sdk/core/vidoeac com/kwad/sdk/crash/report/l com/kwad/sdk/h/j.java com/k com/kwad/sdk/k.java com/kw com/mcto/sspsdk/a/d/d.java com/mcto/sspsdk/c/a.java coi com/mcto/sspsdk/c/e.java coi com/mcto/sspsdk/component com/netease/nis/captcha/f.jav com/octopus/ad/internal/a/g. com/octopus/ad/internal/a/j.j com/octopus/ad/internal/net com/octopus/ad/internal/net com/octopus/ad/internal/utili com/octopus/ad/internal/utili com/octopus/ad/internal/utili com/octopus/ad/internal/utili com/octopus/ad/utills/b/j.java com/ptg/adSDK/inner/request com/ptg/adSDK/lib/core/net/N com/ptg/adSDK/lib/utills/img/l com/ptg/ptgapi/component/v com/ptg/ptgapi/component/v com/ptg/ptgapi/component/v com/ptg/ptgapi/component/v com/ptg/ptgapi/download/Dc com/ptg/ptgapi/download/Dc com/qumeng/advlib/common com/qy/sdk/d/d/e.java com/q com/qy/sdk/download/b/a/b.j com/qy/sdk/download/c/c.jav com/qy/sdk/e/f.java com/qy/s com/ss/android/socialbase/dc com/ss/android/socialbase/dc com/ss/android/socialbase/dc



PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.	Show Files com/ifytek/cloud/com/tg/app/activity/device/Ci com/tg/app/activity/device/Lc com/tg/app/view/video/ACVic org/webrtc/audio/JavaAudioC
android.permission.NEARBY_WIFI_DEVICES	dangerous	required for advertising and connecting to nearby devices via Wi-Fi.	Required to be able to advertise and connect to nearby devices via Wi-Fi.	
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications	Show Files cn/haorui/sdk/core cn/haorui/sdk/core/utis/Dow com/alimm/tanx/ui/image/gli com/aliyun/ams/emas/push/r com/alliance/ssp/ad/r/b.java c com/anythink/dlopt/common com/bumptech/glide/request com/huawei/hms/push/l.java com/kwad/sdk/core/download com/ptg/ptgapi/download/Dc com/qy/sdk/download/Downl com/qy/sdk/tools/a.java com/ com/ss/android/socialbase/dc com/tg/app/activity/device/Di com/tg/app/service/Upgrade com/ubix/ssp/ad/e/n/t.java co com/vivo/push/util/NotifyAda com/xiaomi/push/service/ac.j
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.	
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.	Show Files com/inno/innosdk com/insightvision/openadsdk com/wangmai/l5.java

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.	Show Files anet/channel/util/cn/haorui/sdk/core/utis/Reqcn/vlion/ad/inland/ad/utis/in cn/vlion/ad/inland/base/util/c com/airbnb/lottie/network/Ne com/airbnb/lottie/network/Ne com/alibaba/sdk/android/em com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/pus com/alibaba/sdk/android/tbr com/alimm/tanx/core/bridge/ com/alimm/tanx/core/utis/Fil com/alimm/tanx/core/utis/Zi com/alimm/tanx/core/view/pl com/alimm/tanx/core/web/ca com/alimm/tanx/core/web/ca com/alimm/tanx/ui/image/gli com/alimm/tanx/ui/image/gli com/alipay/sdk/m/b0/b.java c com/alipay/sdk/m/x/o.java co com/alliance/ssp/ad/p/d.java com/amap/api/col/p0003l/af.j com/amap/api/col/p0003l/bu. com/amap/api/col/p0003l/dx. com/amap/api/col/p0003l/fo.j com/amap/api/col/p0003l/ft.j com/amap/api/col/p0003l/hb. com/amap/api/col/s/bw.java c com/amap/api/col/s/cm.java c com/amazonaws/auth/Proper com/amazonaws/internal/Res com/amazonaws/regions/Reg com/amazonaws/services/s3/ com/amazonaws/services/s3/ com/anythink/adapter/wm/ut com/anythink/basead/exopl com/anythink/basead/exopl com/anythink/china/b/a.java c com/anythink/core/common/i com/anythink/core/common/i com/anythink/core/d/q.java c com/anythink/dlopt/common com/autonavi/aps/amapapi/u com/autonavi/base/amap/ma com/baidu/mobads/sdk/inter com/beizi/ad/lance/a/i.java cc com/beizi/fusion/events/Even com/beizi/fusion/tool/v.java c com/blankj/utilcode/util/File com/blankj/utilcode/util/Imag com/blankj/utilcode/util/ZipU com/bumptech/glide/load/mc com/bytedance/pangle/c/b.ja com/bytedance/pangle/f/h.ja com/bytedance/pangle/util/f.j com/bytedance/pangle/util/h. com/fo/compat/utis/pl/reque com/huawei/hms/framework com/huawei/hms/opendevic com/huawei/hms/support/api com/huawei/hms/utis/ReadA com/huawei/secure/android/c

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/huawei/secure/android/c com/huawei/secure/android/c com/huawei/secure/android/c com/iflytek/cloud/msc/util/Fil com/ihomeiot/icam/feat/adve com/inno/innosdk/utills/AppI com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/jakewharton/disklrucach com/jd/ad/sdk/jad_hs/jad_an com/jd/ad/sdk/jad_qb/jad_fs. com/jd/ad/sdk/jad_ud/jad_fs. com/jd/android/sdk/coreinfo/ com/kuaishou/weapon/p0/af. com/kuaishou/weapon/p0/b.j com/kuaishou/weapon/p0/bl. com/kuaishou/weapon/p0/bo com/kuaishou/weapon/p0/f.je com/kwad/sdk/api/core/fragn com/kwad/sdk/api/loader/u.ji com/kwad/sdk/core/downloa com/kwad/sdk/core/imagelo com/kwad/sdk/core/webview, com/kwad/sdk/core/webview, com/kwad/sdk/crash/utills/h.j com/kwad/sdk/utills/a.java co com/kwad/sdk/utills/bf.java cc com/kwad/sdk/utills/w.java co com/mcto/sspsdk/a/h/h.java com/netease/nis/basesdk/Htt com/octopus/a/a.java com/oc com/ptg/adSDK/inner/request com/ptg/adSDK/inner/utills/PI com/ptg/adSDK/lib/dispatcher com/qq/e/comm/GDTFileProv com/qq/e/comm/managers/p com/qy/sdk/b/a.java com/qy/ com/qy/sdk/download/c/a.jav com/qy/sdk/i/f.java com/qy/sc com/ss/android/socialbase/a com/ss/android/socialbase/dc com/tange/base/toolkit/FileU com/tange/core/media/rende com/tange/core/media/sourc com/tange/feature/media/pla com/tange/iot/core/cloud/sto com/tange/module/log/XLogf com/tencent/beacon/a/c/e.jav com/tencent/bugly/sla/az.jav com/tencent/bugly/sla/ci.java com/tencent/bugly/sla/dg.jav com/tencent/bugly/sla/dn.jav com/tencent/bugly/sla/eb.jav com/tencent/cos/xml/transfer com/tencent/cos/xml/utills/Di com/tencent/qcloud/core/htt com/tencent/qcloud/core/util com/tencent/qmsp/sdk/d/a.ja com/tencent/qmsp/sdk/d/e.ja com/tg/app/media/MediaCod com/tg/appcommon/android, com/tg/data/media/VideoFile com/tg/data/media/renderer/ com/tg/login/helper/Emergen

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/tg/message/msg/Message com/tg/network/socket/detect com/tg/push/AllyunPushFixer. com/ubix/ssp/ad/e/q/g/a.java com/ubixnow/ooooo/o0O000 com/ubixnow/ooooo/oO0000 com/ubixnow/utills/BaseUtils.j com/umeng/commonsdk/stat com/umeng/commonsdk/stat com/umeng/commonsdk/stat com/umeng/commonsdk/utill com/wangmai/adIdUtils/cnad com/wangmai/androidsuppor com/wangmai/bb.java com/w com/wangmai/h8.java com/w com/wangmai/o2.java com/xi com/xiaomi/push/av.java com com/xiaomi/push/gc.java com io/objectbox/BoxStoreBuilder. org/greenrobot/essentials/io/ org/mozilla/universalchardet/ shark/FileSourceProvider.java
android.permission.READ_LOGS	dangerous	read sensitive log data	Allows an application to read from the system's various log files. This allows it to discover general information about what you are doing with the phone, potentially including personal or private information.	
android.permission.READ_MEDIA_AUDIO	dangerous	allows reading audio files from external storage.	Allows an application to read audio files from external storage.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.	Show Files cn/haorui/sdk/core cn/vlion/ad/inland/ad/utills/in cn/vlion/ad/inland/base/util/c com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/tbr com/alipay/apmobilesecuritys com/alipay/sdk/m/e0/c.java c com/alliance/ssp/ad/r/f.java o com/amap/api/col/p0003l/fb.j com/amap/api/col/s/ca.java c com/anythink/core/common/i com/appbase/custom/config/ com/blankj/utilcode/util/Imag com/blankj/utilcode/util/Rom com/blankj/utilcode/util/UriU com/iflytek/cloud/msc/util/Fil com/inno/innosdk/utills/r/a.ja com/insightvision/openadsdk com/kwad/sdk/DownloadTas com/kwad/sdk/collector/b.jav com/kwad/sdk/crash/utills/g.ji com/kwad/sdk/utills/r.java cor com/octopus/ad/utills/a/a.java com/qq/e/comm/GDTFileProv com/qy/sdk/download/c/a.jav com/qy/sdk/jj/b/o.java com/ss com/ss/android/downloadlib/ com/tange/ai/iot/core/media/ com/tange/base/toolkit/FileU com/tange/core/media/rende com/tange/core/media/sourc com/tange/core/media/sourc com/tange365/pick/CommonI com/tencent/bugly/sla/cp.jav com/tg/app/activity/base/Dev com/tg/app/activity/device/li com/tg/app/activity/device/ui com/tg/app/fragment/LiveBa com/tg/app/fragment/Passive com/tg/app/service/Upgrade com/tg/appcommon/android/ com/tg/appcommon/imageca com/tg/data/media/VideoFile com/tg/icam/appcommon/im com/tg/message/msg/Messag com/tg/message/msg/Messag com/tg/message/msg/NewMe com/ubix/ssp/open/comm/UE com/umeng/commonsdk/inte com/umeng/commonsdk/stat com/umeng/commonsdk/util: com/wangmai/adIdUtils/cnad com/wangmai/adIdUtils/oid/ com/wangmai/appsdkdex/util com/wangmai/f2.java com/w com/wangmai/okserver/OkDo p054/C5879.java x986x/z235z.



PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.	Show Files cn/haorui/sdk/core cn/vlion/ad/inland/ad/utills/in cn/vlion/ad/inland/base/util/c com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/tbr com/alipay/apmobilesecuritys com/alipay/sdk/m/e0/c.java c com/alliance/ssp/ad/r/f.java o com/amaapi/col/p0003l/fb.j com/amaapi/col/s/ca.java c com/anythink/core/common/i com/appbase/custom/config/ com/blankj/utilcode/util/Imag com/blankj/utilcode/util/Rom com/blankj/utilcode/util/UriU com/iflytek/cloud/msc/util/Fil com/inno/innosdk/utills/r/a.ja com/insightvision/openadsdk com/kwad/sdk/DownloadTas com/kwad/sdk/collector/b.jav com/kwad/sdk/crash/utills/g.ji com/kwad/sdk/utills/r.java cor com/octopus/ad/utills/a/a.java com/qq/e/comm/GDTFileProv com/qy/sdk/download/c/a.jav com/qy/sdk/jj/b/o.java com/ss com/ss/android/downloadlib/ com/tange/ai/iot/core/media/ com/tange/base/toolkit/FileU com/tange/core/media/rende com/tange/core/media/sourc com/tange/core/media/sourc com/tange365/pick/CommonI com/tencent/bugly/sla/cp.jav com/tg/app/activity/base/Dev com/tg/app/activity/device/li com/tg/app/activity/device/ui com/tg/app/fragment/LiveBa com/tg/app/fragment/Passive com/tg/app/service/Upgrade com/tg/appcommon/android/ com/tg/appcommon/imageca com/tg/data/media/VideoFile com/tg/icam/appcommon/im com/tg/message/msg/Messag com/tg/message/msg/Messag com/tg/message/msg/NewMe com/ubix/ssp/open/comm/UE com/umeng/commonsdk/inte com/umeng/commonsdk/stat com/umeng/commonsdk/util: com/wangmai/adIdUtils/cnad com/wangmai/adIdUtils/oid/ com/wangmai/appsdkdex/util com/wangmai/f2.java com/w com/wangmai/okserver/OkDo p054/C5879.java x986x/z235z.

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.	Show Files cn/haorui/sdk/core cn/vlion/ad/inland/base/util/c com/alibaba/sdk/android/tbr com/alimm/tanx/core/utis/N com/alliance/ssp/ad/manager com/anythink/china/c/c.java c com/blankj/utilcode/util/Phor com/jd/android/sdk/coreinfo/ com/mcto/sspsdk/b/c.java coi com/tencent/beacon/a/c/e.jav com/tg/appcommon/android, com/umeng/commonsdk/stat com/wangmai/adIdUtils/oaid/ com/wangmai/b2.java com/w com/wangmai/common/utis/
android.permission.READ_PRIVILEGED_PHONE_STATE	unknown	Unknown permission	Unknown permission from android reference	Show Files cn/vlion/ad/inland com/tencent/bugly/sla/dn.jav
android.permission.RECEIVE_USER_PRESENT	unknown	Unknown permission	Unknown permission from android reference	
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.	Show Files com/iflytek/cloud/ com/tange/ai/iot/core/media/ com/tange/ai/iot/core/media/ com/tange/ai/iot/core/media/ com/tange/ai/iot/core/media/ org/webrtc/CameraVideoCapt org/webrtc/voiceengine/Webf org/webrtc/voiceengine/Webf
android.permission.REORDER_TASKS	normal	reorder applications running	Allows an application to move tasks to the foreground and background. Malicious applications can force themselves to the front without your control.	Show Files com/aliyun/ams/er com/bytedance/pangle/activit com/bytedance/pangle/activit com/bytedance/pangle/activit com/bytedance/pangle/activit com/bytedance/pangle/wrap com/bytedance/pangle/wrap com/ss/android/downloadlib/
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	normal	permission for using Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.	Permission an application must hold in order to use Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.	
android.permission.REQUEST_INSTALL_PACKAGES	dangerous	Allows an application to request installing packages.	Malicious applications can use this to try and trick users into installing additional malicious packages.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.	Show Files cn/haorui/sdk/core cn/vlion/ad/inland/ad/intersti cn/vlion/ad/inland/ad/view/di cn/vlion/ad/inland/ad/view/di cn/vlion/ad/inland/base/f5.ja com/alimm/tanx/core/utills/Ar com/alimm/tanx/core/utills/De com/alimm/tanx/ui/image/gli com/alliance/ssp/ad/a0/g.java com/alliance/ssp/ad/w/d.java com/amap/api/col/p0003l/ef.j com/amap/api/col/p0003l/l.ja com/amap/api/maps/WearMa com/anythink/basead/exoplay com/anythink/basead/ui/Base com/anythink/core/common/i com/base/BaseFragment.java com/beizi/ad/internal/view/A com/beizi/ad/internal/view/B com/beizi/fusion/widget/dialc com/blankj/utilcode/util/Scre com/bumptech/glide/request, com/bumptech/glide/request, com/bytedance/pangle/activit com/bytedance/pangle/activit com/bytedance/pangle/activit com/bytedance/pangle/wrap com/bytedance/pangle/wrap com/fo/compat/core/request/ com/huawei/hms/scankit/q.ja com/huawei/hms/scankit/util com/icam365/view/SettingIte com/ihomeiot/icam/feat/adve com/ihomeiot/icam/feat/adve com/inno/innosdk/utills/AppI com/insightvision/openadsdk com/jd/ad/sdk/fdt/utills/Scre com/kuaishou/weapon/p0/bl com/kwad/components/core/ com/kwad/components/core/ com/kwad/sdk/utills/br.java cc com/mcto/sspsdk/e/g/g.java c com/octopus/ad/AdActivity.ja com/octopus/ad/internal/acti com/octopus/ad/internal/ut ili com/octopus/ad/internal/ut ili com/ptg/ad sdk/lib/utills/dev/ l com/ptg/ad sdk/lib/utills/dev/ l com/ptg/ad sdk/lib/utills/dev/ S com/ptg/ptgapi/widget/titleb com/qy/sdk/j/b/b.java com/qy com/tange/ai/iot/core/media/ com/tange/base/toolkit/AppU com/tange/module/qrcode/sc com/tange365/pick/AlbumBit com/tange365/pick/PickOrTa com/tencent/beacon/a/c/e.ja com/tg/app/activity/device/li com/tg/app/view/CameraPlay com/tg/appcommon/android/ com/tg/icam/appcommon/an com/ubix/ssp/ad/e/v/c.java cc com/ubix/ssp/ad/h/c/a.java cc com/ubix/ssp/ad/h/c/e.java cc com/ubix/ssp/ad/j/a.java com

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/ubixnow/network/custor com/ubixnow/ooooo/oO00Oo com/ubixnow/utis/BaseUtils. com/umeng/commonsdk/stat com/umeng/commonsdk/utit: com/wangmai/insightvision/o com/warkiz/widget/Indicator. com/zhy/autolayout/utis/Scr rizerdp/basepopup/C5385.jav rizerdp/utit/PopupUiUtils.jav
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.	Show Files com/blankj/utilcoc com/insightvision/openadsdk com/kwad/components/ad/in com/kwad/components/ad/re com/kwad/components/core/ com/kwad/components/offlin com/mcto/sspsdk/g/f.java com/tange/feature/device/bin com/tange/module/qrcode/sc com/tg/app/activity/device/ac

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.	Show Files cn/haorui/sdk/acti cn/haorui/sdk/adsail_ad/nati cn/haorui/sdk/adsail_ad/rewe cn/haorui/sdk/adsail_ad/view cn/vlion/ad/inland/ad/reward cn/vlion/ad/inland/ad/view/vi cn/vlion/ad/inland/base/f5.ja cn/vlion/ad/inland/base/q1.ja com/alliance/ssp/ad/a0/b.java com/alliance/ssp/ad/impl/exp com/alliance/ssp/ad/t/a.java com/alliance/ssp/ad/video/f.j com/autonavi/aps/amapapi/u com/beizi/ad/internal/activity com/beizi/ad/internal/activity com/beizi/ad/internal/activity com/beizi/ad/v2/activity/BeiZ com/beizi/ad/v2/activity/BeiZ com/blankj/utilcode/util/Devi com/jd/ad/sdk/bl/video/Videc com/jd/ad/sdk/bl/video/Videc com/jd/android/sdk/coreinfo/ com/kuaishou/weapon/p0/br. com/kwad/sdk/utills/br.java com/mcto/sspsdk/a/i/e.java com/octopus/ad/DownloadSe com/octopus/ad/internal/acti com/octopus/ad/internal/acti com/octopus/ad/internal/vide com/ptg/ad/sdk/lib/helper/cor com/ptg/ptgapi/component/C com/ptg/ptgapi/component/S com/ptg/ptgapi/component/S com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/fi com/ptg/ptgapi/component/v com/ptg/ptgapi/utills/Downlo com/ptg/ptgapi/widget/web// com/qy/sdk/media/p/QYMedi com/tange/feature/binding/se com/tange/feature/media/pla com/tange/module/add/confi com/tange/module/add/conn com/tange/module/upgrade/l com/tg/app/activity/device/M com/tg/app/activity/device/ac com/tg/app/activity/device/ac com/tg/app/activity/tools/Dev com/tg/appcommon/android, com/tg/appcommon/android, com/tg/network/socket/detec com/ubix/ssp/ad/e/w/c.java com/umeng/commonsdk/utill com/wangmai/common/utills/ com/wangmai/common/view/ org/webrtc/NetworkMonitorA

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.	Show Files anet/channel/util/! anetwork/channel/download/ cn/vlion/ad/inland/base/e8.ja com/alibaba/sdk/android/cra com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/oss, com/alibaba/sdk/android/pus com/alimm/tanx/core/utills/Fil com/alimm/tanx/core/utills/Zi com/alimm/tanx/ui/image/gli com/alimm/tanx/ui/image/gli com/alimm/tanx/ui/image/gli com/alipay/sdk/m/x/p.java co com/amap/api/col/p0003l/bi.j com/amap/api/col/p0003l/bu. com/amap/api/col/p0003l/fb.j com/amap/api/col/p0003l/ft.j com/amap/api/col/s/cf.java cc com/amazonaws/mobileconn com/amazonaws/services/s3/ com/amazonaws/services/s3/ com/amazonaws/services/s3/ com/anythink/basead/exoplay com/anythink/china/b/a.java com/anythink/core/common/i com/anythink/core/common/i com/anythink/core/common/i com/anythink/dlopt/common com/autonavi/base/amap/ma com/autonavi/base/amap/ma com/autonavi/base/amap/ma com/baidu/mobads/sdk/inter com/beizi/ad/internal/h/i.java com/beizi/ad/internal/view/f.j com/blankj/utilcode/util/FileI com/blankj/utilcode/util/ZipU com/bumptech/glide/load/mc com/bumptech/glide/load/res com/bytedance/pangle/e/b.java com/bytedance/pangle/g.java com/bytedance/pangle/util/g. com/fo/compat/core/utills/Rtb com/fo/compat/utills/pl/reque com/huawei/hms/framework/ com/huawei/hms/opendevic com/huawei/secure/android/c com/huawei/secure/android/c com/iflytek/cloud/msc/util/Fil com/inno/innosdk/utills/r/a.ja com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/insightvision/openadsdk com/jakewharton/disklrucach com/jd/ad/sdk/jad_ly/jad_bo. com/jd/ad/sdk/jad_te/jad_cp. com/kuaishou/weapon/p0/ac. com/kuaishou/weapon/p0/b.j com/kuaishou/weapon/p0/r.j com/kwad/library/solder/lib/c com/kwad/sdk/api/loader/d.j com/kwad/sdk/core/diskcach com/kwad/sdk/core/imageloa com/kwad/sdk/core/local/b.ja com/kwad/sdk/core/webview,

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
				com/kwad/sdk/resourceCache com/kwad/sdk/utills/ce.java co com/leyou/fusionsdk/k.java co com/mcto/sspsdk/g/c.java co com/octopus/ad/internal/utilli com/ptg/adsdk/inner/request com/ptg/adsdk/lib/utills/img/l com/ptg/adsdk/lib/utills/ot/Fil com/qq/e/comm/managers/p com/qy/sdk/download/c/a.jav com/ss/android/downloadlib/ com/ss/android/socialbase/dc com/ss/android/socialbase/dc com/tange/ai/iot/core/media/ com/tange/base/toolkit/FileU com/tange/core/camera/base, com/tange/core/media/rende com/tange/core/media/sourc com/tange/core/media/sourc com/tange/core/trouble/shoo com/tange/core/trouble/shoo com/tange/feature/media/pla com/tange/module/log/XLogf com/tencent/bugly/sla/bn.jav com/tencent/bugly/sla/de.jav com/tencent/bugly/sla/ia.jav com/tencent/cos/xml/transfer com/tencent/cos/xml/utills/Fil com/tencent/qcloud/core/htt com/tencent/qcloud/core/htt com/tencent/qcloud/core/log com/tencent/qcloud/core/util com/tencent/qmsp/sdk/c/l.jav com/tencent/qmsp/sdk/f/m.j com/tg/app/helper/DeviceHel com/tg/app/util/LocalVideoDi com/tg/appcommon/android, com/tg/appcommon/imageca com/tg/message/msg/Messag com/ubixnow/ooooo/oO00O0 com/umeng/analytics/filter/E com/umeng/commonsdk/fran com/umeng/commonsdk/stat com/umeng/commonsdk/stat com/umeng/commonsdk/stat com/vivo/push/util/u.java con com/wangmai/bb.java com/w com/wangmai/insightvision/o com/wangmai/okhttp/convert com/xiaomi/clientreport/proc com/xiaomi/push/db.java con com/xiaomi/push/service/ae.j io/objectbox/BoxStoreBuilder. okio/Okio__JvmOkioKt.java o org/greenrobot/essentials/io/ qm/qm/qma/e.java qm/qm/q shark/HprofWriter.java z102z/
android.permission.WRITE_SDCARD	unknown	Unknown permission	Unknown permission from android reference	
android.permission.WRITE_SECURE_SETTINGS	SignatureOrSystem	modify secure system settings	Allows an application to modify the system's secure settings data. Not for use by common applications.	Show Files com/bytedance/pa
android.permission.WRITE_SETTINGS	dangerous	modify global system settings	Allows an application to modify the system's settings data. Malicious applications can corrupt your system's configuration.	Show Files com/bytedance/pa

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
com.anddoes.launcher.permission.UPDATE_COUNT	normal	show notification count on app	Show notification count or badge on application launch icon for apex.	
com.asus.msa.SupplementaryDID.ACCESS	unknown	Unknown permission	Unknown permission from android reference	
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	unknown	Unknown permission	Unknown permission from android reference	
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.	Show Files com/hihonor/push com/huawei/hms/push/HmsV com/huawei/hms/push/task/5 com/huawei/hms/push/utills/f com/huawei/hms/support/api com/tange/module/socket/Sc com/tg/push/FCMMessageSer com/wangmai/dexi.java com/
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.	
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.	Show Files cn/vlion/ad/inland com/ptg/msa/google/android com/ptg/oaid/imp/GMSADIDH com/qy/sdk/google/android/g com/tanx/onlyid/api/impl/C32 com/tanx/onlyid/core/google/
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	unknown	Unknown permission	Unknown permission from android reference	
com.hihonor.android.launcher.permission.CHANGE_BADGE	unknown	Unknown permission	Unknown permission from android reference	
com.hihonor.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference	
com.hihonor.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference	
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	unknown	Unknown permission	Unknown permission from android reference	
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.	
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.	
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.	
com.huawei.android.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.	
com.huawei.android.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.	
com.majeur.launcher.permission.UPDATE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for solid.	
com.oppo.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.	
com.oppo.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.	



PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
com.sec.android.provider.badge.permission.READ	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.	
com.sec.android.provider.badge.permission.WRITE	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.	
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.	
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.	
com.tange365.icam365.ACCS	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.AGOO	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.openadsdk.permission.TT_PANGOLIN	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.permission.HMS_RECEIVE	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.permission.MIPUSH_RECEIVE	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.permission.PROCESS_PUSH_MSG	unknown	Unknown permission	Unknown permission from android reference	
com.tange365.icam365.permission.PUSH_PROVIDER	unknown	Unknown permission	Unknown permission from android reference	
com.vivo.abe.permission.launcher.notification.num	unknown	Unknown permission	Unknown permission from android reference	
com.vivo.identifier.permission.OAID_STATE_DIALOG	unknown	Unknown permission	Unknown permission from android reference	
com.vivo.notification.permission.BADGE_ICON	unknown	Unknown permission	Unknown permission from android reference	
freemme.permission.msa	unknown	Unknown permission	Unknown permission from android reference	
freemme.permission.msa.SECURITY_ACCESS	unknown	Unknown permission	Unknown permission from android reference	
me.everything.badger.permission.BADGE_COUNT_READ	unknown	Unknown permission	Unknown permission from android reference	
me.everything.badger.permission.BADGE_COUNT_WRITE	unknown	Unknown permission	Unknown permission from android reference	
oplus.permission.settings.LAUNCH_FOR_EXPORT	unknown	Unknown permission	Unknown permission from android reference	