Policy Definition: https://github.com/pjsaha1976/laC/tree/main/policy-definition

Results:

```
odl_user [ ~/laC/policy-definition ]$ terraform apply
```

var.client id

The user id of the Service Principal identity that terraform will run under

Enter a value: 566b6c6e-5123-4c97-9cf5-60efa9284c57

var.client_secret

The password/client_secret of the Service Principal identity that terraform will run under

Enter a value: kL~8Q~T.i.tCGderzbJRTqHDU-UgfJSFUBcQKbqL

var.policy_name

The name of the Azure Policy Definition

Enter a value: tagging-policy

var.subscription id

The subscription id of that is in scope for this Azure Policy Definition

Enter a value: 456cc604-544c-45f8-99d0-c1b73aeec440

var.tenant id

The tenant id of the Service Principal identity that terraform will run under

Enter a value: f958e84a-92b8-439f-a62d-4f45996b6d07

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:

+ create

Terraform will perform the following actions:

```
# azurerm_policy_definition.require_tags_on_resources will be created
 + resource "azurerm_policy_definition" "require_tags_on_resources" {
   + description
                     = "Ensures that all indexed resources have tags. Denies deployment if
tags are missing."
   + display_name
                       = "Require tags on all resources"
   + id
                 = (known after apply)
                     = jsonencode(
   + metadata
        + category = "Tags"
        + version = "1.0.0"
    )
   + mode
                    = "Indexed"
   + name
                    = "tagging-policy"
```

```
= jsonencode(
   + policy_rule
        + if = {
           + exists = "false"
           + field = "tags"
        + then = {
           + effect = "deny"
    )
   + policy_type
                      = "Custom"
   + role definition ids = (known after apply)
Plan: 1 to add, 0 to change, 0 to destroy.
Do you want to perform these actions?
 Terraform will perform the actions described above.
 Only 'yes' will be accepted to approve.
 Enter a value: yes
azurerm policy definition.require tags on resources: Creating...
azurerm_policy_definition.require_tags_on_resources: Still creating... [00m10s elapsed]
azurerm_policy_definition.require_tags_on_resources: Still creating... [00m20s elapsed]
azurerm_policy_definition.require_tags_on_resources: Still creating... [00m30s elapsed]
azurerm_policy_definition.require_tags_on_resources: Still creating... [00m40s elapsed]
azurerm policy definition.require tags on resources: Still creating... [00m50s elapsed]
azurerm_policy_definition.require_tags_on_resources: Still creating... [01m00s elapsed]
azurerm policy definition.require tags on resources: Still creating... [01m10s elapsed]
azurerm_policy_definition.require_tags_on_resources: Still creating... [01m20s elapsed]
azurerm_policy_definition.require_tags_on_resources: Still creating... [01m30s elapsed]
azurerm_policy_definition.require_tags_on_resources: Creation complete after 1m34s [id=/
subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/Microsoft.Authorization/
policyDefinitions/tagging-policy]
Apply complete! Resources: 1 added, 0 changed, 0 destroyed.
odl_user [ ~/laC/policy-definition ]$ az policy assignment create --policy tagging-policy
Readonly attribute scope will be ignored in class <class
'azure.mgmt.resource.policy.v2021 06 01.models. models py3.PolicyAssignment'>
 "description": null,
```

"id": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/Microsoft.Authorization/policyAssignments/N0XJbDdYQ4OzGoTjkGisQg",

"createdBy": "265db5af-82ad-416d-86fc-13630f699cf7",

"displayName": null,

"identity": null, "location": null, "metadata": {

"enforcementMode": "Default",

```
"createdOn": "2025-07-30T09:28:52.693257Z",
  "updatedBy": null,
  "updatedOn": null
 },
 "name": "N0XJbDdYQ4OzGoTjkGisQg",
 "nonComplianceMessages": null,
 "notScopes": null,
 "parameters": null,
 policyDefinitionId": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/
Microsoft.Authorization/policyDefinitions/tagging-policy",
 "scope": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440".
 "systemData": {
    "createdAt": "2025-07-30T09:28:52.676655+00:00",
    "createdBy": "566b6c6e-5123-4c97-9cf5-60efa9284c57",
  "createdByType": "Application",
  "lastModifiedAt": "2025-07-30T09:28:52.676655+00:00",
  "lastModifiedBy": "566b6c6e-5123-4c97-9cf5-60efa9284c57".
  "lastModifiedByType": "Application"
 'type": "Microsoft.Authorization/policyAssignments"
odl user [~/laC/policy-definition]$ az policy assignment list
  "description": null,
  "displayName": null,
  "enforcementMode": "Default".
  "id": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/
Microsoft.Authorization/policyAssignments/N0XJbDdYQ4OzGoTjkGisQg",
  "identity": null,
  "location": null,
  "metadata": {
   "createdBy": "265db5af-82ad-416d-86fc-13630f699cf7",
   "createdOn": "2025-07-30T09:28:52.693257Z",
   "updatedBy": null,
   "updatedOn": null
  "name": "N0XJbDdYQ4OzGoTjkGisQg",
  "nonComplianceMessages": null,
  "notScopes": null,
  "parameters": null,
  "policyDefinitionId": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/
Microsoft.Authorization/policyDefinitions/tagging-policy",
  "scope": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440",
  "svstemData": {
    "createdAt": "2025-07-30T09:28:52.676655+00:00",
   "createdBy": "566b6c6e-5123-4c97-9cf5-60efa9284c57",
   "createdByType": "Application",
   "lastModifiedAt": "2025-07-30T09:28:52.676655+00:00".
   "lastModifiedBy": "566b6c6e-5123-4c97-9cf5-60efa9284c57",
   "lastModifiedByType": "Application"
```

```
},
"type": "Microsoft.Authorization/policyAssignments"
  "description": "clouddevops674-285063-PolicyDefinition",
  "displayName": "clouddevops674-285063-PolicyDefinition",
  "enforcementMode": "Default",
  "id": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/
Microsoft.Authorization/policyAssignments/clouddevops674-285063-PolicyDefinition",
  "identity": null,
  "location": null,
  "metadata": {
   "createdBy": "f797eca9-5d09-44b6-b23f-98732363911c",
   "createdOn": "2025-07-30T09:03:45.6891574Z",
   "updatedBy": null,
   "updatedOn": null
  "name": "clouddevops674-285063-PolicyDefinition",
  "nonComplianceMessages": null,
  "notScopes": null,
  "parameters": null,
  "policyDefinitionId": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/providers/
Microsoft.Authorization/policyDefinitions/clouddevops674-285063-PolicyDefinition",
  "scope": "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440",
  "systemData": {
   "createdAt": "2025-07-30T09:03:45.674056+00:00",
   "createdBy": "0609ced8-c8f7-49fd-91c2-c484ddad694d",
   "createdByType": "Application",
   "lastModifiedAt": "2025-07-30T09:03:45.674056+00:00",
   "lastModifiedBy": "0609ced8-c8f7-49fd-91c2-c484ddad694d",
   "lastModifiedByType": "Application"
   'type": "Microsoft.Authorization/policyAssignments"
odl_user [ ~/laC/policy-definition ]$
packer build server.json
```

pjsaha@web-svr:~/laC/packer-template\$ packer build server.json

==> Wait completed after 5 minutes 1 second

==> Builds finished. The artifacts of successful builds are:

--> azure-arm: Azure.ResourceManagement.VMImage:

OSType: Linux

ManagedImageResourceGroupName: Azuredevops

ManagedImageName: packer-ubuntu-server

ManagedImageId: /subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/ Azuredevops/providers/Microsoft.Compute/images/packer-ubuntu-server ManagedImageLocation: East US

terraform plan -out solution.plan

pjsaha@web-svr:~/laC/terraform-template\$ terraform plan -out solution.plan var.admin_password Admin password for the VM

Enter a value:

var.client id

The user id of the Service Principal identity that terraform will run under

Enter a value: f958e84a-92b8-439f-a62d-4f45996b6d07

var.client secret

The password/client_secret of the Service Principal identity that terraform will run under

Enter a value: kL~8Q~T.i.tCGderzbJRTqHDU-UgfJSFUBcQKbqL

var.subscription_id

The subscription id of that is in scope for this Azure Policy Definition

Enter a value: 456cc604-544c-45f8-99d0-c1b73aeec440

var.tenant id

The tenant id of the Service Principal identity that terraform will run under

Enter a value: f958e84a-92b8-439f-a62d-4f45996b6d07

data.azurerm_image.packer_image: Reading... data.azurerm_image.packer_image: Read complete after 0s [id=/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Compute/images/packer-ubuntu-server]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:

+ create

Terraform will perform the following actions:

```
+ resource_group_name
                                = "Azuredevops"
# azurerm_lb.main_lb will be created
+ resource "azurerm_lb" "main_lb" {
  + id
                 = (known after apply)
  + location
                   = "eastus"
                    = "demo-lb"
  + name
  + private_ip_address = (known after apply)
  + private_ip_addresses = (known after apply)
  + resource_group_name = "Azuredevops"
                  = "Basic"
  + sku
  + sku tier
                   = "Regional"
  + frontend_ip_configuration {
     + gateway_load_balancer_frontend_ip_configuration_id = (known after apply)
     + id
                                      = (known after apply)
     + inbound nat rules
                                             = (known after apply)
    + load_balancer_rules
                                              = (known after apply)
                                         = "PublicIPAddress"
     + name
                                            = (known after apply)
     + outbound_rules
     + private_ip_address
                                             = (known after apply)
     + private_ip_address_allocation
                                                 = (known after apply)
    + private_ip_address_version
                                                = (known after apply)
     + public_ip_address_id
                                              = (known after apply)
    + public_ip_prefix_id
                                            = (known after apply)
     + subnet_id
                                          = (known after apply)
 }
# azurerm_lb_backend_address_pool.main_bepool will be created
+ resource "azurerm_lb_backend_address_pool" "main_bepool" {
  + backend_ip_configurations = (known after apply)
                    = (known after apply)
  + id
  + inbound_nat_rules
                           = (known after apply)
  + load_balancing_rules
                            = (known after apply)
  + loadbalancer_id
                          = (known after apply)
                       = "demo-bepool"
  + name
                          = (known after apply)
  + outbound_rules
# azurerm linux_virtual_machine.main_vm will be created
+ resource "azurerm_linux_virtual_machine" "main_vm" {
  + admin_password
                                              = (sensitive value)
  + admin_username
                                              = "pjsaha"
  + allow_extension_operations
                                                 = true
                                           = (known after apply)
  + availability_set_id
  + bypass_platform_safety_checks_on_user_schedule_enabled = false
                                              = (known after apply)
  + computer_name
  + disable_password_authentication
                                                   = false
                                             = (known after apply)
  + disk controller type
  + extensions_time_budget
                                                = "PT1H30M"
                                      = (known after apply)
  + id
  + location
                                        = "eastus"
```

```
+ max_bid_price
                                            = -1
                                         = "demo-vm"
   + name
   + network_interface_ids
                                               = (known after apply)
   + patch_assessment_mode
                                                  = "ImageDefault"
                                            = "ImageDefault"
   + patch_mode
   + platform_fault_domain
                                               = -1
   + priority
                                        = "Regular"
   + private_ip_address
                                             = (known after apply)
   + private_ip_addresses
                                              = (known after apply)
   + provision_vm_agent
                                              = true
   + public_ip_address
                                             = (known after apply)
   + public_ip_addresses
                                              = (known after apply)
                                                = "Azuredevops"
   + resource_group_name
                                       = "Standard_D2s_v3"
   + size
                                             = "/subscriptions/456cc604-544c-45f8-99d0-
   + source_image_id
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Compute/images/packer-
ubuntu-server"
                                             = (known after apply)
   + virtual machine id
   + vm_agent_platform_updates_enabled
                                                      = false
   + os_disk {
      + caching
                          = "ReadWrite"
      + disk_size_gb
                            = (known after apply)
                          = "demo-osdisk"
      + name
                                = "Standard LRS"
      + storage_account_type
      + write_accelerator_enabled = false
   + termination_notification (known after apply)
 # azurerm_managed_disk.main_data_disk will be created
 + resource "azurerm_managed_disk" "main_data_disk" {
   + create_option
                              = "Empty"
   + disk_iops_read_only
                                 = (known after apply)
   + disk_iops_read_write
                                 = (known after apply)
   + disk_mbps_read_only
                                   = (known after apply)
   + disk_mbps_read_write
                                   = (known after apply)
   + disk_size_gb
                               = 64
                          = (known after apply)
   + id
                            = "eastus"
   + location
                                = (known after apply)
   + logical_sector_size
   + max_shares
                               = (known after apply)
                            = "demo-datadisk"
   + name
   + optimized_frequent_attach_enabled = false
   + performance_plus_enabled
                                     = false
   + public_network_access_enabled = true
   + resource_group_name
                                   = "Azuredevops"
                             = (known after apply)
   + source_uri
                                   = "Standard_LRS"
   + storage_account_type
   + tier
                          = (known after apply)
```

azurerm_network_interface.main_nic will be created

```
+ resource "azurerm_network_interface" "main_nic" {
   + applied_dns_servers
                              = (known after apply)
   + id
                      = (known after apply)
   + internal_domain_name_suffix = (known after apply)
                        = "eastus"
   + location
                            = (known after apply)
   + mac_address
                         = "demo-nic"
   + name
   + private_ip_address
                             = (known after apply)
   + private_ip_addresses
                              = (known after apply)
                                = "Azuredevops"
   + resource_group_name
   + virtual_machine_id
                             = (known after apply)
   + ip configuration {
     + gateway_load_balancer_frontend_ip_configuration_id = (known after apply)
                                         = "internal"
     + primary
                                         = (known after apply)
     + private_ip_address
                                              = (known after apply)
     + private ip address allocation
                                                 = "Dynamic"
                                                 = "IPv4"
     + private_ip_address_version
     + public_ip_address_id
                                              = (known after apply)
     + subnet_id
                                          = (known after apply)
 }
# azurerm network interface backend address pool association.main nic lb assoc will be
+ resource "azurerm_network_interface_backend_address_pool_association"
"main_nic_lb_assoc" {
   + backend address pool id = (known after apply)
                    = (known after apply)
   + id
   + ip_configuration_name = "internal"
   + network_interface_id = (known after apply)
# azurerm network security group.main nsg will be created
+ resource "azurerm_network_security_group" "main_nsg" {
   + id
                 = (known after apply)
                   = "eastus"
   + location
                    = "demo-nsg"
   + name
   + resource group name = "Azuredevops"
   + security_rule
                     = [
     + {
        + access
                                       = "Allow"
                                              = "10.0.1.0/24"
        + destination_address_prefix
        + destination_address_prefixes
        + destination_application_security_group_ids = []
                                            = "*"
        + destination_port_range
        + destination_port_ranges
                                             = [
        + direction
                                       = "Inbound"
                                       = "Allow-Subnet-Inbound"
        + name
                                      = 100
        + priority
        + protocol
                                             = "10.0.1.0/24"
        + source address prefix
        + source_address_prefixes
                                              = [
```

```
+ source_application_security_group_ids
                                                  = [
       + source_port_range
       + source_port_ranges
                                           = [
        # (1 unchanged attribute hidden)
     },
    + {
                                      = "Deny"
       + access
       + destination_address_prefix
       + destination_address_prefixes
       + destination_application_security_group_ids = []
       + destination_port_range
       + destination_port_ranges
                                            = [
                                      = "Inbound"
       + direction
                                      = "Deny-Internet-Inbound"
       + name
       + priority
                                     = 200
       + protocol
       + source_address_prefix
                                            = "Internet"
       + source address prefixes
                                             = П
       + source_application_security_group_ids
                                                  = П
       + source_port_range
       + source_port_ranges
                                           = Π
        # (1 unchanged attribute hidden)
      },
   ]
 }
# azurerm_public_ip.main_public_ip will be created
+ resource "azurerm_public_ip" "main_public_ip" {
                          = "Dynamic"
  + allocation method
  + ddos_protection_mode = "VirtualNetworkInherited"
  + fadn
                    = (known after apply)
  + id
                   = (known after apply)
  + idle_timeout_in_minutes = 4
                      = (known after apply)
  + ip_address
                      = "IPv4"
  + ip_version
                     = "eastus"
  + location
  + name
                     = "demo-public-ip"
  + resource_group_name = "Azuredevops"
                    = "Basic"
  + sku
                     = "Regional"
  + sku tier
# azurerm_subnet.main_subnet will be created
+ resource "azurerm_subnet" "main_subnet" {
  + address_prefixes
                                       = [
     + "10.0.1.0/24",
  + default_outbound_access_enabled
                                               = true
  + id
                                = (known after apply)
  + name
                                   = "demo-subnet"
  + private_endpoint_network_policies
                                             = "Disabled"
  + private_link_service_network_policies_enabled = true
                                          = "Azuredevops"
  + resource_group_name
  + virtual_network_name
                                         = "demo-vnet"
```

```
}
 # azurerm_subnet_network_security_group_association.main_assoc will be created
 + resource "azurerm_subnet_network_security_group_association" "main_assoc" {
                    = (known after apply)
   + network_security_group_id = (known after apply)
   + subnet id
                       = (known after apply)
 # azurerm_virtual_machine_data_disk_attachment.main_data_disk_attach will be created
 + resource "azurerm_virtual_machine_data_disk_attachment" "main_data_disk_attach" {
                       = "ReadWrite"
   + caching
   + create_option
                         = "Attach"
                    = (known after apply)
   + id
   + lun
   + managed_disk_id
                           = (known after apply)
   + virtual_machine_id
                           = (known after apply)
   + write_accelerator_enabled = false
 # azurerm_virtual_network.main_vnet will be created
 + resource "azurerm_virtual_network" "main_vnet" {
   + address_space
                       = [
     + "10.0.0.0/16",
   + dns_servers
                     = (known after apply)
   + guid
                  = (known after apply)
   + id
                 = (known after apply)
   + name + resc:
                  = "demo-vnet"
   + resource_group_name = "Azuredevops"
   + subnet = (known after apply)
Plan: 13 to add, 0 to change, 0 to destroy.
```

Saved the plan to: solution.plan

To perform exactly these actions, run the following command to apply: terraform apply "solution.plan" pjsaha@web-svr:~/laC/terraform-template\$

terraform apply "solution.plan"

pjsaha@web-svr:~/laC/terraform-template\$ terraform apply "solution.plan"

azurerm network interface.main nic: Creating... azurerm_network_interface.main_nic: Still creating... [00m10s elapsed] azurerm_network_interface.main_nic: Creation complete after 11s [id=/subscriptions/ 456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/ Microsoft.Network/networkInterfaces/demo-nicl azurerm network interface backend address pool association.main nic lb assoc: Creating... azurerm_linux_virtual_machine.main_vm: Creating... azurerm network_interface_backend_address_pool_association.main_nic_lb_assoc: Creation complete after 3s [id=/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/ resourceGroups/Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic/ ipConfigurations/internall/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/ resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb/ backendAddressPools/demo-bepool] azurerm_linux_virtual_machine.main_vm: Still creating... [00m10s elapsed] azurerm linux virtual machine.main vm: Still creating... [00m20s elapsed] azurerm_linux_virtual_machine.main_vm: Still creating... [00m30s elapsed] azurerm linux virtual machine.main vm: Still creating... [00m40s elapsed] azurerm_linux_virtual_machine.main_vm: Creation complete after 48s [id=/subscriptions/ 456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/ Microsoft.Compute/virtualMachines/demo-vm] azurerm virtual machine data disk attachment.main data disk attach: Creating... azurerm_virtual_machine_data_disk_attachment.main_data_disk_attach: Creation complete after 5s [id=/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/ Azuredevops/providers/Microsoft.Compute/virtualMachines/demo-vm/dataDisks/demodatadisk]

Apply complete! Resources: 4 added, 0 changed, 0 destroyed.

Terraform destroy

pjsaha@web-svr:~/laC/terraform-template\$ terraform destroy var.admin_password
Admin password for the VM

Enter a value:

var.client id

The user id of the Service Principal identity that terraform will run under

Enter a value: 566b6c6e-5123-4c97-9cf5-60efa9284c57

var.client secret

The password/client_secret of the Service Principal identity that terraform will run under

Enter a value: kL~8Q~T.i.tCGderzbJRTqHDU-UgfJSFUBcQKbqL

var.subscription id

The subscription id of that is in scope for this Azure Policy Definition

Enter a value: 456cc604-544c-45f8-99d0-c1b73aeec440

var.tenant_id

The tenant id of the Service Principal identity that terraform will run under

Enter a value: f958e84a-92b8-439f-a62d-4f45996b6d07

```
data.azurerm image.packer image: Reading...
azurerm_public_ip.main_public_ip: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/publicIPAddresses/demo-public-ip]
azurerm network security group.main nsq: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/networkSecurityGroups/demo-nsg]
azurerm_managed_disk.main_data_disk: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/disks/demo-datadiskl
azurerm availability set.main avset: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/availabilitySets/demo-avset]
azurerm virtual network.main vnet: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/virtualNetworks/demo-vnet1
data.azurerm image.packer image: Read complete after 0s [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/images/packer-ubuntu-server]
azurerm_subnet.main_subnet: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/virtualNetworks/demo-vnet/subnets/demo-subnet]
azurerm lb.main lb: Refreshing state... [id=/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/
demo-lb]
azurerm_network_interface.main_nic: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/networkInterfaces/demo-nicl
azurerm_subnet_network_security_group_association.main_assoc: Refreshing state... [id=/
subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/
providers/Microsoft.Network/virtualNetworks/demo-vnet/subnets/demo-subnet]
azurerm lb backend address pool.main bepool: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/loadBalancers/demo-lb/backendAddressPools/demo-bepool]
azurerm_linux_virtual_machine.main_vm: Refreshing state... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/virtualMachines/demo-vm]
azurerm_network_interface_backend_address_pool_association.main_nic_lb_assoc:
Refreshing state... [id=/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic/
ipConfigurations/internal|/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb/
backendAddressPools/demo-bepool]
azurerm virtual machine data disk attachment.main data disk attach: Refreshing state...
lid=/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/
```

providers/Microsoft.Compute/virtualMachines/demo-vm/dataDisks/demo-datadisk]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:

destroy

Terraform will perform the following actions:

```
# azurerm_availability_set.main_avset will be destroyed
 - resource "azurerm_availability_set" "main_avset" {
                       = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Compute/availabilitySets/demo-avset" ->
null
                         = "eastus" -> null

    location

                           = true -> null

    managed

   - name
                         = "demo-avset" -> null
   - platform_fault_domain_count = 2 -> null
   - platform_update_domain_count = 2 -> null
                                = "Azuredevops" -> null
   - resource group name
                        = {} -> null
   - tags
 # azurerm_lb.main_lb will be destroyed
 - resource "azurerm_lb" "main_lb" {
                  = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb" -> null
                    = "eastus" -> null

    location

   - name
                    = "demo-lb" -> null
   - private_ip_addresses = [] -> null
   - resource group name = "Azuredevops" -> null
                  = "Basic" -> null
   - sku
   - sku_tier
                    = "Regional" -> null
   tags
                   = \{\} \rightarrow \text{null}
    # (2 unchanged attributes hidden)
   - frontend ip configuration {
                                       = "/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/
demo-lb/frontendIPConfigurations/PublicIPAddress" -> null
      - inbound_nat_rules
                                              = ∏ -> null
      - load balancer rules
                                              = ∏ -> null
                                         = "PublicIPAddress" -> null
      - name
      - outbound rules
                                             = [] -> null
      - private_ip_address_allocation
                                                  = "Dynamic" -> null
      public_ip_address_id
                                               = "/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/publicIPAddresses/
demo-public-ip" -> null
      - zones
                                         = ∏ -> null
       # (5 unchanged attributes hidden)
    }
 # azurerm_lb_backend_address_pool.main_bepool will be destroyed
 - resource "azurerm_lb_backend_address_pool" "main_bepool" {
   backend_ip_configurations = [
```

```
- "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/
Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic/ipConfigurations/
internal",
    ] -> null
   - id
                     = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb/
backendAddressPools/demo-bepool" -> null
   - inbound nat rules
                            = ∏ -> null
                            = [] -> null
   - load_balancing_rules
                           = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
   loadbalancer_id
resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb" -> null
                       = "demo-bepool" -> null
   - name
                           = ∏ -> null
   - outbound rules
    # (2 unchanged attributes hidden)
 # azurerm_linux_virtual_machine.main_vm will be destroyed
 - resource "azurerm linux virtual machine" "main vm" {
   - admin_password
                                              = (sensitive value) -> null
   - admin username
                                              = "pjsaha" -> null
   - allow_extension_operations
                                                 = true -> null
                                           = "/subscriptions/456cc604-544c-45f8-99d0-
   - availability set id
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Compute/availabilitySets/
DEMO-AVSET" -> null
   - bypass_platform_safety_checks_on_user_schedule_enabled = false -> null
   - computer name
                                              = "demo-vm" -> null
   - disable_password_authentication
                                                   = false -> null
   - encryption_at_host_enabled
                                                 = false -> null
                                                = "PT1H30M" -> null
   - extensions time budget
                                      = "/subscriptions/456cc604-544c-45f8-99d0-
   - id
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Compute/virtualMachines/
demo-vm" -> null
                                        = "eastus" -> null
   - location
   - max_bid_price
                                            = -1 -> null
                                         = "demo-vm" -> null
   - name
   - network interface ids
      - "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/
Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic",
    ] -> null
   - patch assessment mode
                                                  = "ImageDefault" -> null
   - patch_mode
                                            = "ImageDefault" -> null
   - platform_fault_domain
                                               = -1 -> null
                                        = "Regular" -> null
   - priority
   - private_ip_address
                                             = "10.0.1.4" -> null
   - private_ip_addresses
                                              = [
      - "10.0.1.4",
    ] -> null
   provision_vm_agent
                                              = true -> null
   - public_ip_addresses
                                              = ∏ -> null
   - resource_group_name
                                                = "Azuredevops" -> null
                                               = false -> null
   - secure boot enabled
   size
                                       = "Standard_D2s_v3" -> null
```

```
- source_image_id
                                             = "/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Compute/images/packer-
ubuntu-server" -> null
                                        = \{\} -> null
   - tags
   - virtual_machine_id
                                             = "c659dc74-b885-4110-9756-b6ffd1958aee"
-> null
   - vm agent platform updates enabled
                                                       = false -> null
   - vtpm enabled
                                             = false -> null
    # (13 unchanged attributes hidden)
   - os_disk {
                              = "ReadWrite" -> null
      - caching
      - disk_size_gb
                                = 30 -> null
                              = "demo-osdisk" -> null
      - name
                                    = "Standard LRS" -> null
      storage_account_type
      - write_accelerator_enabled
                                     = false -> null
       # (3 unchanged attributes hidden)
  }
 # azurerm_managed_disk.main_data_disk will be destroyed
 - resource "azurerm_managed_disk" "main_data_disk" {
   - create_option
                               = "Empty" -> null
   - disk iops read only
                                 = 0 -> null
                                 = 500 -> null
   disk_iops_read_write
                                   = 0 -> null
   disk_mbps_read_only
   - disk_mbps_read_write
                                   = 60 -> null
   - disk_size_gb
                              = 64 -> null
                          = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
   - id
resourceGroups/Azuredevops/providers/Microsoft.Compute/disks/demo-datadisk" -> null
                            = "eastus" -> null

    location

   - max_shares
                               = 0 -> null
                            = "demo-datadisk" -> null
   - name
   - on_demand_bursting_enabled
                                       = false -> null
   - optimized frequent attach enabled = false -> null
   - performance_plus_enabled
                                     = false -> null
   public_network_access_enabled
                                       = true -> null
                                   = "Azuredevops" -> null
   - resource_group_name
                                   = "Standard_LRS" -> null
   - storage_account_type
                           = \{\} -> null
   - tags
   - trusted launch enabled
                                   = false -> null
   - upload size bytes
                                 = 0 -> null
    # (14 unchanged attributes hidden)
  }
 # azurerm network interface.main nic will be destroyed
 - resource "azurerm_network_interface" "main_nic" {
   - accelerated_networking_enabled = false -> null
   - applied_dns_servers
                                = ∏ -> null
   - dns_servers
                             = ∏ -> null
                        = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
   - id
resourceGroups/Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic" ->
```

```
- internal_domain_name_suffix =
"xt1h2ygymbgejalsl3wfgucbaa.bx.internal.cloudapp.net" -> null
   ip_forwarding_enabled
                                = false -> null
                         = "eastus" -> null

    location

   - mac_address
                             = "7C-1E-52-67-39-CC" -> null
                         = "demo-nic" -> null
   - name
                              = "10.0.1.4" -> null
   - private ip address
   private_ip_addresses
                               = [
     - "10.0.1.4",
    ] -> null
   resource_group_name
                                 = "Azuredevops" -> null
   - tags
                         = \{\} -> null
   - virtual machine id
                              = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Compute/virtualMachines/demo-vm" -> null
    # (4 unchanged attributes hidden)
   - ip_configuration {
                                        = "internal" -> null
     - name
                                        = true -> null
     - primary
                                            = "10.0.1.4" -> null
      - private ip address
     - private_ip_address_allocation
                                                = "Dynamic" -> null
                                                = "IPv4" -> null
     - private_ip_address_version
      - subnet_id
                                         = "/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/
demo-vnet/subnets/demo-subnet" -> null
       # (2 unchanged attributes hidden)
  }
 # azurerm network interface backend address pool association.main nic lb assoc will be
destroyed
 - resource "azurerm_network_interface_backend_address_pool_association"
"main nic lb assoc" {
   - backend_address_pool_id = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb/
backendAddressPools/demo-bepool" -> null
                   = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic/
ipConfigurations/internal|/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb/
backendAddressPools/demo-bepool" -> null
   - ip_configuration_name = "internal" -> null
   - network_interface_id = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic" ->
null
  }
 # azurerm_network_security_group.main_nsg will be destroyed
 - resource "azurerm_network_security_group" "main_nsg" {
                 = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/networkSecurityGroups/demo-
nsg" -> null

    location

                   = "eastus" -> null
                   = "demo-nsg" -> null
   - name
```

```
- resource_group_name = "Azuredevops" -> null
   security_rule
      - {
                                       = "Allow"
        - access
                                              = "10.0.1.0/24"
        destination_address_prefix
        destination_address_prefixes
        destination_application_security_group_ids = []
        destination_port_range
        - destination_port_ranges
                                             = [
                                       = "Inbound"
        - direction
                                       = "Allow-Subnet-Inbound"
        - name
        - priority
                                      = 100
                                       = "*"
        - protocol
                                             = "10.0.1.0/24"
        source_address_prefix
        source_address_prefixes
                                              = П
        source_application_security_group_ids
        - source_port_range
                                            = П
        - source port ranges
         # (1 unchanged attribute hidden)
        - access
                                       = "Deny"
                                              = "*"
        - destination_address_prefix
        destination_address_prefixes
        - destination_application_security_group_ids = []
        destination_port_range
        destination_port_ranges
                                             = [
                                       = "Inbound"
        - direction
                                       = "Deny-Internet-Inbound"
        - name
                                      = 200
        - priority
        - protocol
        - source_address_prefix
                                             = "Internet"
        source_address_prefixes
        - source_application_security_group_ids
                                                   = П
        - source_port_range
        source_port_ranges
                                            = [
         # (1 unchanged attribute hidden)
       },
    ] -> null
                  = \{\} -> null
   - tags
 # azurerm_public_ip.main_public_ip will be destroyed
 - resource "azurerm_public_ip" "main_public_ip" {
                           = "Dynamic" -> null

    allocation_method

   - ddos_protection_mode = "VirtualNetworkInherited" -> null
   - id
                    = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/publicIPAddresses/demo-public-
ip" -> null
   - idle_timeout_in_minutes = 4 -> null
   - ip tags
                    = {} -> null
   ip_version
                     = "IPv4" -> null
                      = "eastus" -> null

    location

   - name
                      = "demo-public-ip" -> null
```

```
- resource_group_name = "Azuredevops" -> null
                    = "Basic" -> null
   - sku
   - sku tier
                     = "Regional" -> null
   - tags
                    = {} -> null
   - zones
                     = ∏ -> null
    # (2 unchanged attributes hidden)
 # azurerm subnet.main subnet will be destroyed
 - resource "azurerm_subnet" "main_subnet" {
   - address prefixes
      - "10.0.1.0/24",
    1 -> null
   - default_outbound_access_enabled
                                               = true -> null
                                = "/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/
demo-vnet/subnets/demo-subnet" -> null
                                   = "demo-subnet" -> null
   - name
   - private_endpoint_network_policies
                                            = "Disabled" -> null
   - private_link_service_network_policies_enabled = true -> null
                                         = "Azuredevops" -> null
   resource_group_name
   service_endpoint_policy_ids
                                          = [] -> null
   - service_endpoints
                                       = [] -> null
                                        = "demo-vnet" -> null
   - virtual network name
 # azurerm_subnet_network_security_group_association.main_assoc will be destroyed
 - resource "azurerm_subnet_network_security_group_association" "main_assoc" {
                    = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/demo-vnet/
subnets/demo-subnet" -> null
   - network_security_group_id = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/networkSecurityGroups/demo-
nsg" -> null
   - subnet id
                        = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/demo-vnet/
subnets/demo-subnet" -> null
 # azurerm virtual machine data disk attachment.main data disk attach will be destroyed
 - resource "azurerm_virtual_machine_data_disk_attachment" "main_data_disk_attach" {
                       = "ReadWrite" -> null
   - caching
                         = "Attach" -> null
   create_option
                    = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
   - id
resourceGroups/Azuredevops/providers/Microsoft.Compute/virtualMachines/demo-vm/
dataDisks/demo-datadisk" -> null
   - lun
                     = 0 -> null
                            = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
   - managed disk id
resourceGroups/Azuredevops/providers/Microsoft.Compute/disks/demo-datadisk" -> null
                           = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
   - virtual machine id
resourceGroups/Azuredevops/providers/Microsoft.Compute/virtualMachines/demo-vm" -> null
   - write accelerator enabled = false -> null
```

```
# azurerm_virtual_network.main_vnet will be destroyed
 - resource "azurerm_virtual_network" "main_vnet" {
   - address space
                          = [
      - "10.0.0.0/16",
    ] -> null
   - dns servers
                        = [] -> null
   - flow timeout in minutes = 0 -> null
                     = "607ef6bc-60d8-444c-8172-5f6c53504100" -> null
   - guid
   - id
                    = "/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/
resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/demo-vnet" -> null
                      = "eastus" -> null

    location

                      = "demo-vnet" -> null
   - name
                            = "Azuredevops" -> null
   resource_group_name
   - subnet
                      = [
      - {

    address_prefixes

                                             = [
           - "10.0.1.0/24",
        - default_outbound_access_enabled
                                                     = true

    delegation

                                      = "/subscriptions/456cc604-544c-45f8-99d0-
        - id
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/
demo-vnet/subnets/demo-subnet"
                                         = "demo-subnet"
        - private_endpoint_network_policies
                                                   = "Disabled"
        private_link_service_network_policies_enabled = true
        - security_group
                                            = "/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/
networkSecurityGroups/demo-nsg"
        - service_endpoint_policy_ids
                                                 = \Pi
        - service endpoints
                                             = Π
         # (1 unchanged attribute hidden)
       },
    ] -> null
                     = {} -> null
   - taas
    # (2 unchanged attributes hidden)
Plan: 0 to add, 0 to change, 13 to destroy.
Do you really want to destroy all resources?
 Terraform will destroy all your managed infrastructure, as shown above.
```

There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

azurerm_network_interface_backend_address_pool_association.main_nic_lb_assoc: Destroying... [id=/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/networkInterfaces/demo-nic/ipConfigurations/internal|/subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/demo-lb/backendAddressPools/demo-bepool]

```
azurerm_virtual_machine_data_disk_attachment.main_data_disk_attach: Destroying... [id=/
subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/
providers/Microsoft.Compute/virtualMachines/demo-vm/dataDisks/demo-datadisk]
azurerm subnet network security group association.main assoc: Destroying... [id=/
subscriptions/456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/
providers/Microsoft.Network/virtualNetworks/demo-vnet/subnets/demo-subnet]
azurerm network interface backend address pool association.main nic lb assoc:
Destruction complete after 2s
azurerm lb backend address pool.main bepool: Destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/loadBalancers/demo-lb/backendAddressPools/demo-bepool
azurerm_subnet_network_security_group_association.main_assoc: Destruction complete after
azurerm_network_security_group.main_nsg: Destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Network/networkSecurityGroups/demo-nsg]
azurerm_lb_backend_address_pool.main_bepool: Destruction complete after 4s
azurerm lb.main lb: Destroying... [id=/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/loadBalancers/
demo-lb]
azurerm_virtual_machine_data_disk_attachment.main_data_disk_attach: Destruction complete
after 8s
azurerm_managed_disk.main_data_disk: Destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/disks/demo-datadiskl
azurerm linux virtual machine.main vm: Destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/virtualMachines/demo-vm]
azurerm network security group.main nsg: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-...Network/networkSecurityGroups/demo-nsg, 00m10s elapsed]
azurerm_network_security_group.main_nsg: Destruction complete after 11s
azurerm_lb.main_lb: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-...icrosoft.Network/loadBalancers/demo-lb, 00m10s elapsed]
azurerm lb.main lb: Destruction complete after 11s
azurerm public ip.main public ip: Destroying... [id=/subscriptions/456cc604-544c-45f8-99d0-
c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/publicIPAddresses/
demo-public-ipl
azurerm_managed_disk.main_data_disk: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-.../Microsoft.Compute/disks/demo-datadisk, 00m10s elapsed]
azurerm linux virtual machine.main vm: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-...rosoft.Compute/virtualMachines/demo-vm, 00m10s elapsed]
azurerm managed disk.main data disk: Destruction complete after 12s
azurerm_public_ip.main_public_ip: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-...twork/publicIPAddresses/demo-public-ip, 00m10s elapsed]
azurerm_public_ip.main_public_ip: Destruction complete after 11s
azurerm linux virtual machine.main vm: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-...rosoft.Compute/virtualMachines/demo-vm, 00m20s elapsed]
azurerm linux virtual machine.main vm: Still destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-...rosoft.Compute/virtualMachines/demo-vm, 00m30s elapsed]
azurerm_linux_virtual_machine.main_vm: Destruction complete after 39s
azurerm availability set.main avset: Destroying... [id=/subscriptions/
456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/
Microsoft.Compute/availabilitySets/demo-avset]
```

azurerm_network_interface.main_nic: Destroying... [id=/subscriptions/ 456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/ Microsoft.Network/networkInterfaces/demo-nic] azurerm_availability_set.main_avset: Destruction complete after 1s azurerm_network_interface.main_nic: Still destroying... [id=/subscriptions/ 456cc604-544c-45f8-99d0-...oft.Network/networkInterfaces/demo-nic, 00m10s elapsed] azurerm network interface.main nic: Destruction complete after 11s azurerm_subnet.main_subnet: Destroying... [id=/subscriptions/456cc604-544c-45f8-99d0c1b73aeec440/resourceGroups/Azuredevops/providers/Microsoft.Network/virtualNetworks/ demo-vnet/subnets/demo-subnet] azurerm subnet.main_subnet: Still destroying... [id=/subscriptions/ 456cc604-544c-45f8-99d0-...Networks/demo-vnet/subnets/demo-subnet, 00m10s elapsed] azurerm subnet.main subnet: Destruction complete after 10s azurerm_virtual_network.main_vnet: Destroying... [id=/subscriptions/ 456cc604-544c-45f8-99d0-c1b73aeec440/resourceGroups/Azuredevops/providers/ Microsoft.Network/virtualNetworks/demo-vnet] azurerm_virtual_network.main_vnet: Still destroying... [id=/subscriptions/ 456cc604-544c-45f8-99d0-...soft.Network/virtualNetworks/demo-vnet, 00m10s elapsed] azurerm_virtual_network.main_vnet: Destruction complete after 11s

Destroy complete! Resources: 13 destroyed.