Module 1 Cheat Sheet - Introduction to Linux

Linux terminal tips

Use tab completion to autocomplete pathnames and command names.

Scroll through your command history with the Up Arrow and Down Arrow keys to find and re-run a command you already used.

Getting information

Display the reference manual for the ls command:

```
None
man ls
```

Browsing and navigating directories

Special paths

Symbol	Represents path to
~	home directory
/	root directory
.	present working directory
..	parent of present working directory

List files and directories in the current directory:

```
None
ls
```

List files and directories in a directory:

```
None
ls path_to_directory
```

Return path to present working directory:

```
None
pwd
```

Change the current directory to a subdirectory:

```
None
cd child_directory_name
```

Tip: Because cd looks in the current directory for child_directory_name, you don't need to type the entire path.

Change the current directory:

Up one level:

```
None
cd ../
```

To home:

```
None
cd ~
```

or

```
None
cd
```

To some other directory:

```
None
cd path_to_directory
```

Change the current directory to another one at the same level:

Suppose you have two sibling directories within the same directory, dir_1 and dir_2, and your present working directory is dir_1. To switch to dir_2, enter:

```
None
cd ../dir_2
```

Tip: Using .., you don't need to know the path to the parent directory to switch to a sibling.

Change the current directory back to the directory you were in previously:

```
None
cd -
```

Upgrading and installing packages

Fetch and display up-to-date information about all upgradable packages:

```
None
sudo apt update
```

Upgrade to the latest supported version of nano:

```
None
sudo apt upgrade nano
```

Install Vim:

```
None
sudo apt install vim
```

Creating and editing files

Create a new text file and open it with nano:

```
None
nano file_name.txt
```

Tip: If the file already exists, nano simply opens it for editing.

Next critical test: upload an updated version
This is the most important test for our version-management architecture.
1. Modify the PDF content slightly.
2. Export it as a new PDF.
3. Upload it using the same authenticated account.
4. Confirm that it resolves to the same document ID.
5. Confirm that MongoDB creates version 2.
6. Confirm that all version 2 chunks are indexed before activation.
7. Confirm that version 2 becomes active and version 1 is superseded.
8. Confirm that version 1's Qdrant points are deleted.
Expected result: