Choose the appropriate option to fill in the blank. The set of allowed values for a given attribute is called the .... of the attribute.

- Range
- Domain
- Data type
- Field

Yes, the answer is correct.

Score: 1

Accepted Answers:

Domain

Choose the appropriate option to fill in the blank. .... is a special value of every domain, which indicates the value **unknown.** ***1 point***

- none
- null
- nothing
- unknown

Yes, the answer is correct.

Score: 1

Accepted Answers:

null

Which of the following is true about secondary key? ***1 point***

- All non-candidate keys are secondary keys
- All attributes that are not part of any superkey are secondary keys
- All candidate keys that have not been selected as the primary key are called secondary keys
- Every attribute of a candidate key is a secondary key

Yes, the answer is correct.

Score: 1

Accepted Answers:

All candidate keys that have not been selected as the primary key are called secondary keys

Which of the following is not a part of pure relational query languages? ***1 point***

◯ Relational algebra

◯ Linear algebra

◯ Tuple relational calculus

◯ Domain relational calculus

Yes, the answer is correct.

Score: 1

Accepted Answers:

Linear algebra

What do we mean by Domain of an attribute? ***1 point***

◯ The number of rows in the table which has non-null value for that attribute

◯ The table/relation to which the attribute belongs

◯ The set of allowed values for that attribute

◯ None of the above

Yes, the answer is correct.

Score: 1

Accepted Answers:

The set of allowed values for that attribute

You are a new employee in an IT MNC, your group-lead assigned you to work on a database table. You observed that some entries in the table are duplicate. You can't delete any record but at the same time you must uniquely identify each record so you decided to add a new column in the table which will work as an auto incrementing serial number. ***1 point***
What is the name of the solution that you used?

◯ Surrogate Key

◯ Super key

◯ Candidate Key

◯ None of the above

Yes, the answer is correct.

Score: 1

Accepted Answers:

Surrogate Key

Which of the following key(s) can uniquely identify the tuples of a relation? ***1 point***

☐ Primary key

☐ Foreign key

☐ Superkey

☐ Candidate key

Partially Correct.

Score: 0.67

Accepted Answers:

Primary key
Superkey
Candidate key

Choose the appropriate option(s) to fill in the blank. ***1 point***

.... is a key that uniquely identifies an entity or an object in the database; however, it is not derived from the application data.

☐ Primary key

☐ Foreign key

☐ Surrogate key

☐ Synthetic key

Yes, the answer is correct.

Score: 1

Accepted Answers:

Surrogate key
Synthetic key

Which of the following option(s) is/are true for procedural and declarative programming style? ***1 point***

- [ ] In procedural programming style, the programmer specifies how to achieve the output.
- [ ] In declarative programming style, the programmer must know the specific algorithm to achieve the output.
- [ ] In declarative programming style, the programmer must know what relationships hold between various entities.
- [ ] Relational algebra is an example of declarative programming style.

Yes, the answer is correct.

Score: 1

Accepted Answers:

In procedural programming style, the programmer specifies how to achieve the output.
In declarative programming style, the programmer must know what relationships hold between various entities.
Relational algebra is an example of declarative programming style.

Choose all the correct statements given below. ***1 point***

- [ ] A Candidate Key is always a Super Key
- [ ] A Super Key is always a Candidate Key
- [ ] A Foreign Key can be Super Key
- [ ] A Primary Key is always a Super Key

Yes, the answer is correct.

Score: 1

Accepted Answers:

A Candidate Key is always a Super Key
A Foreign Key can be Super Key
A Primary Key is always a Super Key