

Partha Pratim Das

Week Recap

Objectives & Outline

Relational

Algebra

Select

Project

Union

Committee Donale

Rename

Module Summary

Database Management Systems

Module 16: Formal Relational Query Languages/1

Partha Pratim Das

Department of Computer Science and Engineering Indian Institute of Technology, Kharagpur

ppd@cse.iitkgp.ac.in

Partha Pratin Das

Week Recap

Objectives Outline

Relationa Algebra Select Project

Union
Difference
Intersection

Cartesian Product Rename Division

Module Summary

- SQL Examples have been practiced for basic query structures
- Nested Subquery in SQL
- Data Modification
- SQL expressions for Join and Views
- Transactions
- Integrity Constraints
- More data types in SQL
- Authorization in SQL
- Functions and Procedures in SQL
- Triggers

Module Objectives

Module 16

Objectives &

Outline

• To understand formal query language through relational algebra

Module Outline

Module 16

Objectives &

Outline

• Relational Algebra



Formal Relational Query Language

Module 16

Objectives & Outline

- Relational Algebra
 - Procedural and Algebra based
- Tuple Relational Calculus
 - Non-Procedural and Predicate Calculus based
- Domain Relational Calculus
 - Non-Procedural and Predicate Calculus based



Partha Pratim Das

Week Recap

Objectives Outline

Relational Algebra

Select

Project

Difference

Intersection

Cartesian Produ

Divisio

Module Summar

Relational Algebra

Database Management Systems Partha Pratim Das 16.6

Partha Pratir Das

Week Reca

Objectives Outline

Relational

Algebra Select

Project

Union

Intersection

Cartesian Produc Rename Division

Module Summar

- Created by Edgar F Codd at IBM in 1970
- Procedural language
- Six basic operators
 - \circ select: σ
 - ∘ project: П
 - ∘ union: ∪
 - o set difference: -
 - Cartesian product: x
 - \circ rename: ho
- The operators take one or two relations as inputs and produce a new relation as a result

Partha Pratii Das

Week Reca

Objectives of Outline

Algebra

Union
Difference
Intersection
Cartesian Produ
Rename

Module Summa

• Notation: $\sigma_p(r)$

• p is called the selection predicate

• Defined as:

$$\sigma_p(\mathbf{r}) = \{t | t \in r \text{ and } p(t)\}$$

where p is a formula in propositional calculus consisting of terms connected by : \land (and), \lor (or), \neg (not) Each terms is one of:

where op is one of: $=, \neq, >, \geq . < . \leq$

• Example of selection:

$$\sigma_{dept_name = 'Physics'}(instructor)$$

\overline{A}	В	\bigcup	D
α	α	1	7
α	β	5	7
3	β	12	3
3	β	23	10

A	В	C	D
α	α	1	7
β	β	23	10

$$\sigma_{A=B \land D > 5}(r)$$

Partha Pratin

Week Reca

Objectives

Relationa Algebra

Select Project Union


Difference Intersection Cartesian Produc Rename

Module Summa

- Notation: $\Pi_{A_1,A_2,...A_k}$ (r) where A_1 , A_2 are attribute names and r is a relation
- The result is defined as the relation of *k* columns obtained by erasing the columns that are not listed
- Duplicate rows removed from result, since relations are sets
- Example: To eliminate the dept_name attribute of instructor

$$\Pi_{ID,name,salary}(instructor)$$





Partha Pratir Das

Week Reca


Objectives

Relationa Algebra Select

Union
Difference
Intersection
Cartesian Produ

Module Summa

- Notation: $r \cup s$
- Defined as: $r \cup s = \{t | t \in r \text{ or } t \in s\}$
- For $r \cup s$ to be valid.
 - a) r, s must have the same arity (same number of attributes)
 - b) The attribute domains must be compatible (example: 2nd column of r deals with the same type of values as does the 2nd column of s)
 - c) Example: to find all courses taught in the Fall 2009 semester, or in the Spring 2010 semester, or in both



 $\Pi_{course_id}(\sigma_{semester="Fall" \land year=2009}(section)) \cup \Pi_{course_id}(\sigma_{semester="Spring" \land year=2010}(section))$

Partha Pratii Das

Week Reca

Objectives


Relationa Algebra Select


Union Difference

Intersection Cartesian Produc Rename

Module Summar

- Notation r s
- Defined as: $r s = \{t | t \in r \text{ and } t \notin s\}$
- Set differences must be taken between compatible relations
 - o r and s must have the same arity
 - o attribute domains of r and s must be compatible
- Example: to find all courses taught in the Fall 2009 semester, but not in the Spring 2010 semester







Intersection Operation

Module 16

Partha Pratim Das

Week Reca

Objectives Outline

Relation

Select Project

Union
Difference

Intersection

Cartesian Produc Rename Division

Module Summa

• Notation: $r \cap s$

• Defined as:

$$r \cap s = \{t | t \in r \text{ and } t \in s\}$$

- Assume:
 - o r, s have the same arity
 - attributes of r and s are compatible
- Note: $r \cap s = r (r s)$

\overline{A}	В	A
α	1	α
α	2	β
β	1	_
1	,	



$$r \cap s$$

Partha Pratir Das

Week Reca

Objectives & Outline

Relation Algebra Select

Project Union Difference

Cartesian Product
Rename
Division

Module Summar

- Notation $r \times s$
- Defined as:

$$r \times s = \{t \ q | t \in r \text{ and } q \in s\}$$

- Assume that attributes of r(R) and s(S) are disjoint. (That is, $R \cap S = \phi$)
- If attributes of r(R) and s(S) are not disjoint, then renaming must be used







 $r \times s$



Rename Operation

Module 16

Partha Pratim Das

Week Recap

Relational Algebra Select Project Union

Intersection
Cartesian Produc
Rename

Module Summai

• Allows us to name, and therefore to refer to, the results of relational-algebra expressions.

- Allows us to refer to a relation by more than one name.
- Example:

$$ho_{\mathsf{x}}(\mathsf{E})$$

returns the expression E under the name X

• If a relational-algebra expression E has arity n, then

$$\rho_{\mathbf{x}(A_1,A_2,\cdots,A_n)}(E)$$

returns the result of expression E under the name X, and with the attributes renamed to

$$A_1, A_2, \ldots, A_n$$

Partha Pratir Das

Week Reca

Objectives

Relational Algebra Select Project Union Difference Intersection

Cartesian Produc Rename Division

Nodule Summar

- The division operation is applied to two relations
- $R(Z) \div S(X)$, where X subset Z. Let Y = Z X (and hence $Z = X \cup Y$); that is, let Y be the set of attributes of R that are not attributes of S
- The result of DIVISION is a relation T(Y) that includes a tuple t if tuples t_R appear in R with t_R [Y] = t, and with
 - o $t_R[X] = t_s$ for every tuple t_s in S.
- For a tuple t to appear in the result T of the DIVISION, the values in t must appear in R in combination with every tuple in S
- Division is a derived operation and can be expressed in terms of other operations
- $r \div s \equiv \Pi_{R-S}(r) \Pi_{R-S}(r)((\Pi_{R-S}(r) \times s) \Pi_{R-S,S}(r))$



Partha Pratim

Week Reca

Objectives Outline

Algebi

Select

Project Union

Difference

Intersection

Rename

Module Summar

R

Lecturer	Module	
Brown	Compilers	
Brown	Databases	
Green	Prolog	
Green	Databases	
Lewis	Prolog	
Smith	Databases	

S

Subject Prolog RIS

Lecturer Green Lewis

Division Examples (2)

Module 16

Partha Pratir Das

Week Reca

Objectives Outline

Algebra

Algebra

Project

Projec


D100-----

Intersection

Cartesian Pro

Districe

Module Summary





Partha Pratir Das

Week Reca

Objectives Outline

Relati

Select

Projec


Union

Intersection

Cartesian Produ

Rename

Madula Summar



Database Management Systems Partha Pratim Das 16.18

Partha Pratii Das

Week Reca

Objectives Outline

Polational

Algebra

Duntant

Union


Differen

Intersection

Rename

M - J. J - C - - - - -

• Relations *r*, *s*:



1 2

S

A α α β

e.g. A is customer name B is branch-name 1 and 2 here show two specific branch-names (Find customers who have an account in all branches of the bank)



Division Example (5)

Module 16

Partha Pratii Das

Week Reca

Objectives Outline

Outille

Algebra

Select

Projec

Union

Differenc

Intersection

Cartesian Produ

Rename

Module Summar

• Relations *r*, *s*:

Α	В	С	D	Ε
a	а	а	а	1
а	а	γ	а	1
a	а	γ	b	1
β	а	γ	а	1
α α β β	а	γ	b	3
Y	а	γ	а	1
Y	а	γ	b	1
γ	а	β	b	1
		r		

Α	В	С
а	а	γ
ν	а	ν

•	r	÷	s:

D	E	
а	1	
b	1	
s		

e.g. Students who have taken both "a" and "b" courses, with instructor "1"

(Find students who have taken all courses given by instructor 1)



Module Summary

Module 16

Partha Pratin Das

Week Reca

Objectives Outline

Polational

Algebra

Project Union

Difference Intersection Cartesian Proc

Cartesian Produ Rename Division

Module Summarv

• Discussed relational algebra with examples

Slides used in this presentation are borrowed from http://db-book.com/ with kind permission of the authors.

Edited and new slides are marked with "PPD".