

Which type of SQL commands sets the domain for the values of an attribute?

☐ DDL

☐ DML

☐ DCL

☐ TCL

Yes, the answer is correct.

Score: 1

Accepted Answers:

DDL

Consider the following statements.

1 point

1. A Primary Key constraint is the same as attribute with UNIQUE & NOT NULL constraints.
2. There can be many attributes with UNIQUE constraint in a table.

Choose the correct option

☐ Statement 2 is true, Statement 1 is false

☐ Statement 2 is false, Statement 1 is true

☐ Both statements are true

☐ Both statements are false

Yes, the answer is correct.

Score: 1

Accepted Answers:

Statement 2 is true, Statement 1 is false

This command is used for removing the records present in a table.

1 point

☐ DELETE

☐ DROP

☐ CLEAR

☐ REMOVE

Yes, the answer is correct.

Score: 1

Accepted Answers:

DELETE

Which of the following command can remove the entire table structure along with its records ? **1 point**

- ☐ DROP
- ☐ DELETE
- ☐ CLEAR
- ☐ REMOVE

Yes, the answer is correct.

Score: 1

Accepted Answers:

DROP

If you want to add a new column in an already existing table which set of commands would you **1 point** use?

- ☐ ALTER & ADD
- ☐ MODIFY & ADD
- ☐ CREATE & APPEND
- ☐ CREATE & ADD

No, the answer is incorrect.

Score: 0

Accepted Answers:

ALTER & ADD

In SQL the SELECT command performs which equivalent relational algebra operation?

1 point

- ☐ Selection

- ☐ Projection
- ☐ Display
- ☐ Cartesian Product

Yes, the answer is correct.

Score: 1

Accepted Answers:

Projection

Consider the given query.

1 point

```
SELECT 'DataScience' AS Department FROM Employees;
```

Which one of the following describes the operation performed by this query?

- ☐ Initializing the Department of all Employees to DataScience.
- ☐ Changing the name of the Department attribute of Employees table to DataScience
- ☐ Displays a table with one column named 'Department' and as many rows as the number of employees with value DataScience in each of the rows.
- ☐ The query has errors, it will not run

No, the answer is incorrect.

Score: 0

Accepted Answers:

Displays a table with one column named 'Department' and as many rows as the number of employees with value DataScience in each of the rows.

Consider the given query.

1 point

```
SELECT employee_name, salary*1.25 AS Bonus FROM Employees;
```

Which one of the following describes the operation performed by this query?

- ☐ Printing the names of all employees and increasing their salary by 25% in the Employees table.
- ☐ Changing the name of the salary attribute of Employees table to Bonus and increasing all the salaries by 25%.



Displays a table with two columns, employee name and Bonus. The value of Bonus column is 25% more than their respective salaries.



The query has errors, it will not run

Yes, the answer is correct.

Score: 1

Accepted Answers:

Displays a table with two columns, employee name and Bonus. The value of Bonus column is 25% more than their respective salaries.

Consider the given queries.

1 point

```
SELECT employee_name FROM Employees;  
SELECT employee_name FROM Employees WHERE salary = salary*2;
```

Choose the correct option.



Both queries produces the same result.



Query 1 displays name of all employees, Query 2 displays name of only those employees whose new salary is twice of old salary



Query 1 displays name of all employees, Query 2 displays nothing unless salary = 0.



Query 1 displays name of all employees, Query 2 has errors it will not run.

Yes, the answer is correct.

Score: 1

Accepted Answers:

Query 1 displays name of all employees, Query 2 displays nothing unless salary = 0.

Choose all the correct options from the choices given below.

1 point



A table may not have any Primary key



A Foreign key can be a Primary key



A Foreign key should always be unique



A Foreign key should always be not null

No, the answer is incorrect.

Score: 0

Accepted Answers:

A table may not have any Primary key
A Foreign key can be a Primary key

Choose all the errors(if any) in the given query?

1 point

```
CREATE Employee(  
    e_id          numeric(5),  
    e_name        varchar(20),  
    manager_id    numeric(5),  
    dept_name     varchar(10),  
    PRIMARY KEY (e_id,dept_name),    //LINE-1  
    FOREIGN KEY (manager_id) REFERENCES Employee(e_id) //LINE-2  
);
```

- ☐ The word TABLE is missing
- ☐ LINE-1 is wrong, incorrect syntax for declaring composite primary key
- ☐ LINE-2 is wrong, incorrect foreign key reference
- ☐ There is no error

No, the answer is incorrect.

Score: 0

Accepted Answers:

The word TABLE is missing