

Which SQL keyword is used for removing duplicates from the result of a query statement?

☐ Distinct

☐ All

☐ Any

☐ Exists

Yes, the answer is correct.

Score: 1

Accepted Answers:

Distinct

Consider a table A with 30 rows and a table B with 2 rows. How many rows will be there in the Cartesian Product of A and B? **1 point**

☐ 30

☐ 50

☐ 60

☐ 2

Yes, the answer is correct.

Score: 1

Accepted Answers:

60

Identify the appropriate SQL statement that finds the names of the employees whose age is not greater than 30 and whose address is 'Seattle'. **1 point**

SELECT name
FROM employee

☐ WHERE age > 30 OR address = 'Seattle' ;

SELECT name
FROM employee

☐ WHERE age <= 30 AND address = 'Seattle' ;

SELECT name
FROM employee

☐ WHERE age = 30 AND address = 'Seattle' ;

SELECT name
FROM employee
☐ WHERE age>30 OR address= 'Seattle' ;

Yes, the answer is correct.

Score: 1

Accepted Answers:

SELECT name
FROM employee
WHERE age<=30 AND address= 'Seattle' ;

Given that a table named **employee** has an attribute named age with a varchar data type which **1 point** stores the age of an employee. Which among the following ages can be returned by the given query?

SELECT * FROM employee WHERE age like '%1';

☐ 11

☐ 211

☐ 312

☐ None of the above

Yes, the answer is correct.

Score: 1

Accepted Answers:

11
211

Consider the given queries:

1 point

1. SELECT * FROM employee order by salary asc;
2. SELECT * FROM employee order by salary ;

Choose the correct option.

☐ Query 1 displays the salary of all the employees, Query 2 has errors in it.

☐ Query 1 displays the salary of all the employees in ascending order, Query 2 displays the salary of the employees randomly.

☐ Both queries produce the same output.

☐ Query 1 displays the salary of all the employees in ascending order, Query 2 displays the salary of the employees in descending order.

Yes, the answer is correct.

Score: 1

Accepted Answers:

Both queries produce the same output.

Union is a set.

1 point

- ☐ Pure
- ☐ Multi
- ☐ Both
- ☐ None of the above

Yes, the answer is correct.

Score: 1

Accepted Answers:

Pure

Consider the table **department** (dept_name, dept_id, city). Identify the correct statement(s) **1 point**
that find(s) the name of the departments where the city is either 'Paris' or 'Mexico'.

Select dept_name from department where city='Paris'
UNION

☐ Select dept_name from department where city='Mexico';

Select dept_name from department where city='Paris'
EXCEPT

☐ Select dept_name from department where city='Mexico';

Select dept_name from department where city='Paris'
INTERSECT

☐ Select dept_name from department where city='Mexico';

Select dept_name from department where city='Paris'
UNION ALL

☐ Select dept_name from department where city='Mexico';

Yes, the answer is correct.

Score: 1

Accepted Answers:

```
Select dept_name from department where city='Paris'
UNION
Select dept_name from department where city='Mexico';
Select dept_name from department where city='Paris'
UNION ALL
Select dept_name from department where city='Mexico';
```

Which of the following aggregate functions returns the number of rows that matches the required specification?

1 point

☐ sum()

☐ count()

☐ avg()

☐ max()

Yes, the answer is correct.

Score: 1

Accepted Answers:

count()

Consider two relational schemas as follows:

2 points

```
student(id_no,name,dept_name)
department(dept_name,budget,dept_no)
```

Find the list of students of those departments which have budget greater than 1000.

```
select name, budget
from student e, department d
where e.dept_name = d.dept_name
and budget>1000;
```

```
select name, budget
from student e, department d
where e.dept_name = d.dept_name
budget=>1000;
```

```
select name, budget
from student e, department d
where e.dept_name = d.dept_name
budget<1000;
```

```
select name, budget
from student e, department d
where e.dept_name = d.dept_name
budget=1000;
```

Yes, the answer is correct.

Score: 2

Accepted Answers:

```
select name, budget
from student e, department d
where e.dept_name = d.dept_name
and budget>1000;
```

Which of the following joins is similar to Cartesian product?

1 point

- ☐ Theta join
- ☐ Left outer join
- ☐ Cross join
- ☐ Natural join

Yes, the answer is correct.

Score: 1

Accepted Answers:

Cross join

Consider two relational schemas as follows:

1 point

```
employee(emp_num,emp_name,salary,dept_num)
department(dept_num,dept_name)
```

Suppose **employee** table has 5 tuples and 6 attributes, and the department table has 0 tuples and 6 attributes. When a CROSS JOIN is performed between **employee** and **department**, how many tuples are there?

- ☐ 12
- ☐ 96
- ☐ 56
- ☐ 0

Yes, the answer is correct.

Score: 1

Accepted Answers:

0

Given relation

1 point

student(id,name,age,ph_no)

Find the names of all students whose name ends with "gar".

- ☐ select name from student where name like '%gar%';
- ☐ select name from student where name like '%gar';
- ☐ select name from student where name like 'gar%';
- ☐ select name from student where name like 'gar';

Yes, the answer is correct.

Score: 1

Accepted Answers:

select name from student where name like '%gar';

Consider the following statements:

2 points

UNION removes duplicate rows.

UNION ALL removes duplicate rows.

- ☐ Both statements are correct
- ☐ Both statements are wrong
- ☐ Statement 1 is wrong, statement 2 is correct
- ☐ Statement 2 is wrong, statement 1 is correct

Yes, the answer is correct.

Score: 2

Accepted Answers:

Statement 2 is wrong, statement 1 is correct

What will be the result of the following query?

2 points

```
select name
from instructor
where dept_name in('Music','Biology')
```

intersect
select name
from instructor
where salary>6000;

☐

The names of all instructors who taught in either Music department or the Biology department and whose salary is greater than 6000

☐

The names of all instructors who taught in both Music department and the Biology department and whose salary is less than 6000

☐

The names of all instructors who taught in either Music department and the Biology department and whose salary is greater than 6000

☐

The names of all instructors who taught in either Music department or the Biology department or whose salary is greater than 6000

Yes, the answer is correct.

Score: 2

Accepted Answers:

The names of all instructors who taught in either Music department or the Biology department and whose salary is greater than 6000

Which of the following is/are aggregate function(s)?

1 point

☐ min

☐ avg

☐ view

☐ with

Yes, the answer is correct.

Score: 1

Accepted Answers:

min
avg

Among the given options, what will be the result of the following query?

1 point

select building, avg(capacity)
from classroom
group by building

having avg(capacity)<30;



The names and the average capacity of each building whose average capacity is less than 30



The names and the average capacity of each building whose average capacity is equal to 30



The names and the average capacity of each building whose average capacity is less than or equal to 30



The names and capacity of each building whose average capacity is greater than 30

Yes, the answer is correct.

Score: 1

Accepted Answers:

The names and the average capacity of each building whose average capacity is less than 30