

Which among the following is the correct way to use NOT NULL constraint in SQL statement?

- ☐ name varchar(20) not null
- ☐ budget numeric(12,2) not null
- ☐ name not null varchar(20)
- ☐ budget not null numeric(12,2)
- ☐ not null name varchar(20)
- ☐ not null budget numeric(12,2)
- ☐ All of the above.

Yes, the answer is correct.

Score: 2

Accepted Answers:

name varchar(20) not null
budget numeric(12,2) not null

Choose the correct syntax for **revoke** statement.

2 points

- ☐ **revoke** < privilege list > **from** < relation name or view name> **on** < user list >
- ☐ **revoke** < privilege list> **on** < relation name or view name > **from** < user list >
- ☐ **from** < privilege list > **revoke** < relation name or view name> **to** < user list
- ☐ **to** < privilege list > **revoke** < relation name or view name> **from** < user list >

No, the answer is incorrect.

Score: 0

Accepted Answers:

revoke < privilege list> on < relation name or view name > from < user list >

Choose the correct syntax for **grant** statement which is used to confer authorization.

2 points

- ☐ **grant** < privilege list > **to** < relation name or view name > **from** < user list >
- ☐ **grant** < privilege list > **from** < relation name or view name > **to** < user list >
- ☐ **grant** < privilege list > **to** < relation name or view name > **on** < user list >

☐ **grant** < privilege list > **on** < relation name or view name > **to** < user list >

No, the answer is incorrect.

Score: 0

Accepted Answers:

grant < privilege list > **on** < relation name or view name > **to** < user list >

Consider the following SQL query:

2 points

```
CREATE ROLE coach;  
GRANT DELETE, INSERT ON team  
TO coach;
```

Which of the following can be inferred from a given query?

☐ Coach can only delete or insert tuples in **team** table.

☐

Firstly, it creates a coach role and then allows the coach to insert and delete tuples from **team** table.

☐ Firstly, we have to grant privilege to coach and then create a role.

☐ None of the above

Yes, the answer is correct.

Score: 2

Accepted Answers:

Coach can only delete or insert tuples in **team** table.

Firstly, it creates a coach role and then allows the coach to insert and delete tuples from **team** table.

Which one of the following guards against improper data modifications on the database?

2 points

☐ Database Locks

☐ Integrity Constraints

☐ File Manager

☐ None of the above

Yes, the answer is correct.

Score: 2

Accepted Answers:

Suppose you have an attribute named 'City' in a table. You want to ensure that the domain of this attribute should incorporate only 3 cities namely 'Delhi', 'Chennai', 'Kolkata'. Choose the valid SQL construct that you would use

☐ Check

☐ Filter

☐ Unique

☐ Where

Yes, the answer is correct.

Score: 2

Accepted Answers:

Check

Consider the given query.

2 points

```
CREATE TABLE Employee(
    Employee_num VARCHAR PRIMARY KEY,
    Name VARCHAR,
    Department VARCHAR,
    Manager_num VARCHAR,
    FOREIGN KEY (Manager_num) REFERENCES Employee(Employee_num)
);
```

With respect to the given query which constraint does the following table violates?

Employee_num	Name	Department	Manager_num
E001	Rahul	Accounts	E002
E002	Saif	Accounts	NULL
E004	Jacob	Marketing	E009
E006	Neha	Accounts	E007
E009	Priyanka	Marketing	NULL

☐ PRIMARY KEY

☐ FOREIGN KEY

☐ NOT NULL

☐ UNIQUE

Yes, the answer is correct.

Score: 2

Accepted Answers:

FOREIGN KEY

What is the function of 'on delete cascade'?

2 points

- ☐ It is used for deleting tuples from a given table
- ☐ It is used for removing a given table with its data and attributes.
- ☐ It is used for preserving referential integrity constraint
- ☐ None of the above

Yes, the answer is correct.

Score: 2

Accepted Answers:

It is used for preserving referential integrity constraint

GRANT and REVOKE belongs to which category of SQL commands?

2 points

- ☐ DDL
- ☐ DML
- ☐ TCL
- ☐ DCL

No, the answer is incorrect.

Score: 0

Accepted Answers:

DCL

Which among the following is true?

2 points

- ☐ The **confer** statement is used to confer authorization.
- ☐ The **revoke** statement is used to revoke authorization.

- ☐ The **grant** statement is used to confer authorization.
- ☐ The **grant** statement is used to revoke authorization.

Yes, the answer is correct.

Score: 2

Accepted Answers:

The **revoke** statement is used to revoke authorization.
The **grant** statement is used to confer authorization.

Choose all the correct options.

2 points

- ☐ In a relational DBMS, videos are stored as blob type data.
- ☐ In a relational DBMS, we cannot store video files.
- ☐ In a relational DBMS, videos are stored as clob type data.
- ☐ In a relational DBMS, blob data type is used for storing uninterpreted data.

Yes, the answer is correct.

Score: 2

Accepted Answers:

In a relational DBMS, videos are stored as blob type data.
In a relational DBMS, blob data type is used for storing uninterpreted data.