

A set of buses in a bus station is an example of:

- ☐ an entity
- ☐ an entity set
- ☐ a relationship
- ☐ a relationship set

An attribute is:

2 points

- ☐ a set of entities of the same type that share the same properties.
- ☐ a set of descriptive properties possessed by all members of an entity set.
- ☐ a subset of descriptive properties of an entity that uniquely identifies each member of the set.
- ☐ an association among several entities.

Figure 3 shows a relationship.

2 points




Figure 3: Relationship

- ☐ one-to-one
- ☐ many-to-one
- ☐ one-to-many
- ☐ many-to-many

A company needs to maintain the following information about each of its employees: **2 points**
Name, Date of Birth, Date of Joining, Monthly Salary, Annual Salary and Years of Completion.
From among the given options, choose the attributes that can be configured as derived attributes.

- ☐ Name
- ☐ Date of Birth
- ☐ Date of Joining
- ☐ Monthly Salary
- ☐ Annual Salary
- ☐ Years of Completion

Figure 4 shows a relationship.

2 points




Figure 4: Relationship

- ☐ one-to-one
- ☐ many-to-one
- ☐ one-to-many
- ☐ many-to-many

Figure 5 shows a relationship.

2 points




Figure 5: Relationship

- ☐ one-to-one
- ☐ many-to-one
- ☐ one-to-many
- ☐ many-to-many

In Figure 6, address is a attribute.

2 points



Figure 6: Relationship

- ☐ multi-valued
- ☐ composite
- ☐ derived
- ☐ simple

The relationship associating the weak entity set with the identifying entity set is called _____. **2 points**

- ☐ Weak relationship
- ☐ Own relationship
- ☐ Identifying entity

☐ Identifying relationship

Which among the following statements is/are true regarding weak entity sets?

2 points

- ☐ Every weak entity must be associated with an identifying entity.
 - ☐ An entity set that is not a weak entity set is termed as a strong entity set.
 - ☐ The identifying entity set is said to own the strong entity set that it identifies.
 - ☐ All of the above.
-