

# PYQs

06 June 2024 09:49

## 1. Sep 22, Quiz 1

Question Label : Multiple Choice Question

```
1 def fun(m,n):
2     if m == n:
3         return n
4     else:
5         if m > n:
6             return fun(m-n, n)
7         else:
8             return fun(m, n-m)
```

What does the function `fun` compute?

Options :

☐ `m + n` using repeated subtraction

☐ `m mod n` using repeated subtraction

☐ The greatest common divisor of `m` and `n`

☐ The least common multiple of `m` and `n`

Screen clipping taken: 06-06-2024 09:55

## 2. Sep 22, Quiz 1

Question Label : Multiple Choice Question

```
1 def prime_bad(n):
2     if n < 2:
3         return False
4     for i in range(2, int(n**0.5)):
5         if n % i == 0:
6             return False
7     return True
```

Here is a function `prime_bad` that takes a positive integer `n` as input and returns `True` if the number is prime and `False` otherwise. There is an error in this function. For which of the following input values of `n`, does function `prime_bad` return an **incorrect** output?

Options :

☐ 36

☐ 29

☐ 49

☐ 37

Screen clipping taken: 06-06-2024 09:56

## 3. Jan 23, Quiz 1

Question Label : Multiple Choice Question

Consider the following function:

```
1 def fun(n):
2     total = 0
3     for i in range(n//2, n):
4         j = 2
5         while(j <= n):
6             total = total + n/2
7             j = j * 2
8     return total
```

Which of the following option correctly mentions the return value (total) of function fun in terms of  $n$ ? Consider that input  $n = 2^k$  where  $k$  is a positive integer.

Options :

☐  $n^2$

☐  $(\log n)^2/4$

☐  $(n \log n)/2$

☒  $(n^2 \log n)/4$

$$\log n \quad \frac{n}{2} \quad \frac{n}{2}$$

$$n = 32$$

$$j = 2$$

Screen clipping taken: 06-06-2024 10:07