

# Cucumber Report

Sep 15, 2022, 1:13:18 PM

Start : Sep 15, 1:08:49.939 PM

End : Sep 15, 1:13:16.977 PM

Duration : 4 m 27.038 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify Login Functionality</u>	4 m 27.038 s	1	0	1	0	8	5	1	2

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Sanity	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Verify Login Functionality</u>	1	0	1	0	4 m 27.038 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify Login Functionality</u>	<u>Sucessful login with valid credentials</u>	8	5	1	2	4 m 27.035 s

## Verify Login Functionality


<b>FAILED</b>	DURATION - 4 m 27.038 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 1:08:49.939 PM // 1:13:16.977 PM /					

## Sucessful login with valid credentials

<div>FAILED</div>	<div>DURATION - 4 m 27.035 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 1:08:49.942 PM // 1:13:16.977 PM /</div>				
<div>Verify Login Functionality</div>				
<div>@Sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	18.048 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	1.621 s
3	And User Enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	1.179 s
4	And Click on Login	PASSED	0.386 s
5	Then Page Title Should be "Dashboard / nopCommerce administration"	PASSED	0.117 s
6	When User Click on Log out link	FAILED	4 m 0.374 s
	org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PUN-LAP-KALKAR', ip: '192.168.1.100', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1' Driver info: org.openqa.selenium.remote.RemoteWebDriver Capabilities {64bit: false, acceptSslCert: false, acceptSslCerts: false, automationName: XCUITest, bootstrapPath: /usr/local/.browserstack/co..., browser: iphone, browserName: safari, browserstack.appium_version: 1.17.0, browserstack.isTargetBased: true, browserstack.is_hub_canary: false, buildName: 1.4, capabilities: {64bit: false, acceptSslCert: false, acceptSslCerts: false, automationName: XCUITest, bootstrapPath: /usr/local/.browserstack/co..., browser: iphone, browserName: safari, browserstack.appium_version: 1.17.0, browserstack.isTargetBased: true, browserstack.is_hub_canary: false, buildName: 1.4, custom_replay_kit_params: {"rotation":"false","captur...", databaseEnabled: false, detected_language: selenium/3.141.59 (java win..., device: iphone, deviceName: iPhone 12, deviceOrientation: PORTRAIT, javascriptEnabled: true, locationContextEnabled: false, mobile: {browser: mobile, version: iPhone 12-14.1}, networkConnectionEnabled: false, newCommandTimeout: 0, new_bucketing: true, noReset: true,		

#	Step / Hook Details	Status	Duration
	<p>orientation: PORTRAIT, orig_os: ios, osVersion: 14, os_version: 14.0, platform: MAC, platformName: iOS, projectName: Eportal, realMobile: true, safariIgnoreFraudWarning: true, safariInitialUrl: http://mobile-internet-chec..., sessionId: b56c9c681418f478ae235f0fb55..., takesScreenshot: true, udid: 00008101-001C68E12481401E, useXctestrunFile: true, version: , wda_port: 8404, webStorageEnabled: false, webkitResponseTimeout: 20000}, custom_replay_kit_params: {"rotation":"false","captur..., databaseEnabled: false, detected_language: selenium/3.141.59 (java win..., device: iphone, deviceName: iPhone 12, deviceOrientation: PORTRAIT, javascriptEnabled: true, locationContextEnabled: false, mobile: {browser: mobile, version: iPhone 12-14.1}, networkConnectionEnabled: false, newCommandTimeout: 0, new_bucketing: true, noReset: true, orientation: PORTRAIT, orig_os: ios, osVersion: 14, os_version: 14.0, platform: MAC, platformName: MAC, projectName: Eportal, realMobile: true, safariIgnoreFraudWarning: true, safariInitialUrl: http://mobile-internet-chec..., sessionId: b56c9c681418f478ae235f0fb55..., takesScreenshot: true, udid: 00008101-001C68E12481401E, useXctestrunFile: true, version: , wda_port: 8404, webStorageEnabled: false, webkitResponseTimeout: 20000} Session ID: b56c9c681418f478ae235f0fb55dd84bd7bf6e23 *** Element info: {Using=link text, value=Logout}</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)  at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)  at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)  at org.openqa.selenium.remote.http.JsonHttpURLConnection.reconstructValue(JsonHttpURLConnection.java:40)  at org.openqa.selenium.remote.http.AbstractHttpURLConnection.decode(AbstractHttpURLConnection.java:80)  at org.openqa.selenium.remote.http.AbstractHttpURLConnection.decode(AbstractHttpURLConnection.java:44)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)  at org.openqa.selenium.remote.RemoteWebDriver.findElementByLinkText(RemoteWebDriver.java:380)  at org.openqa.selenium.By\$ByLinkText.findElement(By.java:220)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source)  at PageObject.LoginPage.ClickOnLogoutButton(LoginPage.java:47)  at StepDefinition.StepDef.user_click_on_log_out_link(StepDef.java:92)  at ?.User Click on Log out link(file:///C:/Users/prasanna.kalkar/eclipse-workspace/BDDCucumberFramework/src/test/resources/Features/Login.feature:10)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - StepDefinition.StepDef.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.593 s
	Successful login with valid credentials		

#	Step / Hook Details	Status	Duration
			
7	Then Page Title Should be "Your store. Login"	SKIPPED	0.000 s
8	And close browser	SKIPPED	0.001 s