

Frozen structural clusters → external annotation (no refitting)
Ki comparisons are assay-specific; β2 pharmacology / β3 structure mismatch; matched functional activity NA

Drug	α1 C	α2 C	E C	Post-freeze class	Matched binding (assay IDs)	Mouse P1 studies
diazepam	1	2	2	BZD-like 7ring 2N	alpha1 Ki 16.0 nM [822941] alpha2 Ki 20.0 nM [680297] alpha1 Ki 14.0 nM [679467] alpha1 Ki 14.0 nM [5146040] alpha2 Ki 20.0 nM [5146041]	Bayley1996 Nishino2008
alprazolam	1	1	2	BZD-like 7ring 2N	alpha1 Ki 0.8 nM [5146040] alpha2 Ki 0.6 nM [5146041]	NA
triazolam	1	1	2	BZD-like 7ring 2N	NA	Nishino2008 Tanaka2008
zolpidem	2	2	1	non-BZD ring topology	alpha1 Ki 19.0 nM [822941] alpha2 Ki 156.0 nM [680297] alpha1 Ki 26.7 nM [679467]	Bayley1996 Tanaka2008
lorazepam	1	1	2	BZD-like 7ring 2N	NA	NA
clonazepam	1	1	2	BZD-like 7ring 2N	NA	NA
midazolam	1	1	2	BZD-like 7ring 2N	NA	NA
temazepam	1	1	2	BZD-like 7ring 2N	NA	NA
zopiclone	3	1	3	non-BZD ring topology	NA	NA
zaleplon	1	3	1	non-BZD ring topology	NA	NA

Mouse observations retain dose, time, assay and study; study availability is not a phenotype score. Cluster numbers are arbitrary within each representation.