

EMAIL FORENSICS REPORT

Analysis of Real-World Malicious Email Attempt

Attribute	Details
Incident ID	INCIDENT123456
Prepared By	Prakash Karki
Role	Cybersecurity Analyst
Program	Cyber Security Job-Ready Program
Target System	Gmail Personal email
Data Source	Gmail Spam mail
Report Date	September 2026

Executive Summary

On Sep 10, 2026, 12:15 AM I received an email for payment failed for my cloud storage

. The email mentioned that I could not renew my cloud storage subscription because my payment method needs to be updated.


After reviewing it, I noticed several red flags:

- No company name was mentioned.
- The message had grammar mistakes.
- The subscription ID doesn't match with my real cloud ID.
- It asked me to click a suspicious link.

The attacker used a scarcity technique trying to create pressure by renew subscription is an urgent otherwise someone would lose their important data. This is a common trick in social engineering to make people act quickly without thinking.

I believe this email is a scam or phishing attempt, likely trying to steal personal info or trick users. I didn't click the link and recommend others also avoid such emails. Always be cautious of offers that sound too good to be true.

Email forensics report/cybersecurity JRP assignment 2





Email Header Analysis

Goal: Identify sender info, mail servers, IPs, and authentication failures (like SPF/DKIM).

Click right side on three dots and select show original.

Email forensics report/cybersecurity JRP assignment 2



Now click on Copy to clipboard and paste in Email Header Analyzer

Email forensics report/cybersecurity JRP assignment 2

Tools to use:

MXToolbox Email Header Analyzer

Now I run this tool

The screenshot shows a web browser window with the MXToolbox Email Header Analyzer interface. The browser's address bar displays the URL `mxtoolbox.com/EmailHeaders.aspx`. The page features a dark navigation bar with the MXToolbox logo and a menu of tools including SuperTool, MX Lookup, Blacklists, DMARC, Diagnostics, Email Health, DNS Lookup, and the active 'Analyze Headers' tab. The main content area is titled 'Email Header Analyzer' and contains a large text box labeled 'Paste Header:' for input. Below the text box is an 'Analyze Header' button. A section titled 'ABOUT EMAIL HEADERS' explains that the tool parses email headers according to RFC 822 to provide diagnostic information. The footer contains copyright information for MXToolbox, Inc. and social media links.

Chrome File Edit View History Bookmarks Profiles Tab Window Help Mon 21 Sep 7:26 pm

mxtoolbox.com/EmailHeaders.aspx

MX TOOLBOX
SUPERTOOL

Pricing Tools Delivery Center Monitoring Products Resources Login

SuperTool MX Lookup Blacklists DMARC Diagnostics Email Health DNS Lookup **Analyze Headers** All Tools

Email Header Analyzer

Paste Header:



Analyze Header

ABOUT EMAIL HEADERS

This tool will make email headers human readable by parsing them according to RFC 822. Email headers are present on every email you receive via the Internet and can provide valuable diagnostic information like hop delays, anti-spam results and more. If you need help getting copies of your email headers, [just read this tutorial](#).

Your IP is: | Contact Terms & Conditions Security API Privacy Phone: (866)-698-6652 | © Copyright 2004-2026, MXToolbox, Inc. All rights reserved. US Patents 1083553 B2 & 11461738 B2

Email forensics report/cybersecurity JRP assignment 2



Now I got this message.

“Action Required: Storage 100% Full”

(This is a common trick to make the email look important or official.)

What the Header Analysis Shows:

Check	Result	Meaning
SPF Alignment	Failed	The sender's IP is allowed to send emails for the domain.
SPF Authenticated	Passed	Same as above SPF check is valid.
DKIM Alignment	Failed	The email's digital signature matches the sender's domain.
DKIM Authenticated	Failed	The email could not be verified with DKIM key possible tampering.
DMARC Compliant	Failed	Both SPF and DKIM are needed for full DMARC; since SPF and DKIM is failed, so did DMARC.

What Each Failure Means

- **SPF Authenticated (PASS):** The IP address that sent the email is authorized in the sender's DNS record.

- **SPF Alignment (FAIL):** The domain listed in the invisible "Return-Path" header (where bounced emails go) does **not** match the domain shown in the "From" line you see in your inbox.
- **DKIM Authenticated & Alignment (FAIL):** The email lacks a valid digital signature from the "From" domain, or the signature failed verification. This means the email cannot prove it wasn't tampered with.
- **DMARC (FAIL):** DMARC requires *at least one* authentication method (SPF or DKIM) to be **both Authenticated AND Aligned**. Because both alignments failed, the entire DMARC check failed.

What This Means to you If You Are the Receiver of the Email?

- **Spoofing / Fraud:** Someone is sending an email using a fake "From" address (e.g., spoofing a real company or person) through a third-party server they control.
- **High Risk:** Do not click links, open attachments, or reply. The sender's identity cannot be verified.

Now I Analysed DKIM Signature

Email forensics report/cybersecurity JRP assignment 2

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

CompTIA Security+Home - GoogleEmail Header AnalysisAction RequiredOriginal MessageCreate IncidentEmail_ForensicsAsk Gemini

mxtoolbox.com/Public/Tools/EmailHeaders.aspx?huid=75683ead-2d8c-49d0-b7d9-3e18fb57b7eb

Hop	Delay	From	By	With	Time (UTC)	Blacklist
1	*	efianalytics.com 216.244.76.116	mx.google.com	ESMTPS	9/9/2026 2:03:30 PM	
2	12 minutes	docs.google.com 5.135.14.53	mx.google.com	ESMTPS	9/9/2026 2:15:22 PM	
3	0 seconds		2002:a05:6214:6207:b0:911:29b2:ea9c	SMTP	9/9/2026 2:15:22 PM	

From Spam Folder to Inbox, With Expert Help

We fix the authentication and reputation issues holding your campaigns back.

Talk with an Expert

SPF and DKIM Information

dmarc:aynai.kzf

Hide

Solve Email Delivery Problems

Sorry, we couldn't find any name servers for 'dmarc.aynai.kzf'

Reported by mxtoolbox.com on 9/21/2026 at 9:28:18 AM, just for you.

Transcript

spf:sb023.hyperdashboardcraft.my.id:5.135.14.53

Show

```
v=spf1 a:api.netresolve.help -all
```

DKIM Signature Error:

DKIM-Signature Domain dkim:8jn9.sb023.hyperdashboardcraft.my.id:mail is invalid - more info

DKIM Signature Error:

There must be at least one aligned DKIM-Signature for the message to be considered aligned. - more info

Your IP is | Contact Us | Terms & Conditions | Security | Privacy Policy | Phone: (866) 498-6602 | © Copyright 2004-2026, MXToolbox, Inc. All rights reserved. US Patents 1,583,053 B2 & 11,461,738 B2

Email forensics report/cybersecurity JRP assignment 2

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

CompTIA Security+Home - GoogleEmail Header AnalysisAction RequiredOriginal MessageCreate IncidentEmail_ForensicsAsk Gemini

mxttoolbox.com/Public/Tools/EmailHeaders.aspx?uid=75683ead-2d8c-49d0-b7d9-3e18fb57b7eb

spf:sb023.hyperdashboardcraft.my.id:5.135.14.53

Hide

v=spf1 a:api.netresolve.help -all

Prefix	Type	Value	PrefixDesc	Description
	v	spf1		The SPF record version
+	a	api.netresolve.help	Pass	Match if IP has a DNS 'A' record in given domain.
-	all		Fail	Always matches. It goes at the end of your record.
	From Domain	aynal.kztf		The domain used in the From header field.
	Return Path Domain	sb023.hyperdashboardcraft.my.id		The domain used in the Return-Path header field.

Test	Result
SPF Alignment	Domain not found in SPF
SPF Record Published	SPF Record found
SPF Record Deprecated	No deprecated records found
SPF Multiple Records	Less than two records found
SPF Contains characters after ALL	No items after 'ALL'.
SPF Syntax Check	The record is valid
SPF Included Lookups	Number of included lookups is OK
SPF Recursive Loop	Nor Recursive Loops on Includes
SPF Duplicate Include	No Duplicate Includes Found
SPF Type PTR Check	No type PTR found
SPF Void Lookups	Number of void lookups is OK
SPF MX Resource Records	Number of MX Resource Records is OK
SPF Record Null Value	No Null DNS Lookups found
SPF Authentication	SPF Passed for IP

Your IP is | Contact Terms & Conditions Security API Privacy Phone (866) 498-6602 | © Copyright 2004-2024, MxToolbox, Inc. All Rights reserved. US Patents 1583053 B2 & 11461738 B2

MxTOOLBOX[®]

SUPERTOOL

PricingToolsDelivery CenterMonitoringProductsResourcesLogin

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze HeadersAll Tools

Upgrade for Live Support

All of our paid plans come with access to our highly experienced technical support team.

- Contact us via Email, Phone, or Ticket
- Detailed Explanation of Your Lookup Results
- Guidance to Help Resolve Your Problems
- RFC Compliance Best Practices
- Blacklist Delisting Support

Let our experts help you resolve your dkim issue!

DKIM Signature Domain Dns Check

What you see when your domain has this problem

DKIM-Signature Domain is invalid

Details area

Ignore

More Information About Dkim Signature Domain Dns Check

The SDID MUST correspond to a valid DNS name under which the DKIM key record is published.

MxTOOLBOX[®]

SUPERTOOL

PricingToolsDelivery CenterMonitoringProductsResourcesLogin

SuperToolMX LookupBlacklistsDMARCDiagnosticsEmail HealthDNS LookupAnalyze HeadersAll Tools

Upgrade for Live Support

All of our paid plans come with access to our highly experienced technical support team.

- Contact us via Email, Phone, or Ticket
- Detailed Explanation of Your Lookup Results
- Guidance to Help Resolve Your Problems
- RFC Compliance Best Practices
- Blacklist Delisting Support

Let our experts help you resolve your dkim issue!

Get Dkim Support

DKIM Signature Alignment

What you see when your domain has this problem

DKIM-Signature is not aligned

Details area

Ignore

More Information About Dkim Signature Alignment

DKIM Alignment hinges the domain in your "FROM" header matching the domain used in the DKIM signature (d=domain.com). This uses a relaxed format by default which means that a sub-domain would align as well. If this value is changed to strict in your DMARC record then the domain must match exactly.

If there are multiple DKIM signatures, only one of them must align for DKIM alignment to be valid.

v=spf1 a:api.netresolve.help -all

Prefix	Type	Value	PrefixDesc	Description
	v	spf1		The SPF record version
+	a	api.netresolve.help	Pass	Match if IP has a DNS 'A' record in given domain.
-	all		Fail	Always matches. It goes at the end of your record.
	From Domain	aynai.kzf		The domain used in the From header field.
	Return Path Domain	sb023.hyperdashboardcraft.my.id		The domain used in the Return-Path header field.

This MXToolbox breakdown explains **why your email failed SPF alignment and failed DMARC**.

It reveals a classic setup used in **spoofed emails, phishing, or misconfigured marketing platforms**: the domain you see in your inbox does not match the server actually sending the email.

Key Red Flags Summary

- **Domain Mismatch (SPF Alignment Failure)**
 - **The Red Flag:** The visible "From" domain (aynai.kz) does not match the hidden Return-Path domain (sb023.hyperdashboardcraft.my.id).
 - **Why it matters:** Attackers use this trick to forge the sender's identity. Legit emails align these domains so receivers know who really sent the message.

- **Cloud Storage Link Abuse**
 - **The Red Flag:** The email contains a link hosting a custom file on Google Cloud (storage.googleapis.com/.../midfielders.html?...).
 - **Why it matters:** Scammers use legitimate cloud platforms to bypass email security filters while sending targets to malicious or phishing pages.
- **Complete Authentication Breakdown**
 - **The Red Flag:** The email failed **DKIM Alignment**, **SPF Alignment**, and **DMARC**.
 - **Why it matters:** The email cannot prove its origin or authenticity, meaning it is unverified and overwhelmingly likely to be spoofed or fraudulent.


Phishing Techniques Used

Technique	Description & Evidence	Purpose / Impact
Cloud Storage Abuse	Hosting the target HTML file (midfielders.html) on Google Cloud Storage (storage.googleapis.com).	Bypasses traditional email spam gateways and secure link filters by leveraging Google's high domain reputation.
Sender Domain Spoofing	Mismatch between visible "From" domain (aynai.kz) and underlying Return-Path (sb023.hyperdashboardcraft.my.id).	Disguises the true originator of the email to deceive the recipient into

		trusting the sender's identity.
URL Parameter Tracking	Appending unique URL parameters (?act=cl&pid=12900_md&uid=2&vid=393156...) to the payload link.	Identifies specific victims, tracks click-through rates, and enables targeted credential harvesting or dynamic redirects.
Authentication Evasion	Fails DKIM Alignment , SPF Alignment , and DMARC validation completely.	Indicates the email was dispatched via unauthorized, unverified third-party infrastructure without valid domain signatures.

Then I also try to analyze header from google Toolbox:

Email forensics report/cybersecurity JRP assignment 2



Key Findings & Red Flags

- **DKIM Authentication Failure (permerror):**

The email failed DKIM verification with domain 8jn9.sb023.hyperdashboardcraft.my.id. This means the cryptographic signature on the email could not be validated, indicating spoofing or tampering during transit.

- **Domain Mismatch:**

- **From Header:** alert-4575@aynai.kzf
- **DKIM Domain:** 8jn9.sb023.hyperdashboardcraft.my.id
- The sender domain (aynai.kzf) does not match the actual domain sending and signing the email (hyperdashboardcraft.my.id), a classic sign of sender address forgery.

- **Suspicious Relay Servers / Hop Route:**

- **Hop 0:** 0efianalytics.com → mx.google.com (112-minute delivery delay)
- **Hop 1:** micorazonsano.personal.com.ar → mx.google.com

Email forensics report/cybersecurity JRP assignment 2


The message bounced through compromised or high-risk servers (0efianalytics.com and a residential/telecom domain in Argentina personal.com.ar) before hitting Google's mail servers.

- **Social Engineering Subject:**



🔔 Action Required: Storage 100% Full is a standard phishing bait intended to create panic and prompt immediate action.

Analyze the Link

Now I right click on Apply and Register Here and select copy link address and then paste in virustotal (This is an open-source tool for analysing malicious URL's and files)



Email forensics report/cybersecurity JRP assignment 2



Now I used another tool urlscan.io

Email forensics report/cybersecurity JRP assignment 2

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

Analyzing a Phishistorage.googleapis.comDKIM - DKIM SigAction RequOriginal MessageCreate IncidentEmail_ForensicAsk Gemini

urlscan.io/result/01a0c361-049f-736f-a577-e7e2a09afd7e/#summary

storage.googleapis.com

142.250.195.123Private Scan

URL: https://storage.googleapis.com/midfielders/midfielders.html?act=cl&pid=12900_md&uid=2&vid=393156&ofid=335&lid=278&cid=566995 13yr old

Submission: On September 21 via manual (September 21st 2026, 9:51:50 am UTC) from AU Scanned from AU

SummaryHTTPRedirectsBehaviourIndicatorsSimilarDOMContentAPIVerdicts

Summary

This website contacted 5 IPs in 2 countries across 4 domains to perform 5 HTTP transactions. The main IP is 142.250.195.123, located in United States and belongs to GOOGLE - Google LLC, US. The main domain is storage.googleapis.com. The Cisco Umbrella rank of the primary domain is 182. 13yr old

TLS certificate: Issued by WR2 on September 4th 2026. Valid for: 3mo.

storage.googleapis.com scanned 10000+ times on urlscan.io

urlscan.io Verdict: No classification

Live information

Google Safe Browsing: No classification for storage.googleapis.com

Current DNS A record: 142.251.20.207 (AS15169 - GOOGLE - Google LLC, US)

Screenshot

Domain & IP information

IP/ASNsIP DetailDomainsDomain TreeLinksCertsFrames

IP AddressAS

142.250.195.12315169 (GOOGLE - Google LLC)

104.18.94.4113335 (CLOUDFLARENET - Cloudflare)

104.26.9.17513335 (CLOUDFLARENET - Cloudflare)

104.18.95.4113335 (CLOUDFLARENET - Cloudflare)

142.251.155.11915169 (GOOGLE - Google LLC)

Detected technologies

WordPress (CMS)

Page Statistics

5Requests

60%HTTPS

0%IPv6

4Domains

4Subdomains

5IPs

2Countries

54 kBTransfer

110 kBSize

0Cookies

urlscan.io

HomeSearchLiveAPIBlogDocsPricingLogin

Storage.googleapis.com

142.250.195.123Private Scan

URL: https://storage.googleapis.com/midfielders/midfielders.html?act=cl&pid=12900_md&uid=2&vid=393156&ofid=335&lid=278&cid=566995 13yr old

Submission: On September 21 via manual (September 21st 2026, 9:51:50 am UTC) from AU Scanned from AU

SummaryHTTPRedirectsBehaviourIndicatorsSimilarDOMContentAPIVerdicts

5 HTTP transactions

EverythingHTMLScriptFetchXHRCSSImageFontExpand all

Method	Protocol	Status	Resource	Path	Size	x-fer	Time	Latency	Type	MIME-Type	IP	Location
GET	H2	200	Primary Request	midfielders.html	5 KB	5 KB	68ms	68ms	Document	text/html	142.250.195.123	Google LLC
GET	H3	200	api.js	challenges.cloudflare.com/turnstile/v0/g/330e41bb475c/	85 KB	28 KB	29ms	29ms	Script	application/javascript	104.18.94.41	Cloudflare
GET	H2	200	Cloudflare logo	1000logos.net/wp-content/uploads/2020/09/	20 KB	20 KB	100ms	33ms	Image	image/png	104.26.9.175	Cloudflare
GET	H3	200	normal	challenges.cloudflare.com/cdn-cgi/challenge-platform/h/vp/turnstile/ff/av0/rch/19elc/Dx4AAAAACgZEBnQFyO9qFil/autofbE/new/ Frame	0	0	52ms	32ms	Document	text/html	104.18.95.41	Cloudflare
GET	H3	200	cloud_storage-32.png	www.google.com/images/icons/product/	850 B	872 B	312ms	157ms	Other	image/png	142.251.155.119	Google LLC

Key Scan Overview

- Primary Domain: storage.googleapis.com (Google Cloud Storage)

- **Main IP:** 172.217.25.187 (Google LLC, US - AS15169)
- **Total HTTP Transactions:** 5 requests across 4 domains and 4 IP addresses.
- **urlscan.io Verdict:** No Automated Classification (*Automated scanners generally mark googleapis.com as "clean" or "unclassified" because the domain itself belongs to Google and holds a valid, high-reputation SSL certificate*).

Critical Technical Details in the Behaviour

While automated tools don't immediately flag Google's domain as malicious, the scan details reveal **suspicious web activity**:

1. Third-Party External Requests (Cloudflare Infrastructure):

- a. During the load of the single page, the browser made requests to IPs owned by **Cloudflare** (104.18.95.41 and 104.26.9.175), in addition to Google's servers.
- b. **Why this matters:** The file hosted on Google Cloud (midfielders.html) is pulling scripts, tracking pixels, or external payloads from third-party domains behind Cloudflare.

2. Redirect & Tracking Activity:

- a. The scan recorded redirect behavior and external connections triggered immediately upon loading the page.
- b. This confirms that midfielders.html is acting as a **loader or gateway page**, routing visitors or reporting back to an external tracking system.

Email forensics report/cybersecurity JRP assignment 2

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

urlscan.io/search/#page.domain%3Achallenges.cloudflare.com

page.domain:challenges.cloudflare.com

Search results (100 / 5431, sorted by date, took 87ms)

Showing All Hits | Details: Hidden

URL	Age	Size	IPs
challenges.cloudflare.com/	Public 4 days	7 KB	3 1 1
challenges.cloudflare.com/	Public 4 days	7 KB	3 1 1
challenges.cloudflare.com/	Public 4 days	7 KB	3 1 1
challenges.cloudflare.com/cdn-cgi/challenge-platform/h/g/turnstile/f/av0/rch/ta...	Public 5 days	98 KB	2 1 1
challenges.cloudflare.com/	Public 10 days	7 KB	3 1 1
challenges.cloudflare.com/turnstile/v0/g/330e41bb475c/api.js?onload=khCN8&rende...	Public 10 days	31 KB	2 1 1
challenges.cloudflare.com/	Public 10 days	9 KB	3 1 1
challenges.cloudflare.com/cdn-cgi/challenge-platform/h/g/turnstile/f/av0/rch/0L...	Public 10 days	98 KB	2 1 1
hagen.challenges.cloudflare.com/	Public 10 days	15 KB	8 2 1
hagen.challenges.cloudflare.com/	Public 10 days	15 KB	8 2 1
challenges.cloudflare.com/turnstile/v0/g/330e41bb475c/api.js?onload=khCN8&rende...	Public 10 days	31 KB	2 1 1
challenges.cloudflare.com/turnstile/v0/g/330e41bb475c/api.js?onload=khCN8&r...	Public 10 days	31 KB	2 1 1
challenges.cloudflare.com/cdn-cgi/challenge-platform/h/g/turnstile/f/av0/rch/0L...	Public 10 days	95 KB	2 1 1
brunhild.challenges.cloudflare.com/	Public 10 days	22 KB	8 1 1
brunhild.challenges.cloudflare.com/	Public 10 days	22 KB	8 1 1
challenges.cloudflare.com/cdn-cgi/challenge-platform/h/g/pat/a3869d801b8aab28/1...	Public 10 days	181 KB	1 2 1
challenges.cloudflare.com/cdn-cgi/challenge-platform/h/g/cl/a3869d801b8aab28/17...	Public 10 days	180 KB	1 2 1
challenges.cloudflare.com/cdn-cgi/challenge-platform/h/g/fo/1427632900:17889591...	Public 10 days	180 KB	1 2 1
challenges.cloudflare.com/	Public 10 days	8 KB	3 1 1

Chrome | File | Edit | View | History | Bookmarks | Profiles | Tab | Window | Help

whois.com/whois/googleapis.com

Whois Domains Hosting Websites Email Security Whois Deals

googleapis.com

Domain Information

Domain: googleapis.com

Registered On: 2005-01-25

Expires On: 2027-01-25

Updated On: 2025-12-24

Status: client delete prohibited
client transfer prohibited
client update prohibited
server delete prohibited
server transfer prohibited
server update prohibited

Name Servers: ns1.google.com
ns2.google.com
ns3.google.com
ns4.google.com

Registrar Information

Registrar: MarkMonitor Inc.

IANA ID: 292

Email: https://www.markmonitor.com/contact-us/

Abuse Email: abusecomplaints@markmonitor.com

Abuse Phone: +1.2086851750

Registrant Contact

Organization: Google LLC

.space \$29.88 \$1.18 BUY NOW

On Sale! .XYZ \$3.48 \$26.48

AI WEBSITE BUILDER Build A Beautiful Website In Minutes! Starts at \$2.48

Red Flage Identified:

- Return-Path and From Domain Mismatch (SPF Alignment Failure): The visible sender address uses aynai.kz, but the hidden mail routing (Return-Path) uses

sb023.hyperdashboardcraft.my.id. Attackers use this domain mismatch to forge the sender's identity.

- **Authentication Failures (DKIM & DMARC):** The email completely failed **DKIM Alignment** and **DMARC**. It lacks a verified cryptographic signature, proving the message's origin cannot be verified.
- **Cloud Infrastructure Abuse:** The payload link points to Google Cloud Storage (storage.googleapis.com/.../midfielders.html). Scammers deliberately host HTML files on trusted cloud providers to bypass standard email spam filters.
- **Target Tracking Parameters:** The URL contains extensive tracking tokens (?act=cl&pid=12900_md&uid=2&vid=393156...). These parameters identify specific recipients, track click-throughs, and enable dynamic phishing redirects.
- **Suspicious Outbound Network Activity:** The urlscan.io analysis shows that opening the hosted page immediately triggers hidden background requests to external **Cloudflare IPs** (104.18.95.41 and 104.26.9.175), indicating the file acts as a loader for an external command or tracking server.

Executive Summary

Analysis of the provided email header (MessageId: 55816-karkiprakash049@viypj2V.kzf) confirms that the message titled "🚨 **Action Required: Storage 100% Full**" is a high-risk phishing attempt. The email relies on social engineering tactics to create false urgency while attempting to bypass standard spam filters through compromised relay infrastructure.

Key Technical Findings

- **Authentication Failure:** The message resulted in a **DKIM permerror**, failing cryptographic signature verification.
- **Domain Mismatches & Forgery:** The sender's displayed From address (alert-4575@aynai.kzf) contradicts the actual signing infrastructure (8jn9.sb023.hyperdashboardcraft.my.id).
- **Suspicious Mail Routing:** The message was routed through compromised external relays—including 0efianalytics.com and an Argentine telecom server (micorazonsano.personal.com.ar)—causing a 112-minute delivery delay before

reaching destination servers.

Conclusion

This email is fraudulent and exhibits multiple severe security anomalies, including domain spoofing, invalid digital signatures, and unauthorized relay usage.

Recommendation

Do not click any links or interact with the message. The email should be immediately purged from inbox environments, and the associated sending domains/IPs should be flagged on outbound/inbound security boundary filters.