

Ex. no: 2a)

Date:

Shell Script

Aim:

To write a Shellsript to to display basic calculator.

Program:

Ex. no: 2b)

Date:

Shell Script

Aim:

To write a Shellscrip to test given year is leap or not using conditional statement

Program:

```
Activities Terminal Feb 6 17:44
elamathi_066@localhost:~/shell_lab

[elamathi_066@localhost ~]$ mkdir shell_lab
[elamathi_066@localhost ~]$ cd shell_lab
[elamathi_066@localhost shell_lab]$ vi calculator.sh
[elamathi_066@localhost shell_lab]$ chmod +x calculator.sh
[elamathi_066@localhost shell_lab]$ ./calculator.sh
Enter first number:
2
Enter second number:
5
1.Add 2.Subtract 3.Multiply 4.Divide
2
Result = -3
[elamathi_066@localhost shell_lab]$ chmod +x calculator.sh
[elamathi_066@localhost shell_lab]$ ./calculator.sh
Enter first number:
25
Enter second number:
01
1.Add 2.Subtract 3.Multiply 4.Divide
1
Result = 26
[elamathi_066@localhost shell_lab]$ vi leapyear.sh
[elamathi_066@localhost shell_lab]$ chmod *x leapyear.sh
chmod: invalid mode: '*x'
Try 'chmod --help' for more information.
[elamathi_066@localhost shell_lab]$ chmod +x leapyear.sh
[elamathi_066@localhost shell_lab]$ ./leapyear.sh
Enter a year:
2012
Leap year
[elamathi_066@localhost shell_lab]$ chmod +x leapyear.sh
[elamathi_066@localhost shell_lab]$ ./leapyear.sh
Enter a year:
2007
Not a leap year
[elamathi_066@localhost shell_lab]$
```