

C Piscine

Day 24
The Spy Who Coded me

Staff 42 pedago@42.fr

Summary: THE FOLLOWING TAKES PLACE BETWEEN 3.00 P.M. AND 4.00 P.M.

Contents

1	Instructions	2
2	Donnie Matrix I	3
3	ft_generic.c	5

Chapter 1

Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. The grading for the day will NOT stop at the first mistake.
- Be mindful of the <u>submission procedures</u> indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get -42, and this grade is non-negotiable.
- If ft_putchar() is an authorized function, we will compile your code with our ft_putchar.c.
- You'll only have to submit a main() function if we ask for a program.
- Moulinette compiles with these flags: -Wall -Wextra -Werror, and uses gcc.
- If your program doesn't compile, it will be graded 0.
- You should not leave <u>any</u> additional file in your directory than those specified in the subject.



For this day, norminette is launched without any particular flag!

Chapter 2

Donnie Matrix I

1972. I need to save Austin Powers.

As i'm going through the big opened doors of Dr Evil's lair, i hear Austin fighting with his ennemy. Battle screams echoes in the corridor « Judo chop ! Judo chop ! ». Vivid lights flooding my senses : autodestruction's alarm is activated.

I don't have much time left when i finally arrive where confrontation is taking place. But it's already too late: Dr Evil escaped and Austin is lying unconscious on the ground.

```
« Shaking his body i screamed, Austin! Austin!
```

- Dr... Evil... soporific gaz... catch him...
- It's not the time to lie down, everything is gonna blow, we need to leave, Dr Evil used the reverse timetravel machine. He's in the futur now \dots

I slapped Austing to make him come back to his senses.

```
« Dr Evil planned to corrupt the present using the future of the past. History will be rewritten if you don't act now...
```

- SELFDESTRUCT IN 7 SECONDES.
- ... in 7 secondes ! »

I rushed at the reverse timetravel machine's console. Destination ... 2042 ? I switched it on and went back to Austin.

```
« UP, UP! We only have...
```

- SELFDESTRUCT IN 11 SECONDES.
- couple of secondes...
- SELFDESTRUCT IN 22 SECONDES.
- before the end...
- SELFDESTRUCT IN 34 SECONDES. »

With a psychedelic flash of light, we went through the time portal to an uncertain future...

Chapter 3

ft_generic.c

The opening melody goes « Tu tu tu tu ; Tu tu tu tu ».

Turn-in directory : ex00/
Files to turn in: ft_generic.c
Allowed functions: write

• Create a function **ft_generic()**. When called by a main[], it should display:

```
$>./a.out
Tu tu tu tu ; Tu tu tu tu
$>
```

• Here's how it should be prototyped :

```
void ft_generic(void);
```