

C Piscine

Day 24
The Spy Who Coded me

Staff 42 pedago@42.fr

Summary: THE FOLLOWING TAKES PLACE BETWEEN 3.00 A.M. AND 4.00 A.M.

Contents

1	Instructions	2
2	Dr Evil V	3
3	ft_door	5

Chapter 1

Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. The grading for the day will NOT stop at the first mistake.
- Be mindful of the <u>submission procedures</u> indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get -42, and this grade is non-negotiable.
- If ft_putchar() is an authorized function, we will compile your code with our ft_putchar.c.
- You'll only have to submit a main() function if we ask for a program.
- Moulinette compiles with these flags: -Wall -Wextra -Werror, and uses gcc.
- If your program doesn't compile, it will be graded 0.
- You should not leave <u>any</u> additional file in your directory than those specified in the subject.



For this day, norminette is launched without any particular flag!

Chapter 2

Dr Evil V

- « Austin Powers and Donnie Matrix are surrounded, Dr Evil, confirmed No 42. Should we arrest them ?
- Good answer, good answer ! Because what do we do when the intruders infiltrate our HQ ? Frau Farbissina, maybe ?
- We arrest THEM... ?
- 100% again, i can really feel this place is inspiring you ! Come we'll take the lift. $^{\rm w}$

We're going out of the board room - « Frau, switch off the lights, let's think a little about ecology of the planet that we'll destroy » - and let's go through what seems to be an empty field to get to the lift of my HQ. Ding.

« Ah, It's in the basement right now, let's wait a little shall we ?

I hate to wait. Everybody is looking at me and expect me to start a conversation.

```
« So... Frau Farbissina... What do you think about the weather ?
- Hmm. It's nice! »
```

At last, the lift stops at our level.

"Come on, come on, everybody in ! No 42, Frau, the one-legged clown, the dessert chariot, the pony, my decoy... Attention, i'm pressing the button 0!"

Grrrik. Grrrrriiiiikkkk.

Schboom.

- « Dr Evil, i think we're stuck.
- Well done again No 42! We're too heavy, someone didn't go to the

compulsory aerobic ! »

Inside myself, i cry.

Chapter 3

ft_door

Dr Evil is stuck in an elevator without conversation. Help him get out this terrible hell hole.

```
Turn-in directory : ex12/
Files to turn in: ft_door.h, ft_door.c
Allowed functions: write
```

• Create the file ft_door.h and fix the following ft_door.c file :

```
#include "ft door.h"
ft_putstr(char *str)
       int i = 0;
        while (str[i])
                write(1, str, i)
}
ft_bool close_door(t_door *door)
{
        ft_putstr('Door closing...');
        state = CLOSE;
       return (TRUE);
}
void is_door_open(t_door door)
       ft putstr("Door is open ?");
       return (door->state = OPEN);
}
ft_bool is_door_close(t_door* door)
       ft putstr("Door is close ?") ;
}
```

• Here's an example of main and output.

```
$> cat main.c
#include <stdlib.h>
#include "ft_door.h"
int main()
    t_door
              door;
    open_door(&door);
    if (is_door_close(&door))
        open_door(&door);
    if (is_door_open(&door))
        close_door(&door);
    if (door.state == OPEN)
        close_door(&door);
    return (EXIT_SUCCESS);
$>./ft_door | cat -e
Door opening...$
Door is close ?$
Door is open ?$
Door closing...$
$>
```