Q	Olet Code	Material Specification
13	OC.8.10.2.1.1.2.8.10.2.5.1.2	1AA2

Minimu	_	10:10 M	Schedule
Branch to Run	Style Style	ואמנפוומו	Class
1/4"	Sock-O-Le	et A105	3000 #
1/4"	Elbow-O-Let	et A105	3000 #

Ω	Olet Code	Material Specification
14	OC.9.11.2.3.1.2.5.8.2.5.1.2	1AA2H

Min. Run Diameter	Max. Run Diameter	Minimum Delta Branch to Run	OLet Style	Material	Schedule Class
2"	3"	1/4"	Thread-O-Let	A105	3000 #
3/4"	1-1/2"	1/4"	Elbow-O-Let	A105	3000 #

О	Olet Code	Material Specification
15	OC.5.8.2.1.10.2.9.11.2.2.10.2	1EF2

Schedule Class	3000 #	3000 #
Material	A182 - F316L	A182 - F316L
OLet Style	Sock-O-Let	Weld-O-Let
Minimum Delta Branch to Run	1/4"	1/2"
Max. Run Diameter	1-1/2"	3"
Min. Run Diameter	3/4"	2"

D	Olet Code	Material Specification
 16	OC.1.9.2.6.1.1	1AG2

Schedule Class	2000 #
Material	A105
OLet Style	All Styles
Minimum Delta Branch to Run	1/4"
Max. Run Diameter	2"
Min. Run Diameter	1/8"

О	Olet Code	Material Specification
17	OC.6.11.2.1.6.1	1AG2

Schedule Class	2000 #
Material	A105
OLet Style	All Styles
Minimum Delta Branch to Run	1/4"
Max. Run Diameter	3"
Min. Run Diameter	1"

D	Olet Code	Material Specification
18	OC.4.9.2.1.6.3	1AG2

Schedule Class	2000 #
Material	A182 - F22 Class 1
OLet Style	All Styles
Minimum Delta Branch to Run	1/4"
Max. Run Diameter	2"
Min. Run Diameter	1/2"

 Q	Olet Code	Material Specification
19	OC.4.9.2.6.3.1.10.13.2.1.10.2	1EF2

		Schedule Class	2000#	3000 #
Material Specification	1EF2	Material	lass 1	A182 - F316L
	2	Mat	A182 - F22 Class 1	A182 -
Olet Code	OC.4.9.2.6.3.1.10.13.2.1.10.2	OLet Style	All Styles	Sock-O-Let
Olet	OC.4.9.2.6.3.1	Minimum Delta Branch to Run	1/4"	1/4"
Ω	19	Max. Run Diameter	2"	"4
	I	Min. Run Diameter	1/2"	2-1/2"

О	Olet Code	Material Specification
20	OC.4.9.2.6.3.1.10.13.2.1.10.2.14.16.1.2.10.2	1EF2

				l
Schedule Class	2000 #	3000 #	3000 #	
Material	A182 - F22 Class 1	A182 - F316L	A182 - F316L	
OLet Style	All Styles	Sock-O-Let	Weld-O-Let	
Minimum Delta Branch to Run	1/4"	1/4"	1/8"	
Max. Run Diameter	2"	4"	8	
Min. Run Diameter	1/2"	2-1/2"	5"	

Q	Olet Code	Material Specification
21	OC.1.3.1.1.6.2	1AG2

Schedule Class	3000 #
Material	A105
OLet Style	Sock-O-Let
Minimum Delta Branch to Run	1/8"
Max. Run Diameter	3/8"
Min. Run Diameter	1/8"