

AI Browser Extension

Modifications Done:

Playwright TypeScript Page Object Generation

- Playwright TypeScript Page Object Model generation
- Async/Await support
- Playwright Locator support


Playwright TypeScript Cucumber Generation

- Cucumber Feature File generation
- Playwright TypeScript Step Definitions
- BDD workflow support

Files Modified


- prompts.js
 - Added:
 - PLAYWRIGHT_TYPESCRIPT_PAGE_ONLY
 - PLAYWRIGHT_TYPESCRIPT_WITH_CUCUMBER
 - CUCUMBER_WITH_PLAYWRIGHT_TYPESCRIPT_STEPS
- chat.js
 - Updated:
 - getPromptKeys()
 - Added routing support for:
 - TypeScript + Playwright
 - Feature only
 - Page only
 - Feature + Page

AI Extension Screenshot:



1. Feature Only:

Screenshot:



Output:

Feature: Login to Application

Scenario Outline: Successful login with valid credentials

Given I navigate to the login page
When I enter "<username>" in the username field
And I enter "<password>" in the password field
And I click the Login button
Then I should be logged in successfully
And I should see the dashboard

Examples:

username	password	
"ramesh123"	"bangalore"	
"suresh456"	"chennai789"	

Scenario: Failed login with invalid credentials

Given I navigate to the login page
When I enter "invaliduser" in the username field
And I enter "wrongpassword" in the password field
And I click the Login button
Then I should see an error message
And I should remain on the login page

Scenario Outline: Login with special characters in password

Given I navigate to the login page
When I enter "<username>" in the username field
And I enter "<password>" in the password field
And I click the Login button
Then I should be logged in successfully
And I should see the dashboard

Examples:

username	password	
"mahesh!23"	"mumbai@123"	
"sathish#456"	"hyderabad\$789"	

Scenario: Login with empty username

Given I navigate to the login page
When I enter "" in the username field
And I enter "password123" in the password field
And I click the Login button
Then I should see an error message

And I should remain on the login page

Scenario: Login with empty password

Given I navigate to the login page

When I enter "username123" in the username field

And I enter "" in the password field


And I click the Login button

Then I should see an error message

And I should remain on the login page

2. Page Only:

Screenshot:



Output:

```
import { Page, Locator } from '@playwright/test';
```

```
/**
```

```
 * Page Object Model for Login Page
```

```
 */
```

```
export class LoginPage {  
  readonly page: Page;
```

```
readonly usernameInput: Locator;  
readonly passwordInput: Locator;  
readonly loginButton: Locator;
```

```
constructor(page: Page) {  
  this.page = page;  
  this.usernameInput = page.locator('input[id="username"]');  
  this.passwordInput = page.locator('input[id="password"]');  
  this.loginButton = page.locator('input[type="submit"]:has-text("Login")');  
}
```

```
/**  
 * Navigate to the login page  
 */  
async goto(): Promise<void> {  
  await this.page.goto('/login');  
}
```

```
/**  
 * Enter username in the username field  
 * @param username The username to enter  
 */  
async enterUsername(username: string): Promise<void> {  
  await this.usernameInput.fill(username);  
}
```

```
/**  
 * Enter password in the password field  
 * @param password The password to enter  
 */  
async enterPassword(password: string): Promise<void> {  
  await this.passwordInput.fill(password);  
}
```

```
/**  
 * Click the login button  
 */  
async clickLogin(): Promise<void> {  
  await this.loginButton.click();  
}
```

```
/**  
 * Fill in the login form and submit it  
 * @param username The username to enter
```


```

    * @param password The password to enter
    */
    async submitLoginForm(username: string, password: string): Promise<void> {
        await this.enterUsername(username);
        await this.enterPassword(password);
        await this.clickLogin();
    }
}

```

3. Feature + Page:

Screenshot:



Output:

Feature: Login to Application

Scenario Outline: Successful login with valid credentials

Given I navigate to the login page

When I enter "<username>" in the username field

And I enter "<password>" in the password field

And I click the Login button

Then I should be logged in successfully

And I should see the dashboard

Examples:

username	password
'shekar'	'chennai123'
'ramesh'	'bangalore456'
'suresh'	'hyderabad789'

```
import { Before, After, Given, When, Then } from '@cucumber/cucumber';
import { chromium, Browser, BrowserContext, Page } from '@playwright/test';
import { expect } from '@playwright/test';
```

```
let browser: Browser;
let context: BrowserContext;
let page: Page;
```

```
Before(async function() {
  browser = await chromium.launch();
  context = await browser.createBrowserContext();
  page = await context.newPage();
});
```

```
After(async function() {
  if (page) await page.close();
  if (context) await context.close();
  if (browser) await browser.close();
});
```

```
Given('I navigate to the login page', async function() {
  await page.goto('https://leftaps.com/opentaps/control/logout');
});
```

```
When('I enter {string} in the username field', async function(username: string) {
  const usernameInput = page.locator('input[id="username"]');
  await usernameInput.fill(username);
});
```

```
When('I enter {string} in the password field', async function(password: string) {
  const passwordInput = page.locator('input[id="password"]');
  await passwordInput.fill(password);
});
```

```
When('I click the Login button', async function() {
  const loginButton = page.locator('input[type="submit"]');
  await loginButton.click();
});
```

```
Then('I should be logged in successfully', async function() {  
  await page.waitForURL('**/main', { timeout: 5000 });  
});
```

```
Then('I should see the dashboard', async function() {  
  const dashboard = page.locator('#leftContainer');  
  await expect(dashboard).toBeVisible();  
});
```