

Configure Database Vault (Autonomous)

Enable Database Vault in Autonomous Database

Create Schema & Load Data

```
create user hr identified by ORacle1234##  
  
grant connect, resource to hr  
alter user hr quota unlimited on data  
  
create table hr.employee(id number, salary number)  
  
insert into hr.employee values(101,20000)  
  
insert into hr.employee values(102,30000)  
  
commit
```

Verify if Label Security and Database Vault are Installed & Configured

```
SELECT * FROM SYS.DBA_DV_STATUS;  
  
SELECT * FROM DBA_OLS_STATUS;
```

Create the Local Users for Database Vault

```
GRANT CREATE SESSION TO adb_dv_root IDENTIFIED BY ORacle1234##  
  
GRANT CREATE SESSION TO adb_dv_acctmgr IDENTIFIED BY ORacle1234##
```

Verify if Label Security and Database Vault are Installed & Configured

```
SELECT * FROM SYS.DBA_DV_STATUS;  
  
SELECT * FROM DBA_OLS_STATUS;
```

Configure the Database Vault

```
EXEC DBMS_CLOUD_MACADM.CONFIGURE_DATABASE_VAULT('adb_dv_root',  
'adb_dv_acctmgr');
```

Enable the Database Vault

```
EXEC DBMS_CLOUD_MACADM.ENABLE_DATABASE_VAULT;
```

Verify if Label Security and Database Vault are Installed & Configured

```
SELECT * FROM SYS.DBA_DV_STATUS;  
  
SELECT * FROM DBA_OLS_STATUS;
```

restart the ADW Database

Verify if Label Security and Database Vault are Installed & Configured

```
SELECT * FROM SYS.DBA_DV_STATUS;  
  
SELECT * FROM DBA_OLS_STATUS;
```

Connect to root as DV Owner User (enable rest from Sql developer)

Create a Realm on HR Schema

```
BEGIN
DBMS_MACADM.CREATE_REALM(
  realm_name  => 'HR_REALM',
  description => 'Realm for HR Schema',
  enabled     => DBMS_MACUTL.G_YES,
  audit_options => DBMS_MACUTL.G_REALM_AUDIT_FAIL +
DBMS_MACUTL.G_REALM_AUDIT_SUCCESS);
END;
/

BEGIN
DBMS_MACADM.ADD_OBJECT_TO_REALM(
  realm_name  => 'HR_REALM',
  object_owner => 'HR',
  object_name => '%',
  object_type => '%');
END;
/
```

Check for the data, connect as admin user

```
select * from hr.employee
```