



OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

TO: Revision: 0

Ministry of Defence

PROJECT: WORKSHOP AT MAM

SUBJECT: Supply of AC Unit

Dear Sir,

We thank you for inviting us to quote for the subject stated above. We are pleased to submit our most competitive techno-commercial bid for the subject project as under-

Scope of Work







OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

PaymentdTermsnit CLCP

- * Casing External: 0.5mm Powder Painted Galvanized Steel/ Stainless Steel SS304.
- * Casing Internal: 0.5mm Galvanized Steel/ Stainless Steel SS304.

	Quantity	Rate	Amount
* Cooling coil section: Copper tubes and Aluminium fins suitable for chilled water system with chilled Equipments			
Air Handling Unit = 6/12 deg C. CLCP004	1	2472.54	2,472.540
 Cooling coil section: Copper tubes and Aluminium fins suitable for Dx system with Refrigerant Air Handling unit R410a/R407c. 	1	2228.03	2,228.030
Air Handbinsi Nipan: Stainless Steel SS304. CLCP014	2	2975.77	5,951.540
Air Hand Huge Vicinet Certified. CLCP007	3	2233.09	6,699.276
* FAHU Shall be provided with Heat Recovery Wheels as per the given schedule. Air Handling unit CLCP012 * FAHU shall be supplied with Heat Pipe as per the given schedule.	1	2761.64	2,761.640
Air Handligh Highors: shall be VFD compatible high efficiency IE3 Type [VFD excluded]5	1	1960.98	1,960.980
Aif Handfing engtion: with Statically & Dynamically balanced Double Inlet Double & Double Driven Centrifu	gal 1	1828.68	1,828.680
Fan with constant pitch pulley/ plug fans with VFD/ Variable Speed high efficiency EC fans (SISW). Air Handling unit CLCP018 * Filter Section: 2" flat filter of grade G3 + 15" Bag filters of grade F7 as per EN779.	1	4338.46	4,338.460
Air Cooled Condensing Unit H13 Hepa filter section as the given schedule. RAUP500	1	9214.95	9,214.950
Fan Coillonautlation: 50mm thick pressure injected polyurethane foam (PUF) insulfacion 10_3R	18	192.83	3,470.976
* Mixing/Inlet section: With standard motorizable damper [Actuator excluded] HFCF12_3RE * Panels: Double skin, rigid and totally enclosed casing with thermal barrier.	7	212.24	1,485.652

- * Roof canopy: Provided for external/ roof mounted units.
- * The proposal has given based on attached selection and drawings.
- * Thyristor controllable Electric heater section as per the given schedule (Thyristor Excluded)
- * UV section with UV lamps as per the given schedule.

Fan Coil unit HFCF

- 3-speed motor, selected at medium speed
- * 6 mm nylon filter or 20 mm aluminum filter
- Centrifugal fan with statically and dynamically balanced forward-curved blades
- * Cooling coil with copper tubes and aluminum fins
- Galvanized steel or stainless steel drain pan
- Trane chilled water single skin fan coil unit, Made in PRC

Total	42,412.724
VAT %5.00	2,120.636
Grand Total	44,533.360

in Words: OMR: Forty-Four Thousand Five Hundred Thirty-Three And Thirty-Six Baiza Only

Page 2 of 3 truebook





OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

Validity:

30 days hereof

Terms and Conditions:

*

Delivery:

Within 16 to 18 weeks to our store from the date of confirmed order and receipt of letter of credit.

Warranty

Exclusions

Thank you for your interest in our [products/services]. We are pleased to submit our quotation as follows: