

**OUR REF.:** 2025MPM-AO/T3860-0999**Revision :** 0**08-Jul-2025****TO:****Ibn Al Mutawa International****Kind Attention :****Phone No. :****PROJECT :** Ministry of Health - Tender. No. 1033/2023/MOH/HQ-71 - Replacement of AC Chiller For QC Lat  
NA**SUBJECT :** Supply of TRANE Air Cooled Chiller**Dear Sir,**

We thank you for inviting us to quote for the subject stated above. We are pleased to submit our most competitive techno-commercial bid for the subject project as under-

**Scope of Work****Air Cooled Chiller CRTAG Qty:4**

- \* BMS Integration: BACnet communication interface card for seamless integration with Building Management Systems.
- \* Capacity Control: Continuous modulating capacity control for precise load matching and energy efficiency.
- \* Chiller Selection: Units shall be selected in accordance with the selection sheet provided.
- \* Commissioning: Complete commissioning and startup support provided.
- \* Compressor Configuration: Equipped with 2/3/4 semi-hermetic screw compressors operating at 3000 RPM.
- \* Compressor Starter: Wye-Delta starter configuration for smooth compressor motor startup.
- \* Condenser Coil Protection: Anti-corrosion coating applied locally by TRANE-approved vendor as per ASTM B117 standard. Includes 5-year warranty on the coating.
- \* Condenser Coil: High-efficiency copper-aluminum heat exchanger.
- \* Country of Origin: The proposed chiller shall be manufactured in China.
- \* Electrical Protection: Integrated under-voltage and over-voltage protection for electrical safety.
- \* Evaporator: Shell and tube evaporator insulated with 19 mm thick expanded rubber foam for improved thermal efficiency.
- \* Power Connections: Provision for single or dual power point power supply.
- \* Power Supply: Designed for 400V / 50Hz / 3-phase power supply.
- \* Refrigerant Charging: Units will be shipped without refrigerant; R-134a refrigerant to be charged at site.

OUR REF.: **2025MPM-AO/T3860-0999**

Revision : 0

08-Jul-2025

- \* Refrigeration Circuits: Single or Two independent refrigeration circuits for enhanced reliability and operational flexibility.
- \* Safety Components: Includes flow switches, discharge valves, and neoprene isolators for system protection and vibration control.
- \* User Interface: TD7 display with a user-friendly human-machine interface for simplified operation and diagnostics.

**Payment Terms**

100% through LC at Sight

**Item & Price Detail**

SNo.	Description	Model	Quantity	Rate	Amount
1	<b>Equipments</b> Air Cooled Chiller	CRTAG 125PSE	2	29,229.00	58,458.000
<b>Total</b>					<b>58,458.000</b>
<b>VAT 5.00 %</b>					<b>2,923.000</b>
<b>Grand Total</b>					<b>61,381.000</b>

in Words : **OMR : Sixty-One Thousand Three Hundred Eighty-One Only**

**Validity****Terms and Conditions**

- \* This quotation is valid for a period of 10 days from the date of issue.
- \* Prices quoted are inclusive of applicable taxes and duties unless otherwise stated.
- \* Installation is included in the quotation. If included, it must be scheduled in advance.

**Delivery**

14 to 16 Weeks

**Warranty****Air Cooled Chiller (Compressor Warranty)**

66 months from date of shipment or 60 months from date of commissioning which ever ends earlier.

**Air Cooled Chiller (Unit Warranty)**

18 months from date of shipment or 12 months from date of commissioning which ever ends earlier.

**Exclusions**

OUR REF.: **2025MPM-AO/T3860-0999**

Revision : 0

08-Jul-2025

We trust you will find the above offer in line with your requirement .In case you shall require any further clarifications, please feel free to contact us.

Thanking you and assuring you our best attention at all times.

Yours truly,

For **AIRMECH OMAN L.L.C**

**Manjunatha Malleshappa**