



OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

TO: Revision: 0

Ministry of Defence

PROJECT: WORKSHOP AT MAM

SUBJECT: Supply of AC Unit

Dear Sir,

We thank you for inviting us to quote for the subject stated above. We are pleased to submit our most competitive techno-commercial bid for the subject project as under-

Scope of Work







OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

PaymentdTermsnit CLCP

- * Casing External: 0.5mm Powder Painted Galvanized Steel/ Stainless Steel SS304.
- * Casing Internal: 0.5mm Galvanized Steel/ Stainless Steel SS304.

* Complete fan and spring is sembly is mounted on spring isol		Quantity	Rate	Amount
Equipme@soling coil section: Copper tubes and Aluminium fins suitab	ole for chilled water sys	stem with chilled	d water	
Air Han에이마 ╙마i6/12 deg C.	CLCP004	1	2472.54	2,472.540
Air Hand@ரைப்ng coil section: Copper tubes and Aluminium fins suitab	ole 66401990364ystem with	Refrigerant 1	2228.03	2,228.030
Air Handling/Bano7c.	CLCP014	2	2975.77	5,951.540
* Drain pan: Stainless Steel SS304. Air Handling unit	CLCP007	3	2233.09	6,699.276
 * Eurovent Certified. Air Handling unit * FAHU Shall be provided with Heat Recovery Wheels as per 	CLCP012 the given schedule.	1	2761.64	2,761.640
Air Handling unit * FAHU shall be supplied with Heat Pipe as per the given sche	CI CP005	1	1960.98	1,960.980
Air Handling Unitors: shall be VFD compatible high efficiency IE3 Typ	e [VFD excluded]	1	1828.68	1,828.680
Air Hand Frag usection: with Statically & Dynamically balanced Double	nleபேற்கியில் Width Bel	t Driven Centrifu	ıg ⋬ ₿38.46	4,338.460
Air of the with manstagunitch pulley/ plug fans with VFD/ Variable Spe	eddydd pefficiency EC	fans (SISW)	9214.95	9,214.950
* Fan Coil Filter Section: 2" flat filter of grade G3 + 15" Bag filters of grade G3 + 15" Bag fi	ide F7 aş per EN779. HFCF10_3R	18	192.83	3,470.976
 * H13 Hepa filter section as the given schedule. Fan Coil unit * Insulation: 50mm thick pressure injected polyurethane foam. 	HFCF12_3RE (PUF) insulation.	7	212.24	1,485.652

- * Mixing/Inlet section: With standard motorizable damper [Actuator excluded]
- * Panels: Double skin, rigid and totally enclosed casing with thermal barrier.
- Roof canopy: Provided for external/ roof mounted units.
- * The proposal has given based on attached selection and drawings.
- * Thyristor controllable Electric heater section as per the given schedule (Thyristor Excluded)
- * UV section with UV lamps as per the given schedule.

Fan Coil unit HFCF

- * 3-speed motor, selected at medium speed
- * 6 mm nylon filter or 20 mm aluminum filter
- * Centrifugal fan with statically and dynamically balanced forward-curved blades
- * Cooling coil with copper tubes and aluminum fins
- * Galvanized steel or stainless steel drain pan
- Trane chilled water single skin fan coil unit, Made in PRC

Total 42,412.724 VAT %5.00 2,120.636

Page 2 of 3 truebook





OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

in Words: OMR: Forty-Four Thousand Five Hundred Thirty-Three And Thirty-Six Baiza Only

Validity:

30 days hereof

Terms and Conditions:

*

Delivery:

Within 16 to 18 weeks to our store from the date of confirmed order and receipt of letter of credit.

Warranty

Exclusions

Thank you for your interest in our [products/services]. We are pleased to submit our quotation as follows: