

OUR REF.: 2025MR-AO/T0011-013**03-Jun-2025****TO:****Revision : 0****Ministry of Defence****PROJECT :** WORKSHOP AT MAM**SUBJECT :** Supply of AC Unit**Dear Sir,**

We thank you for inviting us to quote for the subject stated above. We are pleased to submit our most competitive techno-commercial bid for the subject project as under-

Scope of Work**Air Handling unit CLCP**

- * Casing External: 0.5mm Powder Painted Galvanized Steel/ Stainless Steel SS304.
- * Casing Internal: 0.5mm Galvanized Steel/ Stainless Steel SS304.
- * Complete fan and motor assembly is mounted on spring isolators.
- * Cooling coil section: Copper tubes and Aluminium fins suitable for chilled water system with chilled water
IN/OUT = 6/12 deg C.
- * Cooling coil section: Copper tubes and Aluminium fins suitable for Dx system with Refrigerant
R410a/R407c.
- * Drain pan: Stainless Steel SS304.
- * Eurovent Certified.
- * FAHU Shall be provided with Heat Recovery Wheels as per the given schedule.
- * FAHU shall be supplied with Heat Pipe as per the given schedule.
- * Fan motors: shall be VFD compatible high efficiency IE3 Type [VFD excluded]
- * Fan section: with Statically & Dynamically balanced Double Inlet Double Width Belt Driven Centrifugal Fan
with constant pitch pulley/ plug fans with VFD/ Variable Speed high efficiency EC fans (SISW).
- * Filter Section: 2" flat filter of grade G3 + 15" Bag filters of grade F7 as per EN779.
- * H13 Hepa filter section as the given schedule.
- * Insulation: 50mm thick pressure injected polyurethane foam (PUF) insulation.
- * Mixing/Inlet section: With standard motorizable damper [Actuator excluded]
- * Panels: Double skin, rigid and totally enclosed casing with thermal barrier.
- * Roof canopy: Provided for external/ roof mounted units.

OUR REF.: 2025MR-AO/T0011-013

03-Jun-2025

- * The proposal has given based on attached selection and drawings.
- * Thyristor controllable Electric heater section as per the given schedule (Thyristor Excluded)
- * UV section with UV lamps as per the given schedule.

Fan Coil unit HFCF

- * 3-speed motor, selected at medium speed
- * 6 mm nylon filter or 20 mm aluminum filter
- * Centrifugal fan with statically and dynamically balanced forward-curved blades
- * Cooling coil with copper tubes and aluminum fins
- * Galvanized steel or stainless steel drain pan
- * Trane chilled water single skin fan coil unit, Made in PRC

Payment Terms

Description	Model	Quantity	Rate	Amount
Equipments				
Air Handling unit	CLCP004	1	2472.54	2,472.540
Air Handling unit	CLCP03A	1	2228.03	2,228.030
Air Handling unit	CLCP014	2	2975.77	5,951.540
Air Handling unit	CLCP007	3	2233.09	6,699.276
Air Handling unit	CLCP012	1	2761.64	2,761.640
Air Handling unit	CLCP005	1	1960.98	1,960.980
Air Handling unit	CLCP004	1	1828.68	1,828.680
Air Handling unit	CLCP018	1	4338.46	4,338.460
Air Cooled Condensing Unit	RAUP500	1	9214.95	9,214.950
Fan Coil unit	HFCF10_3R	18	192.83	3,470.976
Fan Coil unit	HFCF12_3RE	7	212.24	1,485.652

OUR REF.: **2025MR-AO/T0011-013**

03-Jun-2025

Total	42,412.724
VAT %5.00	2,120.636
Grand Total	44,533.360

in Words : **OMR : Forty-Four Thousand Five Hundred Thirty-Three And Thirty-Six Baiza Only****Validity :**

30 days hereof

Terms and Conditions :

*

Delivery :

Within 16 to 18 weeks to our store from the date of confirmed order and receipt of letter of credit.

Warranty**Exclusions**

Thank you for your interest in our [products/services]. We are pleased to submit our quotation as follows: