

SEO • GEO • AEO Audit

ScanEat — www.scaneatksa.com

Full Audit • 26 September 2026

SEO	GEO	AEO
7 /10	5 /10	6 /10
Decent	Below average	Decent

Search Engine Optimization: Strong bilingual technical foundation; held back by a very small index and thin page content.

Generative Engine Optimization: llms.txt and core schema exist, but brand-entity, trust and citable-fact signals are weak.

Answer Engine Optimization: FAQ schema and step content are in place; no answer-first content hub or pricing answers.

Scope: Live site (16 sitemap URLs + 1 noindexed demo page, English and Arabic) cross-checked against the Next.js source on branch master @ 5afe2be

Contents

Executive Summary 3

Scope & Methodology 4

SEO — Search Engine Optimization 5

GEO — Generative Engine Optimization 7

AEO — Answer Engine Optimization 9

Priority Recommendations 11

What's Working Well 13

Glossary 14

Executive Summary

ScanEat's technical SEO is well above average for a site of its age. Every public page ships in English and Arabic with correct `lang/dir`, self-referencing canonicals, reciprocal hreflang in both the HTML and the sitemap, unique localized titles and descriptions, and a single H1. Restaurant menu pages carry unusually rich structured data (Restaurant → Menu → MenuSection → MenuItem with SAR prices and availability), and the site already publishes an `llms.txt` for AI crawlers.

The constraint is not markup — it is **substance and trust**. Only one real restaurant is indexed, the menu page has about 110 words, and there is no blog, guide, pricing or case-study content for search or AI engines to rank or cite. `/blog`, `/faq` and `/pricing` all return 404. Brand-entity signals are inconsistent: the Organization schema and contact page list the development agency's email (`hello@codesudio.com`), there are no `sameAs` social profiles, and the contact page shows a developer note ("This form is UI-only for now...") above a Send button that does nothing.

The highest-return work is therefore: (1) fix the trust leaks on the contact and About pages and unify the brand entity; (2) publish pricing and an answer-first content hub that targets Saudi restaurant-owner questions in both languages; (3) grow and enrich the restaurant directory, which is the site's only scalable source of indexable pages. None of these require re-architecture — the existing SEO plumbing in `lib/seo.js` will carry new pages correctly.

Top 3 priorities

1. Remove the contact-page developer note and make the form actually submit (or replace it with WhatsApp), then unify the brand entity: a `scaneatksa.com` email, `alternateName`, `sameAs`, and linked `@ids`.
2. Publish a pricing page and an answer-first bilingual content hub (guides + FAQ) so search and AI engines have facts to cite.
3. Make public pages cacheable and give the sitemap truthful `lastmod` dates; grow the restaurant directory with richer menu pages.

Biggest strength

Bilingual technical SEO done right — hreflang, canonicals, localized metadata and Arabic RTL on every public page, plus rich Restaurant/Menu schema on menu pages.

Scoring rubric

Score	Rating	Meaning
1–3	Critical issues	Fundamental problems block visibility.
4–5	Below average	Basics exist but major gaps limit performance.
6–7	Decent	Solid foundation with clear, fixable gaps.
8–9	Strong	Well optimized; refinements only.
10	Exemplary	Best-in-class across every signal.

Scope & Methodology

Pages audited

URL	Lang	Title	Desc	Words	Schema	Notes
/	EN	57	149	904	Organization, SoftwareApplication, WebSite, FAQPage	Home
/ar	AR	56	141	833	Same four (SoftwareApplication text in English)	Home
/restaurants	EN	64	161	245	ItemList (1 item)	Directory
/ar/restaurants	AR	49	150	229	ItemList	Directory
/restaurants?city=jubail	EN	50	137	233	ItemList	City listing
/ar/restaurants?city=jubail	AR	40	122	219	ItemList	City listing
/menu/makkah-restaurant	EN	42	152	109	Restaurant, Menu	Only real restaurant
/ar/menu/makkah-restaurant	AR	42	140	110	Restaurant, Menu	Item names in English
/how-it-works	EN	48	149	711	FAQPage	Step content
/ar/how-it-works	AR	45	161	620	FAQPage	
/about	EN	64	158	581	None	Repeated card copy
/ar/about	AR	48	131	513	None	
/contact	EN	20	137	246	None	Dev note visible
/ar/contact	AR	20	137	256	None	Dev note visible
/privacy-policy	EN	24	114	1191	None	
/ar/privacy-policy	AR	24	118	1148	None	
/menu/scaneat-demo-kitchen	EN	44	—	—	—	noindex (intended)

Title and Desc columns are character counts. Words = visible words in server-rendered HTML including navigation.

How the audit was performed

- Fetched robots.txt, sitemap.xml, llms.txt and every URL in the sitemap with a Googlebot user agent; parsed the raw server HTML (what crawlers and AI fetchers see before JavaScript).
- Checked redirects (apex → www, http → https), 404 handling and response headers.
- Extracted titles, meta descriptions, robots, canonical and hreflang links, Open Graph tags, heading outline, image alt text, internal links, visible word count and every JSON-LD block.
- Cross-referenced findings with the source (lib/seo.js, app/sitemap.js, app/page.js, app/contact/page.js, components/contact/ContactForm.jsx, lib/siteData.js, messages/*) so each fix names a file.

Limitations

- No Core Web Vitals or field performance data — run **PageSpeed Insights** / **CrUX** for LCP, INP and CLS.
- No backlink or domain-authority data — use **Ahrefs**, **Semrush** or **Moz**.
- No index-coverage or query data — connect **Google Search Console** and **Bing Webmaster Tools**.
- AI-engine citation is not measured directly; test prompts in ChatGPT Search, Perplexity and Google AI Overviews after changes.

SEO — Search Engine Optimization

Traditional ranking signals: can search engines crawl, understand and rank each page, and is there enough content to rank for?

Signal-by-signal analysis

Signal	Status	Observation
Title tags	PASS	Unique on all 16 pages, 20–64 characters, brand-suffixed, localized in Arabic. Contact ("Contact Us ScanEat") and Privacy titles carry no keyword.
Meta descriptions	PASS	Unique, 114–161 characters, benefit-led, localized. Two EN descriptions (161) are slightly long and may truncate.
Heading hierarchy	PASS	Exactly one H1 per page; logical H2/H3 outline. Home H1 text concatenates as "...Platform for Restaurants" in extracted text because the second line is a block span with no space — add a space.
URLs	PASS	Short, lowercase, readable; Arabic mirrored under /ar. City listings use a query string (?city=jubail) rather than a path.
Canonical tags	PASS	Self-referencing on every page including /ar and ?city= variants. Home canonical omits the trailing slash while the sitemap uses it — harmless but worth aligning.
Hreflang	PASS	en / ar / x-default, reciprocal, in both <head> and sitemap. Textbook implementation.
Robots & indexing	PASS	robots.txt blocks /dashboard, /auth, /api, /cart, /qr correctly; demo restaurant is noindex,follow and excluded from sitemap. Real 404s for missing pages.
Redirects & HTTPS	PASS	apex → www and http → https both 308; HSTS max-age 2 years.
XML sitemap	WARN	16 URLs with hreflang. lastModified: new Date() on static routes (app/sitemap.js:34) reports every page as changed on each regeneration; restaurant lastmod uses approved_at, not menu edits.
Caching / TTFB	WARN	Public HTML is served Cache-Control: private, no-store (X-Vercel-Cache: MISS), so every request is rendered on demand. Caused by headers() / cookies() in i18n/request.js:54-55, which opts every route into dynamic rendering. Measure TTFB in PageSpeed Insights.
Images & alt text	PASS	Next/Image with alt text on content images. Three homepage images (Hero_BG, about-ops, about-team) have empty alt — correct if decorative. Menu item images are the key opportunity once restaurants add photos.
Open Graph / Twitter	WARN	Complete tags with og:locale switching, but every non-menu page shares og-home.jpg. Menu pages correctly use the restaurant logo.
Internal linking	PASS	Header, footer and in-content links reach every public page; FAQ anchor. No breadcrumbs; directory → menu links depend on very few restaurants.
Content depth	FAIL	Menu page ~110 words, directory ~240 words, contact ~250. Only one indexable restaurant. No blog, guides, comparison or pricing pages (/blog, /faq, /pricing → 404).
Keyword targeting	WARN	Head terms ("QR menu", "digital menu", "WhatsApp ordering", "مניو إلكتروني") appear in titles and H1s, but there are no pages for city + intent terms (e.g. "QR menu Riyadh", "جدة QR منيو") or comparison queries.
Freshness	WARN	No dated content anywhere; freshness is implied only by the sitemap, which is inaccurate.

Summary: 10 pass · 5 warning · 1 fail

Key findings & fixes

HIGH Index size is the ceiling

With one real restaurant and six static pages per language, the site can only rank for a handful of queries. The restaurant directory is the natural scale lever: every approved restaurant produces two localized, schema-rich URLs plus a city listing. Growing onboarded restaurants, and making each menu page richer (description, photos, opening hours, map, reviews), is the single biggest SEO growth driver.

MEDIUM Public pages are uncacheable

Cache-Control: private, no-cache, no-store on the home page means no CDN caching and higher TTFB for every visitor and crawler. Since /ar is a rewrite with the locale passed in a header, the marketing pages could use ISR (export const revalidate = 3600) or static params per locale, keeping only authenticated routes dynamic.

MEDIUM Sitemap lastmod is not truthful

Static routes stamp new Date(), so Google sees all pages "modified" on every regeneration and learns to ignore the field. Use fixed per-route dates (or a content version), and for menus use the latest updated_at across the restaurant and its menu items.

LOW Small metadata refinements

Give Contact a descriptive title ("Contact ScanEat — QR Menu Setup & Support in Saudi Arabia"), create per-page OG images for How it works / About / Restaurants, and add a space in the home H1 span.

GEO — Generative Engine Optimization

Generative Engine Optimization: will AI search engines (ChatGPT Search, Perplexity, Google AI Overviews, Copilot) understand ScanEat as a trustworthy entity and quote its content?

Signal-by-signal analysis

Signal	Status	Observation
Organization schema	WARN	Present on the home page with logo, email, phone, areaServed. Missing sameAs, alternateName ("سكان إيت"), @id, address, foundingDate — TODO already noted in app/page.js:131.
Brand-entity consistency	FAIL	Schema and contact page use hello@codesudio.com (agency domain); privacy page uses privacy@scaneatksa.com; footer says "Designed by codesudio". Mixed signals about who operates ScanEat.
About page / E-E-A-T	WARN	Clear positioning and principles, but no founders or team, no company registration (CR), no location, no founding year, no customer count. All four feature cards repeat "Designed to make restaurant ordering feel faster and cleaner" (messages/en/about.json:16).
Contact & trust	FAIL	Phone, WhatsApp and hours are shown, but the page displays "This form is UI-only for now. You can connect it with Supabase, Resend, or Formspree." and the Send button is type="button" with no handler — leads are silently lost and the page reads as unfinished.
Factual density	WARN	Good specific facts (30-day trial, dine-in/pickup/delivery, role-based dashboards, WhatsApp updates). Missing quantified facts AIs like to cite: price, number of restaurants/cities, setup time data, order volumes.
Citations & originality	FAIL	No original data, research, case studies, testimonials or third-party references anywhere on the site.
Comprehensiveness	WARN	Product pages explain what ScanEat does, but there is no content on the surrounding topics owners ask AIs about (QR menu costs in KSA, ZATCA, WhatsApp ordering vs. delivery apps, menu design).
llms.txt	PASS	Present and well-written with key facts and page map. Arabic section lists only 3 of 6 pages; could add pricing and restaurant directory once they exist.
Crawlability for AI bots	PASS	robots.txt allows all user agents; content is server-rendered (menu items, FAQs, steps present in raw HTML).
Bilingual entity	WARN	Arabic brand name "سكان إيت" appears in AR titles but not in schema; Arabic home ships the English SoftwareApplication description (app/page.js:142).
Restaurant entities	PASS	Menu pages publish Restaurant with @id, address, telephone, cuisine and linked Menu — AI engines can answer "what does Makkah Restaurant in Jubail serve and at what price?".

Summary: 3 pass · 5 warning · 3 fail

Key findings & fixes

HIGH Fix the visible trust leaks first

The contact disclaimer (messages/en/contact.json:67, messages/ar/contact.json:67) and the dead Send button (components/contact/ContactForm.jsx:108) are seen by prospects and by AI crawlers summarizing the page. Either wire the form (Supabase insert + email notification, or build a pre-filled wa.me message from the fields) or remove it in favour of the WhatsApp CTA. Replace the repeated About card caption with four distinct sentences.

HIGH Unify the ScanEat entity

Use a `scaneatksa.com` address (e.g. `hello@scaneatksa.com`) in `lib/siteData.js:23` and `app/contact/page.js:43`. Extend the Organization node: `@id:`
`https://www.scaneatksa.com/#organization`, `alternateName:` ["سكان إيت", "ScanEat KSA"], `sameAs` (Instagram, LinkedIn, X, Google Business Profile once live), `address` (city/region), `foundingDate`, and reference it from `WebSite` (publisher) and `SoftwareApplication` (provider). Credit `Codesudio` as creator rather than as the contact.

HIGH Give AI engines facts to quote

Publish a pricing page (plans in SAR, what the trial includes, billing process), and add quantified proof: number of live restaurants and cities, a short case study with before/after numbers, owner testimonials with name and restaurant. AI answers favour pages with concrete, attributable numbers.

MEDIUM Strengthen E-E-A-T on About

Add who is behind ScanEat (founder/team with short bios and LinkedIn), where it is based, when it launched, and Saudi-specific credentials (CR number, VAT registration, data hosting). Mark up with `AboutPage` and `Person` nodes linked to the Organization.

AEO — Answer Engine Optimization

Answer Engine Optimization: can ScanEat's content be lifted directly as a featured snippet, People-Also-Ask answer or voice response?

Signal-by-signal analysis

Signal	Status	Observation
FAQ content + schema	PASS	FAQPage JSON-LD on / and /how-it-works in both languages (7+ Q&As, direct 1–2 sentence answers). Note: Google now limits FAQ rich results to authoritative gov/health sites, so the value is mainly for AI engines and PAA matching.
Question-phrased headings	WARN	FAQ questions are question-phrased; section H2s are marketing phrases ("One platform, two simple journeys") rather than queries ("How does ScanEat work?").
Direct answers / definitions	WARN	No concise "ScanEat is..." definition paragraph near the top of Home or About; no definition of "QR menu" or "digital menu" for definitional queries.
Lists & steps	PASS	Numbered 5-step diner and restaurant journeys on /how-it-works and 3 steps on Home — ideal list-snippet shape.
HowTo schema	WARN	Step content exists but is not marked up. (HowTo rich results are deprecated in Google, but the structure still helps AI engines parse procedures.)
Tables	FAIL	No comparison or pricing tables — the format most often lifted for "X vs Y" and "how much" queries.
Speakable	FAIL	No speakable markup for voice assistants.
Long-tail / conversational coverage	FAIL	No content for questions like "how much does a QR menu cost in Saudi Arabia", "best QR menu app for cafes in Riyadh", "لمطعمي QR كيف اسوي منيو".
Local signals	WARN	Menu pages have address and phone; the company itself has no address, no Google Business Profile link, and service-area is only "Saudi Arabia".
Breadcrumbs	FAIL	No BreadcrumbList on any page; menu pages would benefit (Home › Restaurants › Jubail › Makkah Restaurant).

Summary: 2 pass · 4 warning · 4 fail

Key findings & fixes

HIGH Build an answer-first content hub

Add a bilingual /guides (or /blog) section of 8–12 articles aimed at owner questions, each opening with a 40–60-word direct answer, then detail, a table and a short FAQ. Suggested first topics: QR menu cost in Saudi Arabia; QR menu vs printed menu; WhatsApp ordering vs delivery apps (commission comparison); how to create a QR menu (step list); digital menu requirements (VAT-inclusive pricing, calorie labels per SFDA); best practices for Arabic/English menus.

HIGH Add a pricing page with a comparison table

A /pricing page in both languages with a plan table and an FAQ ("Is there a setup fee?", "What happens after the trial?") answers the highest-intent commercial query and gives SoftwareApplication a real Offer price.

MEDIUM Rephrase headings as questions and add definitions

Rename key H2s to the queries they answer ("How does ScanEat work for diners?", "How do restaurants set up ScanEat?") and open Home/About with a one-sentence definition: "ScanEat is a web-based restaurant operations platform in Saudi Arabia that...".

MEDIUM Complete answer-oriented schema

Add BreadcrumbList site-wide, HowTo on /how-it-works (two procedures), speakable pointing at the definition paragraph and FAQ answers, and AboutPage / ContactPage wrappers.

Priority Recommendations

Ordered by recommended sequence. Impact and effort are relative to this site; file paths point to where the change lives in the codebase.

#	Recommendation	Area	Impact	Effort	Where
1	Remove the "UI-only" disclaimer and wire the contact form (or replace with WhatsApp CTA)	GEO	High	Low	messages/{en,ar}/contact.json:67 · components/contact/ContactForm.jsx
2	Replace repeated About feature-card caption with four distinct sentences	GEO	Medium	Low	messages/{en,ar}/about.json:16
3	Switch brand email to a scaneatksa.com address	GEO	High	Low	lib/siteData.js:23 · app/contact/page.js:43
4	Extend Organization schema: @id, alternateName, sameAs, address, foundingDate; link WebSite/SoftwareApplication to it	GEO	High	Low	app/page.js:114–165
5	Localize SoftwareApplication description for /ar	GEO	Low	Low	app/page.js:142
6	Publish bilingual /pricing with plan table + FAQ; real Offer price in schema	AEO	High	Medium	new app/pricing/page.js · lib/seo.js LOCALIZED_PATHS · app/sitemap.js
7	Launch bilingual answer-first guides hub (8–12 articles to start)	AEO/GEO	High	High	new app/guides/ · sitemap · llms.txt
8	Add quantified proof: restaurant/city counts, 1–2 case studies, named testimonials	GEO	High	Medium	Home, About
9	Make marketing pages cacheable (ISR / static per locale)	SEO	Medium	Medium	app/layout.js · i18n/request.js · proxy.js
10	Use truthful sitemap lastmod (fixed dates; menu updated_at)	SEO	Medium	Low	app/sitemap.js:34, 54
11	Add BreadcrumbList site-wide and HowTo on /how-it-works	AEO	Medium	Low	lib/seo.js helper · app/menu/[restaurantSlug]/page.js · app/how-it-works/page.js
12	Add AboutPage/ContactPage schema; founder/team section on About	GEO	Medium	Medium	app/about/page.js · app/contact/page.js
13	Enrich menu pages: description, opening hours, photos, map; encourage reviews (aggregateRating is already emitted once reviews exist)	SEO	High	Medium	app/menu/[restaurantSlug]/page.js · owner dashboard
14	Question-phrased H2s and a one-sentence definition on Home/About	AEO	Medium	Low	messages/{en,ar}/home.json, how-it-works.json
15	Per-page OG images; keyword-rich Contact title; H1 spacing	SEO	Low	Low	app/*/opengraph-image · messages/*/contact.json
16	Create Google Business Profile + social profiles; add to sameAs and footer	GEO	Medium	Low	Off-site · components/home/SiteFooter.jsx
17	Complete Arabic section of llms.txt; add new pages as they launch	GEO	Low	Low	public/llms.txt
18	Add speakable markup to definition + FAQ answers	AEO	Low	Low	app/page.js

Suggested roadmap

Phase	Scope
Week 1 — quick wins	Items 1–5, 10, 15, 17: trust leaks, entity schema, email, sitemap dates, metadata polish. Mostly copy and JSON-LD edits.
Weeks 2–4 — structure	Items 6, 9, 11, 12, 14, 18: pricing page, caching, breadcrumbs/HowTo, About E-E-A-T, question headings.
Months 2–3 — authority	Items 7, 8, 13, 16: guides hub, case studies and testimonials, richer menu pages, off-site profiles. Re-audit afterwards.

What's Working Well

✓ Bilingual SEO architecture

Localized URLs under /ar, correct lang/dir, self-canonicals, reciprocal hreflang with x-default in HTML and sitemap, og:locale switching — all generated centrally in lib/seo.js, so new pages inherit it.

✓ Menu structured data

Restaurant + Menu + MenuSection + MenuItem with SAR offers, stock status and diet tags; only first-party images are emitted (isOwnMediaUrl).

✓ Server-rendered content

Menus, FAQs and step content are in the initial HTML, so crawlers and AI fetchers see everything without executing JavaScript.

✓ Clean crawl hygiene

Sensible robots.txt, 308 redirects to a single host, real 404s, HSTS, and a deliberate noindex for the demo restaurant.

✓ Localized, well-written metadata

Every page has a unique, benefit-led title and description in both English and Arabic within length limits.

✓ Early GEO adoption

A factual llms.txt and FAQ content that states limitations honestly (e.g. no self-serve payment yet) — the kind of candour AI engines reward.

Glossary

Term	Definition
SEO	Search Engine Optimization — improving how pages are crawled, understood and ranked by search engines such as Google and Bing.
GEO	Generative Engine Optimization — making a brand and its content easy for AI search engines (ChatGPT Search, Perplexity, Google AI Overviews) to understand, trust and cite in generated answers.
AEO	Answer Engine Optimization — structuring content so it can be lifted directly as a featured snippet, People-Also-Ask answer or voice-assistant response.
E-E-A-T	Experience, Expertise, Authoritativeness, Trustworthiness — Google's quality framework; also a strong predictor of AI citation.
JSON-LD / Schema.org	Machine-readable structured data embedded in a page that describes entities (organizations, restaurants, menus, FAQs).
Canonical tag	Tells search engines which URL is the primary version of a page.
Hreflang	Declares language/region alternates of a page (here English and Arabic) so the right version is shown to each user.
sameAs	Schema property linking an entity to its official profiles elsewhere, helping engines confirm identity.
llms.txt	A plain-text file at the site root summarizing the site for large language models.
ISR	Incremental Static Regeneration — Next.js caching that serves static HTML and refreshes it on a schedule.
TTFB	Time To First Byte — how quickly the server starts responding; affected by caching.
Featured snippet	The boxed answer shown above organic results, typically a paragraph, list or table.
Speakable	Schema property marking sections suitable for text-to-speech by voice assistants.
Core Web Vitals	Google's user-experience metrics: LCP (loading), INP (interactivity), CLS (visual stability).

Next steps

- Implement the Week 1 quick wins, then re-audit to confirm the fixes are live.
- Run a competitor comparison against other Saudi QR-menu and restaurant-ops providers to find content and schema gaps.
- Connect Google Search Console and PageSpeed Insights to add query, coverage and Core Web Vitals data to the next audit.