

RSPO - API

AUTHORIZATION Basic Auth

Username <username>

Password <password>

api

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

etap_educacyjny

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a EtapEdukacyjny resource.



//api/etap_educacyjny/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of EtapEdukacyjny resources.



//api/etap_educacyjny/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PARAMS

nazwa	string
-------	--------

nazwa	string
-------	--------

page	7562
	The collection page number
pageSize	1930
	The collection page size. Default value is 100

gminy

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

GET Retrieves a TerytGmina resource.



//api/gminy/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection [RSPO - API](#)

HEADERS

Accept	application/json
---------------	------------------

PATH VARIABLES

GET Retrieves the collection of TerytGmina resources.



//api/gminy/?powiat.kodTeryt=string&powiat.kodTeryt=string&nazwa=string&nazwa=string&kodTeryt=string&kodTeryt=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection [RSPO - API](#)

HEADERS

Accept application/json

PARAMS

powiat.kodTeryt	string
powiat.kodTeryt	string
nazwa	string
nazwa	string
kodTeryt	string
kodTeryt	string
page	7562
	The collection page number
pageSize	1930
	The collection page size. Default value is 100

gminy_rodzaje

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a TypGminy resource.



//api/gminy_rodzaje/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of TypGminy resources.



//api/gminy_rodzaje/

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

kategoria_ucznia

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a KategoriaUcznia resource.



//api/kategoria_ucznia/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of **KategoriaUcznia** resources.



//api/kategoria_ucznia/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PARAMS

nazwa	string
-------	--------

nazwa	string
-------	--------

page	7562
------	------

The collection page number

pageSize	1930
----------	------

The collection page size. Default value is 100

miejscowosci

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a TerytMiejscowosc resource.



//api/miejscowosci/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of TerytMiejscowosc resources.



//api/miejscowosci/?gmina.kodTeryt=string&gmina.kodTeryt=string&nazwa=string&nazwa=string&kodTeryt=string&kodTeryt=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PARAMS

gmina.kodTeryt	string
gmina.kodTeryt	string
nazwa	string
nazwa	string
kodTeryt	string
kodTeryt	string
page	7562 The collection page number
pageSize	1930 The collection page size. Default value is 100

placowki

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a Placowka resource.



//api/placowki/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of Placowka resources.



```
//api/placowki/?wojewodztwo_nazwa=string&wojewodztwo_kod_teryt=string&powiat_nazwa=string&powiat_kod_teryt=string&gmina_nazwa=string&gmina_kod_teryt=string&miejscowosc_nazwa=string&miejscowosc_kod_teryt=string&RSPO=1930&NIP=string&REGON=string&typ_podmiotu_id=1930&status_publiczno_prawny_id=1930&kategoria_ucznia_id=1930&etap_edukacji_id=1930&zlikwidowana=true&podmiot_prowadzacy_id=1930&podmiot_prowadzacy_regon=string&page=7562&pageSize=1930
```

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept application/json

PARAMS

wojewodztwo_nazwa	string full voivodeship name
wojewodztwo_kod_teryt	string voivodeship code in TERYT registry
powiat_nazwa	string full county name
powiat_kod_teryt	string county code in the TERYT registry
gmina_nazwa	string full commune name
gmina_kod_teryt	string commune code in the TERYT registry

miescowosc_nazwa	string full city name
miescowosc_kod_teryt	string city code in the TERYT registry
RSPO	1930 full RSPO number
NIP	string full NIP number
REGON	string full REGON number
typ_podmiotu_id	1930 TypPodmiotu ID
status_publiczno_prawny_id	1930 StatusPublicznoPrawny ID
kategoria_ucznia_id	1930 KategoriaUcznia ID
etap_educacji_id	1930 EtapEdukacyjny ID
zlikwidowana	true Include liquidated
podmiot_prowadzacy_id	1930 leading office ID
podmiot_prowadzacy_regon	string leading office full REGON number
page	7562 The collection page number

pageSize

1930

The collection page size. Default value is 100

powiaty

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

GET Retrieves a TerytPowiat resource.



//api/powiaty/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection [RSPO - API](#)

HEADERS

Accept

application/json

PATH VARIABLES

GET Retrieves the collection of TerytPowiat resources.



//api/powiaty/?wojewodztwo.kodTeryt=string&wojewodztwo.kodTeryt=string&nazwa=string&nazwa=string&kodTeryt=string&kodTeryt=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept application/json

PARAMS

wojewodztwo.kodTeryt	string
wojewodztwo.kodTeryt	string
nazwa	string
nazwa	string
kodTeryt	string
kodTeryt	string
page	7562 The collection page number
pageSize	1930 The collection page size. Default value is 100

specyfika_szkoly

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

GET Retrieves a SpecyfikaSzkoly resource.



`//api/specyfika_szkoly/:id`

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection [RSPO - API](#)

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of SpecyfikaSzkoly resources.



//api/specyfika_szkoly/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PARAMS

nazwa	string
-------	--------

nazwa	string
-------	--------

page	7562	The collection page number
------	------	----------------------------

pageSize	1930	The collection page size. Default value is 100
----------	------	--

status_publiczno_prawny

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a StatusPublicznoPrawny resource.



//api/status_publiczno_prawny/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
---------------	------------------

PATH VARIABLES

id	3165
-----------	------

GET Retrieves the collection of StatusPublicznoPrawny resources.



//api/status_publiczno_prawny/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
---------------	------------------

PARAMS

nazwa	string
nazwa	string
page	7562 The collection page number
pageSize	1930 The collection page size. Default value is 100

typ

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

GET Retrieves a TypPodmiotu resource.



//api/typ/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection [RSPO - API](#)

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id3165

GET Retrieves the collection of TypPodmiotu resources. 

//api/typ/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Acceptapplication/json

PARAMS

nazwa	string
nazwa	string
page	7562 The collection page number
pageSize	1930 The collection page size. Default value is 100

wojewodztwa

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection **RSPO - API**

GET Retrieves a TerytWojewodztwo resource.



//api/wojewodztwa/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
---------------	------------------

PATH VARIABLES

id	3165
-----------	------

GET Retrieves the collection of TerytWojewodztwo resources.



//api/wojewodztwa/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PARAMS

nazwa	string
-------	--------

nazwa	string
-------	--------

page	7562
	The collection page number

pageSize	1930
	The collection page size. Default value is 100

zwiazanie_organizacyjne

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

{id}

AUTHORIZATION Basic Auth

This folder is using Basic Auth from collection [RSPO - API](#)

GET Retrieves a ZwiazanieOrganizacyjne resource.



//api/zwiazanie_organizacyjne/:id

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PATH VARIABLES

id	3165
----	------

GET Retrieves the collection of ZwiazanieOrganizacyjne resources.



//api/zwiazanie_organizacyjne/?nazwa=string&nazwa=string&page=7562&pageSize=1930

AUTHORIZATION Basic Auth

This request is using Basic Auth from collection **RSPO - API**

HEADERS

Accept	application/json
--------	------------------

PARAMS

nazwa	string
-------	--------

nazwa	string
-------	--------

page

7562

The collection page number

pageSize

1930

The collection page size. Default value is 100