Exam_2 Q1

Contents

Pavel 'Pasha' Koprov

Q1

```
clear
XY = uscity('XY', mand({'Amarillo' 'Anderson'}, uscity('Name'),...
    {'TX' 'SC'}, uscity('ST')));
d = dists(XY(1,:),XY(2,:),'mi')*1.2;
cu = [6 3];         % unit cubic volume ft3
wt = [12 96];       % unit weight lb

T = 13;
D = ([64 64 56 31 166 62 53 96 126 143 39 45 55;
    125 101 40 26 89 104 87 22 57 81 297 163 113].*wt'/2000)'; % demand in tons

ppiTL = 136.3; % Jan 2020 (P)
r = 2*(ppiTL/102.7);
tr = struct('r',r,'Kwt',25,'Kcu',2750);
s = wt./cu; % lb/cft
v = [120 80].*(2000./wt); % $/ton
hobs = [0.2 0.1]/13;
h = (hobs + 0.11)/(365.2/7);

cTL=tr.r*d;         % transportation cost per truck per ton
qmax = maxpayld(s,tr)
Q = [sum(D);qmax];
Cp=[v;0 0]      % cost to fabricate a ton
Ct=[0 0;cTL cTL]
yinit = [0 0;[77 100].*wt/2000];   % initial storage (ton)
yfinal = yinit;     % final storage
ymax=[sum(D);qmax]

Ci = cumsum(Cp+Ct./Q).*h  % inventory cost
M = 2;              % number of stages
G = 2;              % number of products produced = 2
```

```
qmax =

    2.7500   25.0000


Cp =

   1.0e+04 *

    2.0000    0.1667
         0         0


Ct =

   1.0e+03 *
```

```
         0         0
    3.4590    3.4590


ymax =

    6.0000   62.6400
    2.7500   25.0000


Ci =

   48.0664    3.7598
   51.0894    4.0719
```

Create MILP model

```
Cp = reshape(repmat(Cp,[T 1 1]),M,T,G)     % create M x T x G array (3-D)
Ci = reshape(repmat(Ci,[T+1 1 1]),M,T+1,G) % create M x (T+1) x G array
Ci(:,1,:) = 0   % intital inventory cost already accounted for last period
Ct=reshape(repmat(Ct,[T 1 1]),M,T,G)
clear mp
mp = Milp('PPlan');
mp.addobj('min',Cp,Ci,Ct)  % Objective
for g = 1:G
    for t = 1:T  % Flow balance constraints
        for m = 1:M-1
            mp.addcstr({[1 -1],{[m m+1],t,g}},{[1 -1],{m,[t t+1],g}},0,'=',0)
        end
        mp.addcstr({M,t,g},{[1 -1],{M,[t t+1],g}},0,'=',D(t,g))
   for m = 1:M
       mp.addcstr({m,t,g},0,'<=',{Q(m,g),{m,t,g}})
   end
    end
end
mp.addlb(0,horzcat(reshape(yinit,M,1,G),zeros(M,T-1,G),reshape(yfinal,M,1,G)),0)  % Lower bounds
mp.addub(Inf,horzcat(reshape(yinit,M,1,G),repmat(reshape(ymax,M,1,G),1,T-1),reshape(yfinal,M,1,G)), Inf)
mp.addctype('C','C','I');
```

```
Cp(:,:,1) =

  Columns 1 through 6

      20000       20000       20000       20000       20000       20000
          0           0           0           0           0           0

  Columns 7 through 12

      20000       20000       20000       20000       20000       20000
          0           0           0           0           0           0

  Column 13

      20000
          0


Cp(:,:,2) =

   1.0e+03 *

  Columns 1 through 7

    1.6667    1.6667    1.6667    1.6667    1.6667    1.6667    1.6667
         0         0         0         0         0         0         0

  Columns 8 through 13

    1.6667    1.6667    1.6667    1.6667    1.6667    1.6667
         0         0         0         0         0         0


Ci(:,:,1) =

  Columns 1 through 7

   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664
   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894

  Columns 8 through 14

   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664
   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894


Ci(:,:,2) =
```

```
  Columns 1 through 7

    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598
    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719

  Columns 8 through 14

    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598
    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719


Ci(:,:,1) =

  Columns 1 through 7

         0   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664
         0   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894

  Columns 8 through 14

   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664   48.0664
   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894   51.0894


Ci(:,:,2) =

  Columns 1 through 7

         0    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598
         0    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719

  Columns 8 through 14

    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598    3.7598
    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719    4.0719


Ct(:,:,1) =

   1.0e+03 *

  Columns 1 through 7

         0         0         0         0         0         0         0
    3.4590    3.4590    3.4590    3.4590    3.4590    3.4590    3.4590

  Columns 8 through 13

         0         0         0         0         0         0
    3.4590    3.4590    3.4590    3.4590    3.4590    3.4590


Ct(:,:,2) =

   1.0e+03 *

  Columns 1 through 7

         0         0         0         0         0         0         0
    3.4590    3.4590    3.4590    3.4590    3.4590    3.4590    3.4590

  Columns 8 through 13

         0         0         0         0         0         0
    3.4590    3.4590    3.4590    3.4590    3.4590    3.4590
```

Solve using Gurobi

```
clear params
model = mp.milp2gb
params.outputflag = 1;
result = gurobi(model, params);
x = mp.namesolution(result.x)
TC = result.objval
```

```
model =

  struct with fields:

          name: 'PPlan'
    modelsense: 'minimize'
           obj: [160×1 double]
            lb: [160×1 double]
            ub: [160×1 double]
         vtype: 'CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
             A: [104×160 double]
         sense: [104×1 char]
```

```
           rhs: [104×1 double]


------------------------------------------
Warning: your license will expire in 14 days
------------------------------------------

Academic license - for non-commercial use only
Gurobi Optimizer version 9.0.3 build v9.0.3rc0 (win64)
Optimize a model with 104 rows, 160 columns and 286 nonzeros
Model fingerprint: 0x830f3373
Variable types: 108 continuous, 52 integer (0 binary)
Coefficient statistics:
  Matrix range     [1e+00, 6e+01]
  Objective range  [1e-08, 2e+04]
  Bounds range     [5e-01, 6e+01]
  RHS range        [2e-01, 1e+01]
Found heuristic solution: objective 270019.51497
Presolve removed 56 rows and 88 columns
Presolve time: 0.04s
Presolved: 48 rows, 72 columns, 132 nonzeros
Found heuristic solution: objective 259731.18652
Variable types: 46 continuous, 26 integer (5 binary)

Root relaxation: objective 2.444819e+05, 44 iterations, 0.00 seconds

    Nodes    |    Current Node    |     Objective Bounds      |     Work
 Expl Unexpl |  Obj  Depth IntInf | Incumbent    BestBd   Gap | It/Node Time

     0     0 244481.897    0    6 259731.187 244481.897  5.87%     -    0s
H    0     0                     253110.12756 244481.897  3.41%     -    0s
H    0     0                     246646.37495 244481.897  0.88%     -    0s
H    0     0                     246644.33489 244481.897  0.88%     -    0s
     0     0 244553.550    0    6 246644.335 244553.550  0.85%     -    0s
     0     0 244657.869    0    2 246644.335 244657.869  0.81%     -    0s
H    0     0                     246368.01852 244657.869  0.69%     -    0s
     0     0 244702.135    0    8 246368.019 244702.135  0.68%     -    0s
H    0     0                     246252.01763 244702.135  0.63%     -    0s
     0     0 244859.429    0   10 246252.018 244859.429  0.57%     -    0s
     0     0 245441.440    0    8 246252.018 245441.440  0.33%     -    0s
     0     0 245494.512    0   10 246252.018 245494.512  0.31%     -    0s
     0     0 245516.982    0   10 246252.018 245516.982  0.30%     -    0s
     0     0 245519.228    0   12 246252.018 245519.228  0.30%     -    0s
     0     0 245525.940    0   12 246252.018 245525.940  0.29%     -    0s
     0     0 245527.949    0   14 246252.018 245527.949  0.29%     -    0s
     0     0 245530.611    0   12 246252.018 245530.611  0.29%     -    0s
     0     0 245530.611    0   12 246252.018 245530.611  0.29%     -    0s
     0     2 245530.611    0   12 246252.018 245530.611  0.29%     -    0s
H    3     3                     246225.40356 245661.133  0.23%   4.7    0s
H   10     2                     246208.52952 245944.776  0.11%   4.9    0s
*   15     0               5     246187.38810 246187.388  0.00%   4.9    0s

Cutting planes:
  Gomory: 2
  Implied bound: 1
  MIR: 12
  Flow cover: 1
  Relax-and-lift: 1

Explored 16 nodes (171 simplex iterations) in 0.11 seconds
Thread count was 4 (of 4 available processors)

Solution count 9: 246187 246209 246225 ... 270020

Optimal solution found (tolerance 1.00e-04)
Best objective 2.461873881011e+05, best bound 2.461873881011e+05, gap 0.0000%

x =

  struct with fields:

    Cp: [2×13×2 double]
    Ci: [2×14×2 double]
    Ct: [2×13×2 double]


TC =

   2.4619e+05
```

Report results

```
Fp = x.Cp;
Fi = x.Ci;
Ft = x.Ct;
for g = 1:G
   mdisp(D(:,g)',[],[],['D' num2str(g)])
   mdisp(Fp(:,:,g),[],[],['Fp' num2str(g)])
   mdisp(Fi(:,:,g),[],[],['Fi' num2str(g)])
```

```
   mdisp(Ft(:,:,g),[],[],['Ft' num2str(g)])
end
TCp = sum(sum(sum(Cp.*Fp)));
TCi = sum(sum(sum(Ci.*Fi)));
TCt = sum(sum(sum(Ct.*Ft)));
vdisp('TCp,TCi,TCt,TC')
```

```
D1:     1      2      3      4      5      6      7      8      9     10     11    12    13
--:-----------------------------------------------------------------------------------------
 1:  0.384  0.384  0.336  0.186  0.996  0.372  0.318  0.576  0.756  0.858  0.234  0.27  0.33

Fp1:   1     2     3   4    5    6   7   8    9   10  11  12  13
---:-------------------------------------------------------------
  1:   0  0.8280   0   0  2.42   0   0   0  2.75   0   0   0   0
  2:   0  0.8280   0   0  2.42   0   0   0  2.75   0   0   0   0

Fi1:     1      2       3       4     5    6     7      8       9     10    11    12     13     14
---:-------------------------------------------------------------------------------------------------
  1:  0.000  0.0000  0.0000  0.0000   0  0.00  0.00  0.0000  0.0000  0.00  0.00  0.00  0.000  0.000
  2:  0.462  0.0780  0.5220  0.1860   0  1.43  1.05  0.7360  0.1600  2.15  1.30  1.06  0.792  0.462

Ft1:   1   2   3   4   5   6   7   8   9  10  11  12  13
---:-----------------------------------------------------
  1:   0   1   0   0   1   0   0   0   1   0   0   0   0
  2:   0   1   0   0   1   0   0   0   1   0   0   0   0

D2:   1    2     3     4     5     6     7     8     9    10     11    12    13
--:-------------------------------------------------------------------------
 1:   6  4.85  1.92  1.25  4.27  4.99  4.18  1.06  2.74  3.89  14.26  7.82  5.42

Fp2:     1    2   3   4   5     6    7   8   9  10  11  12  13
---:-----------------------------------------------------------
  1:  13.49   0   0   0   0  24.15   0   0   0   0  25   0   0
  2:  13.49   0   0   0   0  24.15   0   0   0   0  25   0   0

Fi2:    1      2     3     4     5    6     7      8      9     10    11     12     13    14
---:-------------------------------------------------------------------------------------------
  1:  0.00   0.00  0.00  0.00  0.00   0   0.00   0.00   0.00  0.00  0.00   0.00   0.00  0.00
  2:  4.80  12.29  7.44  5.52  4.27   0  19.16  14.98  13.93  11.19  7.30  18.05  10.22  4.80

Ft2:   1   2   3   4   5   6   7   8   9  10  11  12  13
---:-----------------------------------------------------
  1:   1  -0   0  -0   0   1  -0  -0  -0  -0   1   0  -0
  2:   1  -0  -0  -0  -0   1  -0  -0  -0  -0   1   0  -0

 :    TCp       TCi       TCt         TC
-:----------------------------------------
1:  224,400  1,033.14  20,754.24  246,187.39
```

Q2

```
clear, close all
df = table2struct(readtable('Exam2DataF20.xlsx'));

XY = [[df.Longitude]' [df.Latitude]'];
q = [df(2:end).Weight]'/2000;
s = [df(2:end).Density]';
tL = 20/60;
tU = 5/60;

sh = vec2struct('b',1,'e',[df(2:end).Customer]', 'q', q, 's', s);
tr = struct('b',1,'e',1,'tbmin',7,'temax',17,'Kwt',25,'Kcu',2750,...
    'maxTC', 10);

i = find([sh.q]'*2000./[sh.s]'/tr.Kcu > 1) % which shipment is above truck cubic capacity
srpls = sh(i).q*2000/sh(i).s/tr.Kcu - 1 % fraction of the surpluss

sh(end+1) = sh(i); % add additional shipment
sh(end).q = srpls*sh(i).q;

sh(i).q = sh(i).q - sh(end).q; % subtract additional shipment from overcubic shipment

sh = vec2struct(sh,'tU',[sh.q]'*tU, 'tbmin',7,'temax',17);
sdisp(sh)
```

```
i =

    28


srpls =

    0.0160


sh:  b   e    q     s      tU    tbmin  temax
```

```
--:----------------------------------------
 1:  1   2  1.53   6.39  0.1276    7      17
 2:  1   3  1.22  18.06  0.1018    7      17
 3:  1   4  1.47  12.64  0.1225    7      17
 4:  1   5  2.07  18.53  0.1722    7      17
 5:  1   6  1.26   7.77  0.1053    7      17
 6:  1   7  1.26   2.65  0.1047    7      17
 7:  1   8  1.98  13.32  0.1652    7      17
 8:  1   9  1.22   2.70  0.1020    7      17
 9:  1  10  1.61   6.68  0.1340    7      17
10:  1  11  1.24   5.59  0.1034    7      17
11:  1  12  1.75   4.68  0.1458    7      17
12:  1  13  1.26   3.48  0.1050    7      17
13:  1  14  2.16   3.41  0.1798    7      17
14:  1  15  2.09   8.37  0.1743    7      17
15:  1  16  1.38  12.83  0.1152    7      17
16:  1  17  1.40   7.18  0.1169    7      17
17:  1  18  1.75   3.88  0.1459    7      17
18:  1  19  1.86   2.18  0.1548    7      17
19:  1  20  1.12   5.70  0.0935    7      17
20:  1  21  2.02  20.14  0.1681    7      17
21:  1  22  1.79  11.94  0.1489    7      17
22:  1  23  1.22  14.27  0.1019    7      17
23:  1  24  1.37   1.60  0.1144    7      17
24:  1  25  1.33   9.47  0.1111    7      17
25:  1  26  1.51  17.86  0.1260    7      17
26:  1  27  2.70   5.93  0.2253    7      17
27:  1  28  1.37   9.37  0.1139    7      17
28:  1  29  1.61   1.17  0.1340    7      17
29:  1  30  1.45   4.23  0.1210    7      17
30:  1  31  2.22  10.49  0.1852    7      17
31:  1  32  1.32   8.69  0.1097    7      17
32:  1  33  1.25  10.32  0.1042    7      17
33:  1  34  1.26   2.37  0.1050    7      17
34:  1  35  1.49   5.35  0.1240    7      17
35:  1  36  1.87   5.54  0.1558    7      17
36:  1  37  1.47   7.37  0.1229    7      17
37:  1  38  1.63  10.77  0.1357    7      17
38:  1  39  1.25  10.91  0.1043    7      17
39:  1  40  1.62   4.33  0.1347    7      17
40:  1  41  1.33  10.06  0.1107    7      17
41:  1  42  1.34   7.35  0.1118    7      17
42:  1  43  1.73   8.23  0.1441    7      17
43:  1  44  1.63  24.33  0.1358    7      17
44:  1  45  1.39   8.40  0.1158    7      17
45:  1  46  2.38  21.38  0.1981    7      17
46:  1  29  0.03   1.17  0.0022    7      17
```

Get road network

```
expansionAroundXY = 0.1;
[XY2,IJD,isXY,isIJD] = subgraph(usrdnode('XY'),...
   isinrect(usrdnode('XY'),boundrect(XY,expansionAroundXY)),...
   usrdlink('IJD'));
```

Label type of road

```
s = usrdlink(isIJD);
isI = s.Type == 'I';         % Interstate highways
isIR = isI & s.Urban == ' '; % Rural Interstate highways
isIU = isI & ~isIR;          % Urban Interstate highways
isR = s.Urban == ' ' & ~isI; % Rural non-Interstate roads
isU = ~isI & ~isR;           % Urban non-Interstate roads
```

Plot roads

```
makemap(XY2,0.03)  % 3% expansion
h = [];  % Keep handle to each plot for legend
h = [h pplot(IJD(isR,:),XY2,'r-','DisplayName','Rural Roads')];
h = [h pplot(IJD(isU,:),XY2,'k-','DisplayName','Urban Roads')];
h = [h pplot(IJD(isI,:),XY2,'c-','DisplayName','Interstate Roads')];
```



Add connector roads from customers to road network

```
[IJD11,IJD12,IJD22] = addconnector(XY,XY2,IJD);
h = [h pplot(IJD12,[XY; XY2],'b-','DisplayName','Connector Roads')];
h = [h pplot(XY(2:end,:),'r.','DisplayName','Customers')];
h = [h pplot(XY(1,:),'g.','DisplayName','DC')];
```



Convert road distances to travel times (needs to be after ADDCONNECTOR)

```
v.IR = 75;  % Rural Interstate highways average speed (mph)
v.IU = 65;  % Urban Interstate highways average speed (mph)
v.R = 50;   % Rural non-Interstate roads average speed (mph)
v.U = 25;   % Urban non-Interstate roads average speed (mph)
v.C = 20;   % Facility to road connector average speed (mph)

IJT = IJD;
IJT(isIR,3) = IJD(isIR,3)/v.IR;
IJT(isIU,3) = IJD(isIU,3)/v.IU;
IJT(isR,3) = IJD(isR,3)/v.R;
IJT(isU,3) = IJD(isU,3)/v.U;

IJT22 = IJD22;                % road to road
IJT22(:,3) = IJT(:,3);
IJT12 = IJD12;                % facility to road
IJT12(:,3) = IJD12(:,3)/v.C;  % (IJD11 facility to facility arcs ignored)
```

Shortest time routes

```
n = size(XY,1);
[T,P] = dijk(list2adj([IJT12; IJT22]),1:n,1:n);
T = T+5/60;
```

Construct & improve routes:

```
rTCh = @(rte) rteTC(rte,sh,T,tr);
tic
IJS = pairwisesavings(rTCh,sh); toc
tic
r = twoopt(savings(rTCh,sh,IJS),rTCh); toc
```

```
Elapsed time is 8.692237 seconds.
Elapsed time is 7.420696 seconds.
```

add any single-shipment routes

```
[r,~,Time] = sh2rte(sh,r,rTCh);
```

```
ADD SINGLE-SHIPMENT ROUTES:
34.487040: Added shipments 18 28
```



Plot routes

```
plotshmt(sh,XY,r,tr)
```



Display route output structure

```
[TC,Xflg,out] = rTCh(r);
for i = 1:length(out), sdisp(out(i),false,i), end
```

1:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.00	0.00	0	7	7.00	0.0000	7.00	Inf	0.00
2:	21	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
3:	7	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
4:	5	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
5:	4	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
6:	29	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
7:	17	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
8:	4	5	1.33	8.33	0	-Inf	8.33	0.1722	8.50	17	1.50
9:	29	30	0.42	8.92	0	-Inf	8.92	0.1210	9.04	17	0.54
10:	17	18	0.52	9.56	0	-Inf	9.56	0.1459	9.71	17	0.67
11:	5	6	0.98	10.69	0	-Inf	10.69	0.1053	10.80	17	1.09
12:	7	8	0.94	11.73	0	-Inf	11.73	0.1652	11.90	17	1.10
13:	21	22	0.72	12.62	0	-Inf	12.62	0.1489	12.77	17	0.87
14:	0	1	1.03	13.80	0	-Inf	13.80	0.0000	13.80	17	1.03

2:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.00	0.00	0	7	7.00	0.0000	7.00	Inf	0.00
2:	36	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
3:	3	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
4:	30	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
5:	2	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
6:	14	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
7:	6	1	0.00	7.00	0	7	7.00	0.0000	7.00	Inf	0.00
8:	14	15	0.82	7.82	0	-Inf	7.82	0.1743	8.00	17	1.00
9:	6	7	0.80	8.80	0	-Inf	8.80	0.1047	8.90	17	0.91
10:	2	3	1.09	10.00	0	-Inf	10.00	0.1018	10.10	17	1.19
11:	3	4	0.70	10.80	0	-Inf	10.80	0.1225	10.92	17	0.82
12:	30	31	0.36	11.28	0	-Inf	11.28	0.1852	11.47	17	0.55
13:	36	37	0.45	11.91	0	-Inf	11.91	0.1229	12.04	17	0.57
14:	0	1	0.57	12.60	0	-Inf	12.60	0.0000	12.60	17	0.57

3:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	1	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	25	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
4:	45	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
5:	40	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
6:	41	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
7:	26	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
8:	22	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
9:	43	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
10:	41	42	0.5888	7.59	0	-Inf	7.59	0.1118	7.70	17	0.7005
11:	26	27	0.5516	8.25	0	-Inf	8.25	0.2253	8.48	17	0.7769
12:	22	23	0.3114	8.79	0	-Inf	8.79	0.1019	8.89	17	0.4133
13:	43	44	0.3586	9.25	0	-Inf	9.25	0.1358	9.39	17	0.4945
14:	45	46	0.7890	10.17	0	-Inf	10.17	0.1981	10.37	17	0.9871
15:	1	2	0.2578	10.63	0	-Inf	10.63	0.1276	10.76	17	0.3854
16:	40	41	0.4116	11.17	0	-Inf	11.17	0.1107	11.28	17	0.5224
17:	25	26	0.3225	11.60	0	-Inf	11.60	0.1260	11.73	17	0.4485
18:	0	1	0.3572	12.09	0	-Inf	12.09	0.0000	12.09	17	0.3572

4:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	27	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	46	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
4:	19	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
5:	33	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
6:	34	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
7:	20	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
8:	33	34	0.7256	7.73	0	-Inf	7.73	0.1050	7.83	17	0.8305
9:	20	21	0.3326	8.16	0	-Inf	8.16	0.1681	8.33	17	0.5007
10:	34	35	0.5569	8.89	0	-Inf	8.89	0.1240	9.01	17	0.6809
11:	19	20	0.6639	9.68	0	-Inf	9.68	0.0935	9.77	17	0.7574
12:	46	29	0.3973	10.17	0	-Inf	10.17	0.0022	10.17	17	0.3995
13:	27	28	0.4514	10.62	0	-Inf	10.62	0.1139	10.73	17	0.5653
14:	0	1	0.7024	11.44	0	-Inf	11.44	0.0000	11.44	17	0.7024

5:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	23	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	32	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
4:	12	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
5:	32	33	0.7153	7.72	0	-Inf	7.72	0.1042	7.82	17	0.8195
6:	12	13	0.4951	8.31	0	-Inf	8.31	0.1050	8.42	17	0.6001
7:	23	24	0.5409	8.96	0	-Inf	8.96	0.1144	9.07	17	0.6553
8:	0	1	0.5744	9.65	0	-Inf	9.65	0.0000	9.65	17	0.5744

6:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	10	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	15	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
4:	37	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
5:	44	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000

6:	13	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
7:	15	16	0.5184	7.52	0	-Inf	7.52	0.1152	7.63	17	0.6336
8:	37	38	0.2515	7.89	0	-Inf	7.89	0.1357	8.02	17	0.3873
9:	13	14	0.4055	8.43	0	-Inf	8.43	0.1798	8.61	17	0.5853
10:	44	45	0.2804	8.89	0	-Inf	8.89	0.1158	9.00	17	0.3962
11:	10	11	0.2803	9.28	0	-Inf	9.28	0.1034	9.39	17	0.3837
12:	0	1	0.4965	9.88	0	-Inf	9.88	0.0000	9.88	17	0.4965

7:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	24	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	8	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
4:	9	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
5:	39	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
6:	38	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
7:	9	10	0.4134	7.41	0	-Inf	7.41	0.1340	7.55	17	0.5474
8:	8	9	0.2759	7.82	0	-Inf	7.82	0.1020	7.93	17	0.3780
9:	38	39	0.3531	8.28	0	-Inf	8.28	0.1043	8.38	17	0.4573
10:	39	40	0.2575	8.64	0	-Inf	8.64	0.1347	8.77	17	0.3921
11:	24	25	0.4093	9.18	0	-Inf	9.18	0.1111	9.30	17	0.5204
12:	0	1	0.3856	9.68	0	-Inf	9.68	0.0000	9.68	17	0.3856

8:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	11	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	42	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
4:	31	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
5:	35	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
6:	16	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
7:	11	12	0.1463	7.15	0	-Inf	7.15	0.1458	7.29	17	0.2921
8:	31	32	0.3417	7.63	0	-Inf	7.63	0.1097	7.74	17	0.4513
9:	16	17	0.2346	7.98	0	-Inf	7.98	0.1169	8.09	17	0.3516
10:	35	36	0.2426	8.34	0	-Inf	8.34	0.1558	8.49	17	0.3984
11:	42	43	0.3426	8.84	0	-Inf	8.84	0.1441	8.98	17	0.4868
12:	0	1	0.2747	9.25	0	-Inf	9.25	0.0000	9.25	17	0.2747

9:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	18	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	18	19	0.2587	7.26	0	-Inf	7.26	0.1548	7.41	17	0.4135
4:	0	1	0.2587	7.67	0	-Inf	7.67	0.0000	7.67	17	0.2587

10:	Rte	Loc	Cost	Arrive	Wait	TWmin	Start	LU	Depart	TWmax	Total
1:	0	1	0.0000	0.00	0	7	7.00	0.0000	7.00	Inf	0.0000
2:	28	1	0.0000	7.00	0	7	7.00	0.0000	7.00	Inf	0.0000
3:	28	29	0.6417	7.64	0	-Inf	7.64	0.1340	7.78	17	0.7757
4:	0	1	0.6417	8.42	0	-Inf	8.42	0.0000	8.42	17	0.6417

Display Gantt chart of route spans

```
b= arrayfun(@(x) (x.Start(1)),out); b = b(:);
e= arrayfun(@(x) (x.Depart(end)),out); e = e(:);
figure
gantt([b e])
```



Route time and delivery cubic ft

```
for i = 1:length(r)
    idx = r{i}(isorigin(r{i}));
    Maxload(i) = sum([sh(idx).q]'*2000./[sh(idx).s]');
end
vdisp('Time, Maxload')
```

```
  :  Time   Maxload
--:----------------
 1:  6.80  2,734.53
 2:  5.60  2,639.77
 3:  5.09  2,717.57
 4:  4.44  2,549.38
 5:  2.65  2,682.73
 6:  2.88  2,558.49
 7:  2.68  2,645.69
 8:  2.25  2,536.57
 9:  0.67  1,704.13
10:  1.42  2,749.30
```

number of trucks

```
m = length(Time);
M = 1:m;
V = 10;
v = Time;
mp = Milp('# of Trucks');
mp.addobj('min',ones(1,m),zeros(m));
for i = M
   mp.addcstr({V,{i}},'>=',{v+tL,{i,':'}})   % V*yi >= sum_j(vj*xij)
end
for j = M
   mp.addcstr(0,{':',j},'=',1)            % sum_i(xij) = 1
end
mp.addctype('B','B')
```

Use INTLINPROG to solve

```
ilp = mp.milp2ilp;
x = intlinprog(ilp{:});
x = mp.namesolution(x);
B = arrayfun(@(i) find(x.arg2(i,:)),find(x.arg1),'UniformOutput',false);
B{:}
fprintf('Number of required trucks is %d.\n', length(B))
```

```
LP:                Optimal objective value is 3.782037.

Cut Generation:    Applied 1 clique cut, 2 cover cuts,
                   and 2 mir cuts.
                   Lower bound is 4.000000.

Heuristics:        Found 1 solution using ZI round.
                   Upper bound is 5.000000.
                   Relative gap is 16.67%.

Cut Generation:    Applied 4 clique cuts.
                   Lower bound is 4.000000.
                   Relative gap is 16.67%.

Branch and Bound:

   nodes     total   num int        integer       relative
explored  time (s)  solution           fval        gap (%)
      34      0.04         2   4.000000e+00   2.980232e-06

Optimal solution found.

Intlinprog stopped because the objective value is within a gap tolerance of the
optimal value, options.AbsoluteGapTolerance = 0 (the default value). The intcon
variables are integer within tolerance, options.IntegerTolerance = 1e-05 (the
default value).


ans =

     2     5     9


ans =

     1     8


ans =
```

```
     3     7


ans =

     4     6    10

Number of required trucks is 4.
```

Chart for Trucks;

```
b=[]
for i=1:length(B)
    b = [b; 7 7+Time(B{i}(1))]
    for j=2:length(B{i})
        b = [b; b(end)+tL b(end)+tL+Time(B{i}(j))]
    end
end

figure
gantt([b])
```

```
b =

     []


b =

    7.0000   12.6032


b =

    7.0000   12.6032
   12.9366   15.5859


b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914


b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
    7.0000   13.8044


b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
    7.0000   13.8044
   14.1377   16.3926


b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
    7.0000   13.8044
   14.1377   16.3926
    7.0000   12.0857


b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
    7.0000   13.8044
   14.1377   16.3926
    7.0000   12.0857
   12.4191   15.0998


b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
```

```
    7.0000   13.8044
   14.1377   16.3926
    7.0000   12.0857
   12.4191   15.0998
    7.0000   11.4367
```

```
b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
    7.0000   13.8044
   14.1377   16.3926
    7.0000   12.0857
   12.4191   15.0998
    7.0000   11.4367
   11.7700   14.6526
```

```
b =

    7.0000   12.6032
   12.9366   15.5859
   15.9192   16.5914
    7.0000   13.8044
   14.1377   16.3926
    7.0000   12.0857
   12.4191   15.0998
    7.0000   11.4367
   11.7700   14.6526
   14.9859   16.4033
```



Published with MATLAB® R2020a