

Entry Header

Name: Peter Kravets

Primary responsibility for this work: Side Quest blob implementation

Goal of Work Session

The objective for Week 2 was to modify the movement of a blob to portray a specific emotion clearly. I manipulated the blob's motion to create a distance from calmness through visible fast and frantic movements.

Tools, Resources, or Inputs Used

- Prior blob behavior/code
- GenAI tool (minimal use): ChatGPT

GenAI Documentation

Everyone must complete this section. If not GenAI was used, write, "No GenAI used for this task." When GenAI is not used, process evidence should still demonstrate iteration, revision, or development over time.

Because GenAI can closely mimic human-created work, instructors or TAs may occasionally request additional process evidence to confirm non-use. This may include original working files (e.g., an illustrator file), intermediate drafts, or a brief check-in with a TA to walk through your process.

These requests are not an assumption of misconduct. They are part of ensuring academic integrity in an environment where distinguishing between human-created and AI-generated work is increasingly difficult.

If GenAI was used (keep each response as brief as possible):

Date Used: Jan 26, 2026

Tool Disclosure: ChatGPT 5.2

Purpose of Use: I used a small amount of AI to explain specific lines of code so I could remember how they affect the blob's motion/shape.

Summary of Interaction: The tool clarified how noise-based deformation and vertex placement work in the blob system.

Human Decision Point(s): I determined what to adjust and how extreme of a change to make: I added more wobble rate, speed, and movement in general to help convey excitement over having the blob simply sit there calmly.

Integrity & Verification Note: I verified the output by running the sketch and seeing if the changes gave me the desired “excited/energetic” movement. If something didn’t look right, I would tweak numbers and try again.

Scope of GenAI Use: GenAI did not create the entire sketch for me or decide what the final emotion would be iterated toward.

Limitations or Misfires: GenAI was only helping me to explain what the code was doing. It couldn’t know exactly what I was going for emotion wise, so I still needed to adjust values by feel through trial and error.

Summary of Process (Human + Tool)

I began at the calm blob, and incremented settings until it felt “excited”, adjusting wobble rate, speed, and intensity of motion. After I briefly applied AI to refresh my memory about specific deformation/vertex modifiers I used iteration by running the sketch and adjusting values.

Decision Points & Trade-offs

I decided to push bigger, more aggressive wobble instead of subtle movement because I felt that excitement equated to higher energy. The concession was making sure the motion didn’t get too chaotic, or made the blob unintuitive to read.

Verification & Judgement

Checked my changes by continuing to run the sketch and look at whether the movement clearly felt excited instead of calm. If not, I'd readjust my parameters.

Appendix

Please include a full transcript of your conversation with the GenAI. GenAI transcripts are used for transparency and verification only and are not assessed for writing quality or completeness.

I need a short explanation of some lines of code, i need you to keep it very short (1 sentence, no fluff, get to the point) starting off what a noise() line mean?


The noise() line gives smooth randomness so the blob's edge moves in and out organically.

What about the `r = blob.r + map(...)` line

The `r = blob.r + map(...)` line converts that noise into how far each point pushes outward.

`vertex(centerX + cos(a) * r, centerY + sin(a) * r)`


The `vertex(centerX + cos(a) * r, centerY + sin(a) * r)` line turns angle + radius into actual x/y positions on screen.



```
More excitement
1 parent 2517f18 commit 7884533

1 file changed +5 -5 lines changed

sketch.js
// -5,12 => 5,12 @ let blob = {
9 9 points: 48, // Number of vertices around the circle (higher = smoother)
10 10
11 11 // Shape deformation settings
12 - wobble: 10, // Maximum amount the edge can move in or out
13 - wobblefreq: 1.8, // Controls how lumpy or smooth the blob looks
14 + wobble: 10, // Maximum amount the edge can move in or out
15 + wobblefreq: 2.5, // Controls how lumpy or smooth the blob looks
16 16
17 17 // Time values for animation
18 18 t: 0, // Time input for noise()
19 19 tSpeed: 0.04, // how fast the blob "breathes"
20 20 tSpeed: 0.05, // how fast the blob "breathes"
21 21 }
22 22
23 23 function setup() {
24 24 // -35,8 => 35,8 @ function draw() {
25 25 // Increment time so noise() changes smoothly every frame
26 26 blob.t += blob.tSpeed;
27 27
28 - const centerX = blob.x + sin(blob.t * 6.3) * 8;
29 - const centerY = blob.y + cos(blob.t * 6.3) * 8;
30 + const centerX = blob.x + sin(blob.t * 12.3) * 16;
31 + const centerY = blob.y + cos(blob.t * 12.3) * 16;
32 32
33 33 }
```



```
Less movement
1 parent 9a09211 commit

1 file changed +2 -2 lines changed

sketch.js
// -5,8 => 5,8 @ let blob = {
9 9 points: 48, // Number of vertices around the circle (higher = smoother)
10 10
11 11 // Shape deformation settings
12 - wobble: 20, // Maximum amount the edge can move in or out
13 - wobblefreq: 0.5, // Controls how lumpy or smooth the blob looks
14 + wobble: 40, // Maximum amount the edge can move in or out
15 + wobblefreq: 1.5, // Controls how lumpy or smooth the blob looks
16 16
17 17 // Time values for animation
18 18 t: 0, // Time input for noise()
19 19
20 20 }
```

Commit 6577f5f

pkravets2 committed 2 weeks ago · ✓ 3/3

normalize

main

Filter files...

sketchjs

1 file changed +3 -3 lines changed

sketch.js

```
@@ -9,12 +9,12 @@ let blob = {
 9 9    points: 48, // Number of vertices around the circle (higher = smoother)
10 10
11 11    // Shape deformation settings
12 -    wobble: 48, // Maximum amount the edge can move in or out
13 -    wobblefreq: 1.5, // Controls how lumpy or smooth the blob looks
12 +    wobble: 28, // Maximum amount the edge can move in or out
13 +    wobblefreq: 2.1, // Controls how lumpy or smooth the blob looks
14 14
15 15    // Time values for animation
16 16    t: 0, // Time input for noise()
17 -    tSpeed: 0.2, // How fast the blob "breathes"
17 +    tSpeed: 0.09, // How fast the blob "breathes"
18 18  };
19 19
20 20  function setup() {
```

higher values

main

1 parent 2d

Filter files...

sketchjs

1 file changed +3 -3 lines changed

sketch.js

```
@@ -9,12 +9,12 @@ let blob = {
 9 9    points: 48, // Number of vertices around the circle (higher = smoother)
10 10
11 11    // Shape deformation settings
12 -    wobble: 18, // Maximum amount the edge can move in or out
13 -    wobblefreq: 2.1, // Controls how lumpy or smooth the blob looks
12 +    wobble: 28, // Maximum amount the edge can move in or out
13 +    wobblefreq: 0.5, // Controls how lumpy or smooth the blob looks
14 14
15 15    // Time values for animation
16 16    t: 0, // Time input for noise()
17 -    tSpeed: 0.09, // How fast the blob "breathes"
17 +    tSpeed: 0.2, // How fast the blob "breathes"
18 18  };
19 19
20 20  function setup() {
```

Search within code