phpinfo() 페이지 1/11

PHP Version 5.3.8

System	AIX www 3 5 00C38A104C00
Build Date	Nov 17 2011 18:44:16
Configure Command	'./configure' 'with-apxs2=/user/apache2/bin/apxs' 'with-sybase- ct=/usr/local/freetds' 'prefix=/user/php5' 'with-mysql=/user/mysql' 'with-gd' 'with-config-file-path=/user/php5' 'with-jpeg-dir=/usr/local' 'with-zlib- dir=/opt/freeware' 'enable-mbstring' 'disable-debug'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/user/php5
Loaded Configuration File	/user/php5/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	compress.zlib, php, file, glob, data, http, ftp, phar
Registered Stream Socket Transports	tcp, udp, unix, udg
Registered Stream Filters	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine: Zend Engine v2.3.0, Copyright (c) 1998-2011 Zend Technologies

Configuration

apache2handler

Apache Version	Apache/2.2.3 (Unix)
Apache API Version	20051115
Server Administrator	webmaster@www.kbsi.re.kr
Hostname:Port	www.kbsi.re.kr:0
User/Group	www(205)/204
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	Yes
Server Root	/user/apache
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_filter mod_log_config mod_env mod_setenvif prefork http_core mod_mime mod_status mod_autoindex mod_asis mod_cgi mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5 mod_headers

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

phpinfo() 페이지 2/11

Apache Environment

Variable	Value
	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
HTTP_ACCEPT_LANGUAGE	ko
HTTP_UA_CPU	x86
	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1; GTB7.4; SLCC1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; .NET4.0C; .NET4.0E; InfoPath.3; .NET CLR 3.5.21022; .NET CLR 3.5.30729; .NET CLR 3.0.30618)
HTTP_HOST	www.kbsi.re.kr
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	WT_FPC=id=20a37f84de036483fa51348705963513:lv=1349831318665:ss=1349830957876
PATH	/user/bind/sbin:/user/bind/bin:/opt/freeware/bin:/usr/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb:/usr/bin/X11:/sbin:/user/mysql/bin:/usr/java/bin:/opt/freetds/bin:/usr/java5/t
SERVER_SIGNATURE	<address>Apache/2.2.3 (Unix) Server at www.kbsi.re.kr Port 80</address>
SERVER_SOFTWARE	Apache/2.2.3 (Unix)
SERVER_NAME	www.kbsi.re.kr
SERVER_ADDR	203.253.244.50
SERVER_PORT	80
REMOTE_ADDR	172.16.245.160
DOCUMENT_ROOT	/user/www
SERVER_ADMIN	webmaster@www.kbsi.re.kr
SCRIPT_FILENAME	/user/www/t.php
REMOTE_PORT	50787
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/t.php
SCRIPT_NAME	/t.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /t.php HTTP/1.1
Accept	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
Accept- Language	ko
UA-CPU	x86
User-Agent	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1; GTB7.4; SLCC1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; .NET4.0C; .NET4.0E; InfoPath.3; .NET CLR 3.5.21022; .NET CLR 3.5.30729; .NET CLR 3.0.30618)
Host	www.kbsi.re.kr
Connection	Keep-Alive
Cookie	WT_FPC=id=20a37f84de036483fa51348705963513:lv=1349831318665:ss=1349830957876
	HTTP Response Headers
Keep-Alive	timeout=5, max=100
Connection	Keep-Alive
Transfer- Encoding	chunked
Content- Type	text/html

Core

PHP Version	5.3.8

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	Off	Off
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	no value	no value
	- 	-

phpinfo() 페이지 3 / 11

auto gropend_file			
browscap	auto_globals_jit	On	On
default_charset no value no value default_mimetype Lext/html Lext/html define_systog_variables Off Off disable_classes no value no value disable_functions no value no value display_startue_errors Off Off doc_rot no value no value docref_ext no value no value error_log no value no value error_loge no value no value error_loge no value no value error_loge no value no value error_logened_string no value no value error_logened_string no value no value error_logened_string no value no value	auto_prepend_file	no value	no value
default_mimetype text/html text/html define_systog_variables Off Off disable_classes no value no value disable_functions no value no value display_startup_errors Off Off doc_root no value no value docref_root no value no value docref_root no value no value error_log no	browscap	no value	no value
define_syslog_variables Off Off disable_functions no value no value disable_functions no value no value display_errors On On On Off Off docr_foot no value no value docref_ext no value no value docref_cot no value no value enable_dl On On enable_dl no value no value error_peped_string no value no value	default_charset	no value	no value
disable_classes no value no value disable_functions no value no value display_startup_errors Off Off doc_root no value no value docref_ext no value no value error_epped_string no value no value error_prepend_string no value no value error_prepend_string no value no value error_reporting 0 0 0 ext.on_timeout Off Off Off highight.comment #FF8800 #FF8800 #FF8800	default_mimetype	text/html	text/html
disable functions no value no value display, startup, errors On On doc, root no value no value docref, root no value no value docref, root no value no value emable, dl On On error, append, string no value no value error, pepend, string no value no value error, pepend on on on <td< th=""><th>define_syslog_variables</th><th>Off</th><th>Off</th></td<>	define_syslog_variables	Off	Off
display_errors	disable_classes	no value	no value
display_startup_errors	disable_functions	no value	no value
doc, root	display_errors	On	On
docref_ext no value no value enable_dl On On error_append_string no value no value error_log no value no value error_prepend_string no value no value error_prepend_string 0 0 exit_on_timeout Off Off exit_on_timeout Off Off exit_on_timeout Off Off extension_dir Auser/gski/epki Auser/gski/epki fle_uploads On On highilght.to #FFFFFF #FFFFFF highilght.comment #FF8000 #F8000 highilght.default #000008B #00008B highilght.keyword #007700 #007700 highilght.string #D00000 #D00000 highilght.string	display_startup_errors	Off	Off
docref_root	doc_root	no value	no value
enable_dl	docref_ext	no value	no value
error_log no value no value error_prepend_string no value no value error_prepend_string no value no value error_prepend_string 0 0 evit_on_timeout Off Off evit_on_timeout #F8000 #F8000 highight.tomment #F8000 #F8000 highight.tequal #00008B #00008B highight.tequal #000000 #00008B highight.tequal #000000 #000000 highight.tequal #000000 #000000 highight.tequal #000000 #000000 himiterors On On ionor_evert_ont Off Off	docref_root	no value	no value
error_log	enable_dl	On	On
error_prepend_string	error_append_string	no value	no value
error_reporting	error_log	no value	no value
exit_on_timeout	error_prepend_string	no value	no value
expose_php Off Off Off Off Interview of the property of the pr	error_reporting	0	0
extension.dir /user/gpki/epki /user/gpki/epki file_uploads On On highlight.bg #FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	exit_on_timeout	Off	Off
file_uploads On On highlight.bg #FFFFFF #FFFFFF highlight.comment #FF8000 #FF8000 highlight.default #000008B #000000 highlight.default #000000 #000000 highlight.teyword #007700 #007700 highlight.string #DD0000 #DD0000 html_erors On On On On Off ignore_repeated_source Off Off ignore_user_abort On On majc_quotes_spb On On majc_quotes_spb On On m	expose_php	Off	Off
highlight.bg #FFFFFF #FFFFFF highlight.comment #F8000 #F8000 highlight.default #00000B #00000B highlight.thrlm #000000 #000700 highlight.seyword #007700 #007700 highlight.string #DD0000 #DD0000 html.errors On On ignore_repeated_errors Off Off ignore_user_abort Off Off ignore_user_abort Off Off include_path -/user/include -/user/include log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On off Off Off magic_quotes_sybase On On magic_quotes_sybase On On mall.og no value no value mall.og no value no value max_lence_uotes_sybase On On max_lence_uotes_sybase On On		/user/gpki/epki	/user/gpki/epki
highlight.default #FF8000 #FF8000 highlight.default #000088 #000088 highlight.terl #000000 #000000 highlight.teryword #007700 #007700 highlight.string #DD0000 #DD0000 html_errors On On ignore_repeated_errors Off Off ignore_user_abort Off Off ignore_user_abort Off Off include_path Juser/include Juser/include log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On On On On majic_quotes_sybase On On mail.dot_x_header Off Off mail.force_extra_parameters no value no value mail.log no value no value max_input_nesting_level 64 64 max_input_nesting_level 64 64 max_input_nesting_level 64	file_uploads	On	On
highlight.default #0000BB #0000BB highlight.html #000000 #000000 highlight.keyword #0077700 #0077700 highlight.string #DD0000 #DD0000 highlight.string #DD000 #DD000 highlight.string #D000 #D000 <th>highlight.bg</th> <th>#FFFFFF</th> <th>#FFFFF</th>	highlight.bg	#FFFFFF	#FFFFF
highlight.default #0000BB #0000BB highlight.html #000000 #000000 highlight.keyword #0077700 #0077700 highlight.string #DD0000 #DD0000 highlight.string #DD000 #DD000 highlight.string #D000 #D000 <th></th> <th>#FF8000</th> <th>#FF8000</th>		#FF8000	#FF8000
highlight.keyword #007700 #007700 highlight.string #DD0000 #DD0000 html_errors On On ignore_repeated_errors Off Off ignore_sepeated_source Off Off ignore_user_abort Off Off implicit_flush Off Off include_path :/user/include :/user/include log_errors Off Off log_errors_max_len 1024 1024 majic_quotes_gpe On On on On On majic_quotes_runtime Off Off majic_quotes_runtime Off Off majic_quotes_runtime Off Off off Off Off majic_quotes_runtime Off Off off Off Off off Off Off off Off Off majic_quotes_runtime Off Off off Off <td< th=""><th>highlight.default</th><th>#0000BB</th><th>#0000BB</th></td<>	highlight.default	#0000BB	#0000BB
highlight.string #DD0000 html_errors On On ignore_repeated_errors Off Off ignore_user_abort Off Off ignore_user_abort Off Off implicit_flush Off Off implicit_flush Off Off log_errors Off Off log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On on On On magic_quotes_sybase On On mail.forc_extra_parameters no value no value mail.log no value no value max_execution_time 300 300 max_execution_time 300 300 max_input_time 60 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value	highlight.html	#000000	#000000
html_errors On On On ignore_repeated_errors Off Off Off Off Off Off ignore_repeated_source Off Off Off Off Off Off Off Off ignore_user_abort Off Off Off Off Off Off Off Implicit_flush Off Off Off Off Off Off Off Off Off Of	highlight.keyword	#007700	#007700
ignore_repeated_errors Off Off ignore_user_abort Off Off ignore_user_abort Off Off implicit_flush Off Off include_path ./user/include ./user/include log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On magic_quotes_runtime Off Off magic_quotes_sybase On On mail.add_x_header Off Off off Off Off mail.force_extra_parameters no value no value max_input_time 300 300 max_execution_time 300 300 max_execution_time 300 300 max_file_uploads 20 20 max_input_time 60 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value	highlight.string	#DD0000	#DD0000
ignore_repated_source Off	html_errors	On	On
ignore_user_abort implicit_flush Off Off Off Off include_path :/user/include :/user/include Iog_errors Off Off Off Off Off Off Off Off Off Of	ignore_repeated_errors	Off	Off
ignore_user_abort Implicit_flush Off Off Off Off Off Off Off Off Off Of	ignore_repeated_source	Off	Off
implicit_flush Off Off include_path :/user/include :/user/include log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On magic_quotes_runtime Off Off magic_quotes_sybase On On mail.dox_header Off Off mail.log no value no value mail.log no value no value max_log_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_size 16K 16K		Off	Off
include_path _/user/include _/user/include log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On magic_quotes_sybase On On mail.add_x_header Off Off mail.force_extra_parameters no value no value mail.log no value no value max_execution_time 300 300 max_file_uploads 20 20 max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K		Off	Off
log_errors Off Off log_errors_max_len 1024 1024 magic_quotes_gpc On On magic_quotes_sybase On On mail.add_x_header Off Off mail.force_extra_parameters no value no value mail.log no value no value max_execution_time 300 300 max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_size 16K 16K realpath_cache_size 10 0n register_long_arrays 0n 0n	-		
magic_quotes_gpc On On magic_quotes_runtime Off Off magic_quotes_sybase On On mail.dod_x_header Off Off mail.dod_x_header Off Off mail.dog no value no value mail.dog no value no value max_lip_uncertime 300 300 max_lip_uncertime 64 64 max_input_nesting_level 64 64 max_input_nesting_level 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_size 16K 16K register_globals On On	IIIciuae_patn	::/user/include	.:/user/include
magic_quotes_runtime magic_quotes_sybase On On Mail.add_x_header Off Moff Mail.force_extra_parameters No value Movalue	-		
magic_quotes_sybase	log_errors	Off	Off
mail.add_x_header Off Off mail.force_extra_parameters no value no value mail.log no value no value max_execution_time 300 300 max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value output_handler no value 14 14 realpath_cache_size 524288000 524288000 precision 14 14 realpath_cache_ttl 120 120 register_argc_argv On On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value on value no value on On request_order no value no value on O	log_errors log_errors_max_len	Off 1024	Off 1024
mail.force_extra_parameters no value no value mail.log no value no value max_execution_time 300 300 max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On On On On register_long_arrays On On report_memleaks On On report_zend_debug On On report_zend_debug On On reape_mode_exec_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc	Off 1024 On	Off 1024 On
mail.log no value no value max_execution_time 300 300 max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On report_zend_debug On On report_zend_debug On On report_zend_ebug On On report_zend_ebug On On respect_der	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime	Off 1024 On Off	Off 1024 On Off
max_execution_time 300 300 max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On on on On report_zend_debug On On request_order no value no value safe_mode_exec_dir no value no value safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase	Off 1024 On Off On	Off 1024 On Off On
max_file_uploads 20 20 max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On on on On report_zend_debug On On request_order no value no value safe_mode_exec_dir no value no value safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header	Off 1024 On Off On Off	Off 1024 On Off On Off
max_input_nesting_level 64 64 max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On on on On report_zend_debug On On request_order no value no value safe_mode_exec_dir no value no value safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters	Off 1024 On Off On Off on off no value	Off 1024 On Off On Off On Off no value
max_input_time 600 600 memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log	Off 1024 On Off On Off no value no value	Off 1024 On Off On Off on Off no value no value
memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time	Off 1024 On Off On Off on Off no value no value 300	Off 1024 On Off On Off On Off no value no value 300
memory_limit 128M 128M open_basedir no value no value output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On on On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads	Off 1024 On Off On Off On Off no value no value 300	Off 1024 On Off On Off On Off no value no value 20
output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On register_globals On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level	Off 1024 On Off On Off On Off no value no value 300 20 64	Off 1024 On Off On Off On Off no value no value 300 20 64
output_buffering no value no value output_handler no value no value post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On register_globals On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time	Off 1024 On Off On Off On Off no value no value 300 20 64	Off 1024 On Off On Off On Off no value no value 300 20 64
post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On register_globals On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit	Off 1024 On Off On Off On Off on Off no value no value 300 20 64 600 128M	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M
post_max_size 524288000 524288000 precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On register_globals On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir	Off 1024 On Off On Off On Off On Off no value 300 20 64 600 128M no value	Off 1024 On Off On Off On Off On Off no value 300 20 64 600 128M no value
precision 14 14 realpath_cache_size 16K 16K realpath_cache_ttl 120 120 register_argc_argv On On register_globals On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value no value	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value
realpath_cache_ttl 120 120 register_argc_argv On On register_globals On On register_long_arrays On On report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value
register_argc_argv On On On register_globals On On On register_long_arrays On On On report_memleaks On On On report_zend_debug On On request_order no value no value safe_mode safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value no value so value	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value so value so value
register_globals On On On register_long_arrays On On On On On report_memleaks On On On On report_zend_debug On On On request_order no value no value safe_mode Off Off Off Safe_mode_exec_dir no value No value No value No value Safe_mode_gid Off Off Off Off Safe_mode_include_dir No value No value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 524288000 14	Off 1024 On Off On Off On Off <i>no value no value</i> 300 20 64 600 128M <i>no value no value no value</i> 128M 128M 128M 128M 138M 138M 138M 138M 138M 138M 138M 13
register_globals On On On register_long_arrays On On On On On report_memleaks On On On On report_zend_debug On On On request_order no value no value safe_mode Off Off Off Safe_mode_exec_dir no value No value No value No value Safe_mode_gid Off Off Off Off Safe_mode_include_dir No value No value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 1524288000 14 16K	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 1524288000 14 16K
register_long_arrays On On report_memleaks On On on On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 1524288000 14 16K	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 1524288000 14 16K
report_memleaks On On report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 16K 120 On	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On
report_zend_debug On On request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_globals	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 16K 120 On On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 16K 120 On On
request_order no value no value safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_long_arrays	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 16K 120 On On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 16K 120 On On
safe_mode Off Off safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_long_arrays report_memleaks	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value no value 16K 120 On On On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On On On
safe_mode_exec_dir no value no value safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_long_arrays report_memleaks report_zend_debug	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On On On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On On On On
safe_mode_gid Off Off safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_runtime magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_buffering output_handler post_max_size precision realpath_cache_stize realpath_cache_ttl register_argc_argv register_globals register_long_arrays report_zend_debug request_order	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On On On On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value ro value 16K 120 On On On On On
safe_mode_include_dir no value no value	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_globals report_memleaks report_memleaks report_zend_debug request_order safe_mode	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On On On On On On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 6600 128M no value no value 16K 120 On On On On On On On
	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_globals report_memleaks report_zend_debug request_order safe_mode safe_mode_exec_dir	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 6600 128M no value no value 16K 120 On
	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_globals report_memleaks report_zend_debug request_order safe_mode safe_mode_gid	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On	Off 1024 On Off On Off On Off On Off no value no value 300 20 64 600 128M no value no value 524288000 14 16K 120 On
ı	log_errors log_errors_max_len magic_quotes_gpc magic_quotes_sybase mail.add_x_header mail.force_extra_parameters mail.log max_execution_time max_file_uploads max_input_nesting_level max_input_time memory_limit open_basedir output_buffering output_handler post_max_size precision realpath_cache_size realpath_cache_ttl register_argc_argv register_globals report_memleaks report_zend_debug request_order safe_mode safe_mode_gid safe_mode_include_dir	Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On	Off 1024 On Off 1024 On Off On Off On Off no value no value 300 20 64 600 128M no value no value 16K 120 On

phpinfo() 페이지 4/11

sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	51200000	51200000
upload_tmp_dir	no value	no value
user_dir	no value	no value
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	Off	Off
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	2011.8
Timezone Database	internal
Default timezone	Asia/Seoul

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Asia/Seoul	Asia/Seoul

$\quad \text{dom} \quad$

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.21
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 313665 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

phpinfo() 페이지 5 / 11

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.8
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

hash

hash	enabled
support	
Hashing	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256
Engines	ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	IBM iconv
iconv library version	unknown

Directive	Local Value	Master Value
iconv.input_encoding	ISO8859-1	ISO8859-1
iconv.internal_encoding	ISO8859-1	ISO8859-1
iconv.output_encoding	ISO8859-1	ISO8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.6.21
libXML Loaded Version	20621
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
	1	

phpinfo() 페이지 6 / 11

mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^	^
	(text/ application/xhtml\+xml)	(text/ application/xhtml\+xml)
mbstring.internal_encoding	no value	no value
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	no value	no value

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.37
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/user/mysql/include/mysql
MYSQL_LIBS	-L/user/mysql/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	no value	no value
mysql.default_password	no value	no value
mysql.default_port	no value	no value
mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion limit	100000	100000

PDO

PDO support	enabled
PDO drivers	sqlite, sqlite2

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 314419 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)
OpenSSL support	disabled (install ext/openssl)

phpinfo() 페이지 7/11

Phar based on pear/PHP_Archive, original concept by Davey Shafik. Phar fully realized by Gregory Beaver and Marcus Boerger. Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On
phar.require_hash	On	On

php_epki

Ve	rsion	1.0

Directive	Local Value	Master Value
epki.EPKIApiConf	/user/gpki/epki/conf/epkiapi.conf	/user/gpki/epki/conf/epkiapi.conf
epki.EPKICAInfoConf	/user/gpki/epki/conf/cainfo.conf	/user/gpki/epki/conf/cainfo.conf
epki.EPKIConfpath	/user/gpki/epki/conf	/user/gpki/epki/conf
epki.EPKIServerConf	/user/gpki/epki/conf/server.conf	/user/gpki/epki/conf/server.conf

posix

Revision	\$Revision: 313665 \$
----------	-----------------------

Reflection

Reflection	enabled
Version	\$Revision: 313665 \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	no value	no value
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	/user/php5/tmp	/user/php5/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

${\sf SimpleXML}$

Simplexml support	enabled
Revision	\$Revision: 314376 \$
Schema support	enabled

phpinfo() 페이지 8 / 11

SPL

SPL support	enabled		
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject		
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException		

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 306939 2011-01-01 02:19:59Z felipe \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	no value	no value

sybase_ct

Sybase_CT Support	enabled
Active Persistent Links	0
Active Links	0
Min server severity	10
Min client severity	10
Application Name	PHP 5.3.8
Deadlock retry count	0

Directive	Local Value	Master Value
sybct.allow_persistent	On	On

phpinfo() 페이지 9 / 11

sybct.deadlock_retry_count	0	0
sybct.hostname	no value	no value
sybct.login_timeout	-1	-1
sybct.max_links	Unlimited	Unlimited
sybct.max_persistent	Unlimited	Unlimited
sybct.min_client_severity	10	10
sybct.min_server_severity	10	10

tokenizer

Tokenizer Support enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.21

xmlreader

XMLReader	enabled

xmlwriter

3/8 41347 21	1.1 1
XMLWriter	enabled

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name

Environment

Variable	Value
-	/user/apache/bin/httpd
LANG	en_US
LOGIN	root
G_BROKEN_FILENAMES	1
YIELDLOOPTIME	8
PATH	/user/bind/sbin:/user/bind/bin:/opt/freeware/bin:/usr/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb:/usr/bin/X11:/sbin:/user/mysql/bin:/usr/java/bin:/opt/freetds/bin:/usr/java5/bin
OLDPWD	/user/apache
AIXTHREAD_MUTEX_DEBUG	OFF
AIXTHREAD_RWLOCK_DEBUG	OFF
LC_FASTMSG	true
AIXTHREAD_COND_DEBUG	OFF
EDITOR	/bin/vi
CLASSPATH	/usr/java6_64/lib/tools.jar./usr/java6_64/jre/lib/security/local_policy.jar./usr/java6_64/jre/lib/security/US_export_policy.jar./usr/java6_64/lib/SCIVName_V1.jar
LOGNAME	root
MAIL	/usr/spool/mail/root
LOCPATH	/usr/lib/nls/loc
PS1	[www@root:\$PWD]#
SYBASE	/opt/sybase
LDR_CNTRL	MAXDATA=0x80000000

phpinfo() 페이지 10 / 11

USER	root
JRE_HOME	/usr/java6_64
DSQUERY	SYBASE
AUTHSTATE	compat
SHLVL	1
SHELL	/usr/bin/bash
ODMDIR	/etc/objrepos
JAVA_HOME	/usr/java6_64
HOME	/
NSORDER	local,bind
SPINLOOPTIME	1000
TERM	xterm
MAILMSG	[YOU HAVE NEW MAIL]
PWD	/user/apache/conf
TZ	KORST-9
MALLOCMULTIHEAP	considersize,heaps:8
AIXTHREAD_SCOPE	S
NLSPATH	/usr/lib/nls/msg/%L/%N:/usr/lib/nls/msg/%L/%N.cat
LIBPATH	/user/apache/lib:/user/gpki/epki:/opt/freeware/lib:/usr/lib:/user/mysql/lib/mysql:/usr/local/freetds/lib:/lib:/usr/local/lib:
LD_LIBRARY_PATH	/opr/freeware/lib:/usr/lib:/user/mysql/lib/mysql:/usr/local/freetds/lib:/lib

PHP Variables

Variable	Value
PHP_SELF	/tphp
_REQUEST["WT_FPC"]	id=20a37f84de036483fa51348705963513:lv=1349831318665:ss=1349830957876
_COOKIE["WT_FPC"]	id=20a37f84de036483fa51348705963513:iv=1349831318665:ss=1349830957876
_SERVER["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/rapplication/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
_SERVER	ko
["HTTP_ACCEPT_LANGUAGE"] _SERVER["HTTP_UA_CPU"]	x86
_SERVER["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1; GTB7.4; SLCC1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; .NET4.0C; .NET4.0E; InfoPath.3; .NET CLR 3.5.2
_SERVER[TITTI _OSER_AGENT]	35.30729; .NET CLR 3.0.30618)
_SERVER["HTTP_HOST"]	www.kbsi.re.kr
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	WT_FPC=id=20a37f84de036483fa51348705963513:lv=1349831318665:ss=1349830957876
_SERVER["PATH"]	/user/bind/sbin:/user/bind/bin:/opt/freeware/bin:/usr/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb:/usr/bin/X11:/sbin:/user/mysql/bin:/usr/java/bin:/opt/freeds/bin:/usr/bin/x11:/sbin:/user/mysql/bin:/usr/java/bin:/opt/freeds/bin/ysr/user/bin/x11:/sbin:/user/mysql/bin:/usr/java/bin:/opt/freeds/bin/ysr/user/bin/ysr/user/mysql/bin:/usr/java/bin:/opt/freeds/bin/ysr/user/bi
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.3 (Unix) Server at www.kbsi.re.kr Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.3 (Unix)
_SERVER["SERVER_NAME"]	www.kbsi.re.kr
_SERVER["SERVER_ADDR"]	203.253.244.50
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	172.16.245.160
_SERVER["DOCUMENT_ROOT"]	/user/www
_SERVER["SERVER_ADMIN"]	webmaster@www.kbsi.re.kr
_SERVER["SCRIPT_FILENAME"]	/user/www/t.php
_SERVER["REMOTE_PORT"]	50787
_SERVER ["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	no value
_SERVER["REQUEST_URI"]	/t.php
_SERVER["SCRIPT_NAME"]	/t.php
_SERVER["PHP_SELF"]	/tphp
_SERVER["REQUEST_TIME"]	1349859017
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
ENV[""]	/user/apache/bin/httpd
_ENV["LANG"]	en_US
_ENV["LOGIN"]	root
_ENV["G_BROKEN_FILENAMES"]	1
_ENV["YIELDLOOPTIME"]	8
_ENV["PATH"]	/user/bind/sbin:/user/bind/bin:/opt/freeware/bin:/usr/vac/bin:/usr/bin:/usr/bin:/usr/bin:/usr/bin:/user/bin/X11:/sbin:/user/mysql/bin:/usr/java/bin:/opt/freedds/sbin:/usr/bin/ystr/bin:/usr/bin/ystr/b

phpinfo() 페이지 11 / 11

_ENV["OLDPWD"]	/user/apache
_ENV	OFF
["AIXTHREAD_MUTEX_DEBUG"]	
_ENV	OFF
["AIXTHREAD_RWLOCK_DEBUG"] _ENV["LC_FASTMSG"]	truo
	true
_ENV ["AIXTHREAD_COND_DEBUG"]	OFF
_ENV["EDITOR"]	/bin/vi
_ENV["CLASSPATH"]	/usr/java6_64/lib/tools.jar:/usr/java6_64/jre/lib/security/local_policy.jar:/usr/java6_64/jre/lib/security/US_export_policy.jar:/usr/java6_64/lib/SCIVName_V1.jar
_ENV["LOGNAME"]	root
_ENV["MAIL"]	/usr/spool/mail/root
_ENV["LOCPATH"]	/usr/lib/nls/loc
_ENV["PS1"]	[www@root:\$PWD]#
_ENV["SYBASE"]	/opt/sybase
_ENV["LDR_CNTRL"]	MAXDATA=0x80000000
_ENV["USER"]	root
_ENV["JRE_HOME"]	/usr/java6_64
_ENV["DSQUERY"]	SYBASE
_ENV["AUTHSTATE"]	compat
_ENV["SHLVL"]	1
_ENV["SHELL"]	/usr/bin/bash
_ENV["ODMDIR"]	/etc/objrepos
_ENV["JAVA_HOME"]	/usr/java6_64
_ENV["HOME"]	/
_ENV["NSORDER"]	local,bind
_ENV["SPINLOOPTIME"]	1000
_ENV["TERM"]	xterm
_ENV["MAILMSG"]	[YOU HAVE NEW MAIL]
_ENV["PWD"]	/user/apache/conf
_ENV["TZ"]	KORST-9
_ENV["MALLOCMULTIHEAP"]	considersize,heaps:8
_ENV["AIXTHREAD_SCOPE"]	S
_ENV["NLSPATH"]	/usr/lib/nls/msg/%L/%N:/usr/lib/nls/msg/%L/%N.cat
_ENV["LIBPATH"]	/user/apache/lib:/user/gpki/epki:/opt/freeware/lib:/usr/lib:/user/mysql/lib/mysql:/usr/local/freetds/lib:/lib:/usr/local/lib:
_ENV["LD_LIBRARY_PATH"]	/opr/freeware/lib:/usr/lib:/user/mysql/lib/mysql:/usr/local/freetds/lib/lib

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.