

Resource id #2

172.16.245.160

<>김대현<>류윤수<>신형선<>김영환<>김관수

PHP Version 5.3.8

System	AIX ekp 3 5 00C38A104C00
Build Date	Nov 18 2011 14:43:38
Configure Command	'./configure' '--with-apxs2=/user/apache2/bin/apxs' '--with-sybase-ct=/usr/local/freetds' '--prefix=/user/php5' '--with-mysql=/user/mysql' '--with-gd' '--with-config-file-path=/user/php5' '--with-jpeg-dir=/usr/local' '--with-zlib-dir=/opt/freeware' '--enable-mbstring' '--disable-debug'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/user/php5
Loaded Configuration File	/user/php5/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	compress.zlib, php, file, glob, data, http, ftp, phar
Registered Stream Socket Transports	tcp, udp, unix, udg
Registered Stream Filters	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2011 Zend Technologies

Configuration

apache2handler

Apache Version	Apache/2.2.3 (Unix)
Apache API Version	20051115
Server Administrator	commin@kbsi.re.kr
Hostname:Port	ekp.kbsi.re.kr:0
User/Group	ekp(202)/202
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 256
Timeouts	Connection: 300 - Keep-Alive: 15

Virtual Server	No
Server Root	/user/apache2
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_filter mod_log_config mod_env mod_setenvif prefork http_core mod_mime mod_status mod_autoindex mod_asis mod_cgi mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
SCRIPT_URL	/t.php
SCRIPT_URI	http://ekp.kbsi.re.kr/t.php
HTTP_ACCEPT	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
HTTP_ACCEPT_LANGUAGE	ko
HTTP_UA_CPU	x86
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_USER_AGENT	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1; GTB7.4; SLCC1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; .NET4.0C; .NET4.0E; InfoPath.3; .NET CLR 3.5.21022; .NET CLR 3.5.30729; .NET CLR 3.0.30618)
HTTP_HOST	ekp.kbsi.re.kr
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	WT_FPC=id=20a37f84de036483fa51348705963513;lv=1349831318665:ss=1349830957876; userKID=57CCF7AD000000009; userID=commin; PHPSESSID=1885188d0842cf3c74561f2ce5b9989f
PATH	/opt/freeware/bin:/opt/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb:/bin:/usr/bin/X11:/sbin:/user/gpki/epki..
SERVER_SIGNATURE	<address>Apache/2.2.3 (Unix) Server at ekp.kbsi.re.kr Port 80</address>
SERVER_SOFTWARE	Apache/2.2.3 (Unix)
SERVER_NAME	ekp.kbsi.re.kr
SERVER_ADDR	203.253.245.10
SERVER_PORT	80
REMOTE_ADDR	172.16.245.160
DOCUMENT_ROOT	/user/htdocs
SERVER_ADMIN	commin@kbsi.re.kr
SCRIPT_FILENAME	/user/htdocs/t.php
REMOTE_PORT	50708
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/t.php
SCRIPT_NAME	/t.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /t.php HTTP/1.1
Accept	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
Accept-Language	ko
UA-CPU	x86
Accept-Encoding	gzip, deflate

User-Agent	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1; GTB7.4; SLCC1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; .NET4.0C; .NET4.0E; InfoPath.3; .NET CLR 3.5.21022; .NET CLR 3.5.30729; .NET CLR 3.0.30618)
Host	ekp.kbsi.re.kr
Connection	Keep-Alive
Cookie	WT_FPC=id=20a37f84de036483fa51348705963513;lv=1349831318665:ss=1349830957876; userKID=57CCF7AD00000009; userID=commin; PHPSESSID=1885188d0842cf3c74561f2ce5b9989f
HTTP Response Headers	
Keep-Alive	timeout=15, max=256
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

Core

PHP Version	5.3.8
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	Off	Off
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	On	On
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	0	0
exit_on_timeout	Off	Off
expose_php	Off	Off
extension_dir	/user/gpki/epki	/user/gpki/epki
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off

ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./user/include:/ekp/KBSIWEB/include:	./user/include:/ekp/KBSIWEB/include:
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	On	On
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	524288000	524288000
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	On	On
register_long_arrays	On	On
report_memleaks	On	On
report_zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	524288000	524288000
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	Off	Off
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	2011.8
Timezone Database	internal
Default timezone	Asia/Seoul

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Asia/Seoul	Asia/Seoul

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.21
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 313665 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.8
WBMP Support	enabled
XBM Support	enabled

--	--	--

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	IBM iconv
iconv library version	unknown

Directive	Local Value	Master Value
iconv.input_encoding	ISO8859-1	ISO8859-1
iconv.internal_encoding	ISO8859-1	ISO8859-1
iconv.output_encoding	ISO8859-1	ISO8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.6.21
libXML Loaded Version	20621
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral

mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.37
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/user/mysql/include/mysql
MYSQL_LIBS	-L/user/mysql/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	sqlite, sqlite2

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 314419 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)

OpenSSL support	disabled (install ext/openssl)
-----------------	--------------------------------

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

php_epki

Version	1.0
---------	-----

Directive	Local Value	Master Value
epki.EPKIApiConf	/user/gpki/epki/conf/epkiapi.conf	/user/gpki/epki/conf/epkiapi.conf
epki.EPKICAInfoConf	/user/gpki/epki/conf/cainfo.conf	/user/gpki/epki/conf/cainfo.conf
epki.EPKIConfpath	/user/gpki/epki/conf	/user/gpki/epki/conf
epki.EPKIServerConf	/user/gpki/epki/conf/server.conf	/user/gpki/epki/conf/server.conf

posix

Revision	\$Revision: 313665 \$
----------	-----------------------

Reflection

Reflection	enabled
Version	\$Revision: 313665 \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	10800	10800
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>

session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 314376 \$
Schema support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 306939 2011-01-01 02:19:59Z felipe \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60

from	<i>no value</i>	<i>no value</i>
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

sybase_ct

Sybase_CT Support	enabled
Active Persistent Links	0
Active Links	1
Min server severity	10
Min client severity	10
Application Name	PHP 5.3.8
Deadlock retry count	0

Directive	Local Value	Master Value
sybct.allow_persistent	On	On
sybct.deadlock_retry_count	0	0
sybct.hostname	<i>no value</i>	<i>no value</i>
sybct.login_timeout	-1	-1
sybct.max_links	Unlimited	Unlimited
sybct.max_persistent	Unlimited	Unlimited
sybct.min_client_severity	10	10
sybct.min_server_severity	10	10

tokenizer

Tokenizer Support	enabled
-------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.21

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
_	/user/apache2/bin/httpd
LANG	en_US
LOGIN	root
YIELDLOOPTIME	8
PATH	/opt/freeware/bin:/opt/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb:/bin:/usr/bin/X11:/sbin:/user/gpki/epki.
AIXTHREAD_MUTEX_DEBUG	OFF
AIXTHREAD_RWLOCK_DEBUG	OFF
LC_FASTMSG	true
AIXTHREAD_COND_DEBUG	OFF
EDITOR	/bin/vi
LOGNAME	root
MAIL	/usr/spool/mail/root
LOCPATH	/usr/lib/nls/loc
PS1	[ekp@root:\$PWD]#
SYBASE	/ekp/KBSIWEB/sybase
LDR_CNTRL	MAXDATA=0x80000000
USER	root
AUTHSTATE	compat
SHLVL	1
SHELL	/usr/bin/bash
ODMDIR	/etc/objrepos
HOME	/
SPINLOOPTIME	1000
TERM	xterm
MAILMSG	[YOU HAVE NEW MAIL]
PWD	/
TZ	KORST-9
MALLOCMULTIHEAP	considersize,heaps:8
AIXTHREAD_SCOPE	S
NLSPATH	/usr/lib/nls/msg/%L/%N:/usr/lib/nls/msg/%L/%N.cat
LIBPATH	/user/apache2/lib:/usr/lib/inst_updt:/opt/freeware/lib:/opt/vac/lib:/opt/vacpp/lib:/usr/lib:/lib:/user/mysql/lib/mysql:/user/gpki/epki

PHP Variables

Variable	Value
PHP_SELF	/t.php
_REQUEST["WT_FPC"]	id=20a37f84de036483fa51348705963513:lv=1349831318665:ss=1349830957876
_REQUEST["userKID"]	57CCF7AD00000009
_REQUEST["userID"]	commin
_REQUEST["PHPSESSID"]	1885188d0842cf3c74561f2ce5b9989f
_COOKIE["WT_FPC"]	id=20a37f84de036483fa51348705963513:lv=1349831318665:ss=1349830957876
_COOKIE["userKID"]	57CCF7AD00000009
_COOKIE["userID"]	commin
_COOKIE["PHPSESSID"]	1885188d0842cf3c74561f2ce5b9989f
_SERVER["SCRIPT_URL"]	/t.php
_SERVER["SCRIPT_URI"]	http://ekp.kbsi.re.kr/t.php
_SERVER["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
_SERVER["HTTP_ACCEPT_LANGUAGE"]	ko
_SERVER["HTTP_UA_CPU"]	x86

_SERVER ["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1; GTB7.4; SLCC1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; .NET4.0C; .NET4.0E; InfoPath.3; .NET CLR 3.5.21022; .NET CLR 3.5.30729; .NET CLR 3.0.30618)
_SERVER["HTTP_HOST"]	ekp.kbsi.re.kr
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	WT_FPC=id=20a37f84de036483fa51348705963513;lv=1349831318665:ss=1349830957876; userKID=57CCF7AD000000009; userID=commin; PHPSESSID=1885188d0842cf3c74561f2ce5b9989f
_SERVER["PATH"]	/opt/freeware/bin:/opt/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb://bin:/usr/bin/X11:/sbin:/user/gpki/epki.
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.3 (Unix) Server at ekp.kbsi.re.kr Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.3 (Unix)
_SERVER["SERVER_NAME"]	ekp.kbsi.re.kr
_SERVER["SERVER_ADDR"]	203.253.245.10
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	172.16.245.160
_SERVER["DOCUMENT_ROOT"]	/user/htdocs
_SERVER["SERVER_ADMIN"]	commin@kbsi.re.kr
_SERVER["SCRIPT_FILENAME"]	/user/htdocs/t.php
_SERVER["REMOTE_PORT"]	50708
_SERVER ["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/t.php
_SERVER["SCRIPT_NAME"]	/t.php
_SERVER["PHP_SELF"]	/t.php
_SERVER["REQUEST_TIME"]	1349858608
_SERVER["argv"]	Ar ray ()
_SERVER["argc"]	0
ENV[""]	/user/apache2/bin/httpd
_ENV["LANG"]	en_US
_ENV["LOGIN"]	root
_ENV["YIELDLOOPTIME"]	8
_ENV["PATH"]	/opt/freeware/bin:/opt/vac/bin:/usr/bin:/etc:/usr/sbin:/usr/ucb://bin:/usr/bin/X11:/sbin:/user/gpki/epki.
_ENV ["AIXTHREAD_MUTEX_DEBUG"]	OFF
_ENV ["AIXTHREAD_RWLOCK_DEBUG"]	OFF
_ENV["LC_FASTMSG"]	true
_ENV ["AIXTHREAD_COND_DEBUG"]	OFF
_ENV["EDITOR"]	/bin/vi
_ENV["LOGNAME"]	root
_ENV["MAIL"]	/usr/spool/mail/root
_ENV["LOCPATH"]	/usr/lib/nls/loc
_ENV["PS1"]	[ekp@root:\$PWD]#
_ENV["SYBASE"]	/ekp/KBSIWEB/sybase
_ENV["LDR_CNTRL"]	MAXDATA=0x80000000
_ENV["USER"]	root
_ENV["AUTHSTATE"]	compat
_ENV["SHLVL"]	1
_ENV["SHELL"]	/usr/bin/bash
_ENV["ODMDIR"]	/etc/objrepos
_ENV["HOME"]	/
_ENV["SPINLOOPTIME"]	1000
_ENV["TERM"]	xterm
_ENV["MAILMSG"]	[YOU HAVE NEW MAIL]

_ENV["PWD"]	/
_ENV["TZ"]	KORST-9
_ENV["MALLOCMULTIHEAP"]	considersize,heaps:8
_ENV["AIXTHREAD_SCOPE"]	S
_ENV["NLSPATH"]	/usr/lib/nls/msg/%L/%N:/usr/lib/nls/msg/%L/%N.cat
_ENV["LIBPATH"]	/user/apache2/lib:/usr/lib/inst_updt:/opt/freeware/lib:/opt/vac/lib:/opt/vacpp/lib:/usr/lib:/lib:/user/mysql/lib/mysql:/user/gpki/epki

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.