IHP

SG13G2

SG13G2 DC CV PMOS LV

Rev. 1.2 (190924)

Date: February 4, 2023

Table of Content:

1 Documentation 5
1.1 Included Effects in Simulation Model 5
1.2 Time range measurement 5
2 Setup 6
2.1 Measurement Conditions 6
2.1.1 Measurement Conditions for Transistors 6
2.1.2 Measurement Conditions for Capacitance 7
2.2 Devices 7
2.2.1 Setup of DC Test Devices 7
2.2.2 Setup of CV Test Devices 10
3 Corner Devices 12
3.1 Target Values vs. Simulated Values 12
3.1.1 W = 10.00u, L = 130.0n, NF = 1 12
3.1.2 W = 10.00u, L = 10.00u, NF = 1 12
3.1.3 W = 150.0n, L = 130.0n, NF = 1 12
3.1.4 W = 150.0n, L = 10.00u, NF = 1 12
4 DC Transistors 13
4.1 Summarized Results 13
4.1.1 Threshold Voltage Linear Region 13
4.1.2 Threshold Voltage in Saturation 14
4.1.3 Maximum Drain Current in Linear Region 14
4.1.4 Maximum Drain Current in Saturation Region 15
4.2 W10u0_L10u0_S549_5 16
4.3 W0u15_L10u0_S555_3 40
4.4 W10u0_L0u13_S548_2 64
4.5 W0u15_L0u13_S554_3 88
4.6 W10u0_L0u14_S548_3 112
4.7 W10u0_L0u18_S548_5 118
4.8 W10u0_L0u5_S549_1 142
4.9 W10u0_L1u2_S549_2 148
4.10 W10u0_L5u0_S549_4 154
4.11 W10u0_L2u0_S549_3 160

4.12 W10u0_L0u15_S548_4 166
4.13 W0u6_L10u0_S552_1 172
4.14 W0u18_L10u0_S554_1 178
4.15 W0u3_L10u0_S553_2 184
4.16 W05u0_L10u0_S550_3 208
4.17 W02u0_L10u0_S551_1 214
4.18 W02u0_L2u0_S550_5 220
4.19 W0u18_L0u14_S553_4 226
4.20 W0u18_L0u15_S553_5 232
4.21 W0u6_L0u5_S551_4 238
4.22 W0u6_L1u2_S551_5 244
4.23 W0u3_L0u14_S552_3 250
4.24 W0u6_L0u13_S551_2 256
4.25 W0u6_L0u18_S551_3 262
4.26 W0u3_L0u15_S552_4 268
4.27 W02u0_L0u13_S550_4 274
4.28 W0u15_L0u14_S554_4 280
4.29 W05u0_L0u13_S550_1 286
4.30 W0u15_L0u15_S554_5 292
4.31 W0u3_L0u18_S552_5 298
4.32 W0u3_L0u13_S552_2 304
4.33 W05u0_L5u0_S550_2 328
4.34 W0u15_L0u5_S555_2 334
4.35 W0u3_L0u5_S553_1 340
4.36 W0u15_L0u18_S555_1 346
4.37 W0u18_L0u13_S553_3 370
4.38 W0u15_L0u12_S554_2 376
4.39 W10u0_L0u12_S548_1 382
4.40 W10u0_L0u13_S382_2 388
4.41 W10u0_L0u13_T356_S382_2 394
5 Capacitances 400
5.1 Gate Oxide Capacitance 400
5.2 Junction Capacitance Bulk - Drain 400
5.3 Junction Capacitance Bulk - Source 401

5.4 Overlap Capacitance 401
6 Diodes 402
6.1 Diode Bulk - Drain 402
6.2 Diode Bulk - Source 403
7 Temperature Measurement 404
7.1 Transistors 404
7.1.1 W10u0_L10u0_S549_5 404
7.1.2 W0u15_L10u0_S555_3 405
7.1.3 W10u0_L0u13_S548_2 406
7.1.4 W0u15_L0u13_S554_3 407
7.1.5 W10u0_L0u18_S548_5 409
7.1.6 W0u3_L10u0_S553_2 410
7.1.7 W0u3_L0u13_S552_2 411
7.1.8 W0u15_L0u18_S555_1 412
7.2 Junction Capacitance 413
7.2.1 Bulk - Drain 413
7.2.2 Bulk - Source 413
7.3 Parasitic Diodes 414
7.3.1 Bulk - Drain 414
7.3.2 Bulk - Source 415
8 Flicker Noise 416
8.1 Measurement Conditions 416
8.2 Devices 416
9 Change History 417

1 Documentation

1.1 Included Effects in Simulation Model

General	Date, Version	24.09.2019
	Processversion	SG13G2
	Simulator	ADS 2019, Spectre 18.1
	Simulation model	PSP 103.6
	Warning Boundaries	On

Statistic	Corner	x
	Process variations for Monte Carlo Simulation	e
	Mismatch	x
Transistor	DC behavior	x
	Drain diode	x
	Overlap cap.	x
	Junction cap.	x
	1/f Noise	x_1
	HF / Thermal Noise	-
	Substrate resistance (RF)	x_2
	Gate resistance (RF)	x_2
Temperature	-40°C, 25°C, 70°C, 125°C	x

- x measured and modelled
- x_1 parameters taken from SG13
- x_2 measurements are done from a different wafer run than DC model which leads to slight offsets
- e estimated and modelled
- o not included
- - not applicable

1.2 Time range measurement

The verification of the time range measurements is done by the standard IHP verification procedure.

2 Setup

2.1 Measurement Conditions

2.1.1 Measurement Conditions for Transistors

	Sweep	Start[V]	Stop[V]	No. Points	List or f(Vth)
idvg	vg	-500m	1.35	38	
	vb	0	-1.2	7	
	vd	List		3	0.05, 0.6, 1.2
	vs	0		1	
idvd	vd	0	1.35	28	
	vg	Lin f(Vth)	1.35	5	Ref. Setup: idvg Idref: 100.0n Offset: 100.0m Resolution: 1.000m
	vb	0		1	
	vs	0		1	
idvd_vbmin	vd	0	1.35	28	
	vg	Lin f(Vth)	1.35	5	Ref. Setup: idvg Idref: 100.0n Offset: 100.0m Resolution: 1.000m
	vb	-1.2		1	
	vs	0		1	
idvd_vth	vd	0	1.35	28	
	vg	List f(Vth)		3	Ref. Setup: idvg Idref: 100.0n Offset: -200.0m Resolution: 1.000m Steps: 200.0m 200.0m
	vb	0		1	
	vs	0		1	
idvd_vth_vbmin	vd	0	1.35	28	
	vg	List		3	Ref. Setup: idvg

		f(Vth)			Idref: 100.0n Offset: -200.0m Resolution: 1.000m Steps: 200.0m 200.0m
	vb	-1.2		1	
	vs	0		1	
RF idvg	vg	0	1.35	28	
	vd	List		3	0.05, 0.6, 1.2
RF idvd	vd	0	1.35	28	
	vg	0	1.35	5	
RF sdut	freq	100MEG	47.6G	31	
	vd	0	1.35	10	
	vg	0	1.35	10	

2.1.2 Measurement Conditions for Capacitance

	Sweep	Start[V]	Step[V]	Stop[V]	High Node	Low Node
Junction Bulk-Drain	1 VHI	5	-200m	-200m	B	D
Junction Bulk-Source	1 VHI	1	-20m	-300m	B	S
Oxide	1 VHI	-1.35	50m	1.35	B	G
Overlap	1 VHI	1.35	-50m	-1.35	G	D

2.2 Devices

2.2.1 Setup of DC Test Devices

Name	W[um]	L[um]	AD[um²]	AS[um²]	PD[um]	PS[um]	NRD	NRS	NF	Comment	Size Category
W10u0_L10u0_S549_5	10	10	3.4	3.4	20.7	20.7	0	0	1		Large

W0u15_L10u0_S555_3	150 m	10	101 m	101 m	1.34	1.34	0	0	1		Narrow
W10u0_L0u13_S548_2	10	130 m	3.4	3.4	20.7	20.7	0	0	1		Short
W0u15_L0u13_S554_3	150 m	130 m	101 m	101 m	1.34	1.34	0	0	1		Small
W10u0_L0u14_S548_3	10	140 m	3.4	3.4	20.7	20.7	0	0	1		L Scale
W10u0_L0u18_S548_5	10	180 m	3.4	3.4	20.7	20.7	0	0	1		L Scale
W10u0_L0u5_S549_1	10	500 m	3.4	3.4	20.7	20.7	0	0	1		L Scale
W10u0_L1u2_S549_2	10	1.2	3.4	3.4	20.7	20.7	0	0	1		L Scale
W10u0_L5u0_S549_4	10	5	3.4	3.4	20.7	20.7	0	0	1		L Scale
W10u0_L2u0_S549_3	10	2	3.4	3.4	20.7	20.7	0	0	1		L Scale
W10u0_L0u15_S548_4	10	150 m	3.4	3.4	20.7	20.7	0	0	1		L Scale
W0u6_L10u0_S552_1	600 m	10	204 m	204 m	1.88	1.88	0	0	1		W Scale
W0u18_L10u0_S554_1	180 m	10	103 m	103 m	1.34	1.34	0	0	1		W Scale
W0u3_L10u0_S553_2	300 m	10	102 m	102 m	1.28	1.28	0	0	1		W Scale
W05u0_L10u0_S550_3	5	10	1.7	1.7	10.7	10.7	0	0	1		W Scale
W02u0_L10u0_S551_1	2	10	680 m	680 m	4.68	4.68	0	0	1		W Scale
W02u0_L2u0_S550_5	2	2	680 m	680 m	4.68	4.68	0	0	1		LW Scale
W0u18_L0u14_S553_4	180 m	140 m	103 m	103 m	1.34	1.34	0	0	1		LW Scale
W0u18_L0u15_S553_5	180 m	150 m	103 m	103 m	1.34	1.34	0	0	1		LW Scale
W0u6_L0u5_S551_4	600 m	500 m	204 m	204 m	1.88	1.88	0	0	1		LW Scale
W0u6_L1u2_S551_5	600 m	1.2	204 m	204 m	1.88	1.88	0	0	1		LW Scale
W0u3_L0u14_S552_3	300	140	102	102	1.2	1.2	0	0	1		LW

	m	m	m	m	8	8					Scale
W0u6_L0u13_S551_2	600 m	130 m	204 m	204 m	1.8 8	1.8 8	0	0	1		LW Scale
W0u6_L0u18_S551_3	600 m	180 m	204 m	204 m	1.8 8	1.8 8	0	0	1		LW Scale
W0u3_L0u15_S552_4	300 m	150 m	102 m	102 m	1.2 8	1.2 8	0	0	1		LW Scale
W02u0_L0u13_S550_4	2	130 m	680 m	680 m	4.6 8	4.6 8	0	0	1		LW Scale
W0u15_L0u14_S554_4	150 m	140 m	101 m	101 m	1.3 4	1.3 4	0	0	1		LW Scale
W05u0_L0u13_S550_1	5	130 m	1.7	1.7	10. 7	10. 7	0	0	1		LW Scale
W0u15_L0u15_S554_5	150 m	150 m	101 m	101 m	1.3 4	1.3 4	0	0	1		LW Scale
W0u3_L0u18_S552_5	300 m	180 m	102 m	102 m	1.2 8	1.2 8	0	0	1		LW Scale
W0u3_L0u13_S552_2	300 m	130 m	102 m	102 m	1.2 8	1.2 8	0	0	1		LW Scale
W05u0_L5u0_S550_2	5	5	1.7	1.7	10. 7	10. 7	0	0	1		LW Scale
W0u15_L0u5_S555_2	150 m	500 m	101 m	101 m	1.3 4	1.3 4	0	0	1		LW Scale
W0u3_L0u5_S553_1	300 m	500 m	102 m	102 m	1.2 8	1.2 8	0	0	1		LW Scale
W0u15_L0u18_S555_1	150 m	180 m	101 m	101 m	1.3 4	1.3 4	0	0	1		LW Scale
W0u18_L0u13_S553_3	180 m	130 m	103 m	103 m	1.3 4	1.3 4	0	0	1		LW Scale
W0u15_L0u12_S554_2	150 m	120 m	101 m	101 m	1.3 4	1.3 4	0	0	1		Additional
W10u0_L0u12_S548_1	10	120 m	3.4	3.4	20. 7	20. 7	0	0	1		Additional
W10u0_L0u13_S382_2	10	130 m	3.4	3.4	20. 7	20. 7	0	0	1		Short
W10u0_L0u13_T356_S382_2	10	130 m	0	0	0	0	0	0	1		Short

2.2.2 Setup of CV Test Devices

Name	W[um]	L[um]	NF	AD[um²]	AS[um²]	PD[um]	PS[um]	Comment	Size Category
Junction Capacitance Bulk - Drain									
CJBDarea_S351B_1			1	37.5 K		850		B-High, S/D-Low	BD Area
CJBDperim_S351B_2			1	28.6 K		102K		B-High, S/D-Low	BD Perim
Junction Capacitance Bulk - Source									
CJBSarea_S351B_1			1	0		0		B-High, S/D-Low	BS Area
CJBSperim_S351B_2			1	0		0		B-High, S/D-Low	BS Perim
Oxide Capacitance									
Cox_S346K_4	160	250	1					B-High, G-Low	Oxide
Overlap Capacitance									
Cgds3_S351B_13	400	10	40	79.8	79.8	436	436	G-High, S/D-Low, B+Sub-GND	Overlap 2 GDS
Cgds2_S351B_12	6.6 K	250 m	660	1.26 K	1.26 K	6.87 K	6.87 K	G-High, S/D-Low, B+Sub-GND	Overlap 1 GDS
Cgds1_S351B_11	8K	130	80	1.52	1.52	8.32	8.32	G-	Overlap

		m	0	K	K	K	K	High, S/D-Low, B+Sub-GND	GDS
Cgdsb2_S351B_12	6.6K	250m	660	1.26K	1.26K	6.87K	6.87K	G-High, S/D+B-Low	Overlap 1 GDSB
Cgdsb1_S351B_11	8K	130m	800	1.52K	1.52K	8.32K	8.32K	G-High, S/D+B-Low	Overlap GDSB
Cgdsb3_S351B_13	400	10	40	79.8	79.8	436	436	G-High, S/D+B-Low	Overlap 2 GDSB

3 Corner Devices

3.1 Target Values vs. Simulated Values

3.1.1 W = 10.00u, L = 130.0n, NF = 1

	Slow			Typic.			Fast		
	Target	Sim.	Error [%]	Target	Sim.	Error [%]	Target	Sim.	Error [%]
VT	-520m	-524m	-0.73	-460m	-460m	0.1	-410m	-411m	-0.16
Ron*W	-	-	-	2.2	2.18	-0.76	-	-	-
Ion/W	-160	-161	-0.87	-205	-203	0.93	-260	-261	-0.48
log(Ioff/W)	-11.5	-11.6	1.18	-10.4	-10.4	1.07	-9.5	-9.51	0.21

3.1.2 W = 10.00u, L = 10.00u, NF = 1

	Slow			Typic.			Fast		
	Target	Sim.	Error [%]	Target	Sim.	Error [%]	Target	Sim.	Error [%]
VT	-400m	-403m	-0.67	-350m	-352m	-0.72	-300m	-303m	-0.86
Ion/W	-2.45	-2.45	0	-2.7	-2.69	0.36	-2.95	-2.96	-0.37

3.1.3 W = 150.0n, L = 130.0n, NF = 1

	Slow			Typic.			Fast		
	Target	Sim.	Error [%]	Target	Sim.	Error [%]	Target	Sim.	Error [%]
VT	-560m	-564m	-0.73	-470m	-473m	-0.65	-380m	-378m	0.64
Ion/W	-240	-240	0.1	-315	-318	-0.78	-390	-391	-0.19

3.1.4 W = 150.0n, L = 10.00u, NF = 1

	Slow			Typic.			Fast		
	Target	Sim.	Error [%]	Target	Sim.	Error [%]	Target	Sim.	Error [%]
Ion/W	-3.25	-3.23	0.54	-3.85	-3.85	0.14	-4.45	-4.48	-0.67

4 DC Transistors

4.1 Summarized Results

4.1.1 Threshold Voltage Linear Region









4.1.2 Threshold Voltage in Saturation









4.1.3 Maximum Drain Current in Linear Region









4.1.4 Maximum Drain Current in Saturation Region









4.2 W10u0_L10u0_S549_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.3 W0u15_L10u0_S555_3

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.4 W10u0_L0u13_S548_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.5 W0u15_L0u13_S554_3

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.6 W10u0_L0u14_S548_3

idvg, Vd = -0.05V, T = 27°C

Id = f(Vg, Vb) @ Vd=low



Id = f(Vg, Vb) @ Vd=low



gm = f(Vg, Vb) @ Vd=low



gm² = f(Vg, Vb) @ Vd=low



Vth @ Vd=low



gm/id=f(id.m) @ Vd=low







idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.7 W10u0_L0u18_S548_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.8 W10u0_L0u5_S549_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.9 W10u0_L1u2_S549_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.10W10u0_L5u0_S549_4

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.11 W10u0_L2u0_S549_3

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.12 W10u0_L0u15_S548_4

idvg, Vd = -0.05V, T = 27°C

Id = f(Vg, Vb) @ Vd=low



Id = f(Vg, Vb) @ Vd=low



gm = f(Vg, Vb) @ Vd=low



gm² = f(Vg, Vb) @ Vd=low



Vth @ Vd=low



gm/id=f(id.m) @ Vd=low







idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.13 W0u6_L10u0_S552_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.14 W0u18_L10u0_S554_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.15W0u3_L10u0_S553_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.16 W05u0_L10u0_S550_3

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.17W02u0_L10u0_S551_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.18 W02u0_L2u0_S550_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.19W0u18_L0u14_S553_4

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.20W0u18_L0u15_S553_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.21 W0u6_L0u5_S551_4

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.22 W0u6_L1u2_S551_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.23 W0u3_L0u14_S552_3

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.24 W0u6_L0u13_S551_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.25W0u6_L0u18_S551_3

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.26W0u3_L0u15_S552_4

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.27W02u0_L0u13_S550_4

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.28W0u15_L0u14_S554_4

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.29W05u0_L0u13_S550_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.30 W0u15_L0u15_S554_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.31 W0u3_L0u18_S552_5

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.32 W0u3_L0u13_S552_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.33 W05u0_L5u0_S550_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.34 W0u15_L0u5_S555_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.35W0u3_L0u5_S553_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.36 W0u15_L0u18_S555_1

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







idvg, Vd = -0.05V, T = -40°C

















idvg, Vd = -1.2V, T = -40°C

















idvg, Ib,Ig, Vb = 0V, T = -40°C





idvg, Ib,Ig, Vb = 1.2V, T = -40°C





idvd, Vb = 0V, T = -40°C







idvd_vbmin, Vb = 1.2V, T = -40°C







idvd_vth, Vb = 0V, T = -40°C







idvd_vth_vbmin, Vb = 1.2V, T = -40°C







idvg, Vd = -0.05V, T = 70°C

















idvg, Vd = -1.2V, T = 70°C

















idvg, Ib,Ig, Vb = 0V, T = 70°C





idvg, Ib,Ig, Vb = 1.2V, T = 70°C





idvd, Vb = 0V, T = 70°C







idvd_vbmin, Vb = 1.2V, T = 70°C







idvd_vth, Vb = 0V, T = 70°C







idvd_vth_vbmin, Vb = 1.2V, T = 70°C







idvg, Vd = -0.05V, T = 125°C

















idvg, Vd = -1.2V, T = 125°C

















idvg, Ib,Ig, Vb = 0V, T = 125°C





idvg, Ib,Ig, Vb = 1.2V, T = 125°C





idvd, Vb = 0V, T = 125°C







idvd_vbmin, Vb = 1.2V, T = 125°C







idvd_vth, Vb = 0V, T = 125°C







idvd_vth_vbmin, Vb = 1.2V, T = 125°C







4.37W0u18_L0u13_S553_3

idvg, Vd = -0.05V, T = 27°C

Id = f(Vg, Vb) @ Vd=low



Id = f(Vg, Vb) @ Vd=low



gm = f(Vg, Vb) @ Vd=low



gm² = f(Vg, Vb) @ Vd=low



Vth @ Vd=low



gm/id=f(id.m) @ Vd=low







idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.38 W0u15_L0u12_S554_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.39W10u0_L0u12_S548_1

idvg, Vd = -0.05V, T = 27°C

Id = f(Vg, Vb) @ Vd=low



Id = f(Vg, Vb) @ Vd=low



gm = f(Vg, Vb) @ Vd=low



gm² = f(Vg, Vb) @ Vd=low



Vth @ Vd=low



gm/id=f(id.m) @ Vd=low







idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.40W10u0_L0u13_S382_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







4.41 W10u0_L0u13_T356_S382_2

idvg, Vd = -0.05V, T = 27°C

















idvg, Vd = -1.2V, T = 27°C

















idvg, Ib,Ig, Vb = 0V, T = 27°C





idvg, Ib,Ig, Vb = 1.2V, T = 27°C





idvd, Vb = 0V, T = 27°C







idvd_vbmin, Vb = 1.2V, T = 27°C







idvd_vth, Vb = 0V, T = 27°C







idvd_vth_vbmin, Vb = 1.2V, T = 27°C







5 Capacitances

5.1 Gate Oxide Capacitance



5.2 Junction Capacitance Bulk - Drain



Area



Perimeter

5.3 Junction Capacitance Bulk - Source



Area



Perimeter

5.4 Overlap Capacitance



Gate - Drain,Source



Gate - Drain,Source,Bulk

6 Diodes

6.1 Diode Bulk - Drain



Area



Area



Perimeter



Perimeter

6.2 Diode Bulk - Source



Area



Area



Perimeter



Perimeter

7 Temperature Measurement

7.1 Transistors

7.1.1 W10u0_L10u0_S549_5



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.2 W0u15_L10u0_S555_3



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.3 W10u0_L0u13_S548_2



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.4 W0u15_L0u13_S554_3



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.5 W10u0_L0u18_S548_5



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.6 W0u3_L10u0_S553_2



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.7 W0u3_L0u13_S552_2



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.1.8 W0u15_L0u18_S555_1



Id = f (vg, T) @ low Vds, Vbs = 0



log(Id) = f (vg, T) @ low Vds, Vbs = 0



Id = f (vg, T) @ low Vds, Vbs = max



log(Id) = f (vg, T) @ low Vds, Vbs = max



Id = f (Vd, Vg, T) @ Vbs = 0

7.2 Junction Capacitance

7.2.1 Bulk - Drain



Area



Perimeter

7.2.2 Bulk - Source



Area



Perimeter

7.3 Parasitic Diodes

7.3.1 Bulk - Drain



Area



Area



Perimeter



Perimeter

7.3.2 Bulk - Source



Area



Area



Perimeter



Perimeter

8 Flicker Noise

Flicker noise model parameters are taken from the SG13 simulation models.

8.1 Measurement Conditions

Not defined as no flicker noise measurements are yet done on SG13G2 devices.

8.2 Devices

Not defined as no flicker noise measurements are yet done on SG13G2 devices.

9 Change History

Revision	Device	Changes
190606	All	Initial version
190730	All	Adjust temperature and RF behavior
190924	Summarized Results	Legend added