

Contact Preferences & Control Panel (Screen 3)

US #95 TASK #

Author: Prerana Kumsi

Screen 3: Contacts Settings Panel

Purpose

- Allow users to configure **persistent preferences for auto-response behavior per contact**.
- These preferences act as **long-term feedback signals about relationship context**.

UI Structure

Page Header

Contacts

Right side:

⚙ Settings icon

Search Bar

Component:

Search contacts...

Allows filtering contact list.

Contact List Layout

Each row includes:

Avatar initials

Name

Relationship label

Toggle switch
Dropdown arrow

Example Contact Entry

Sarah Jenkins
Manager

Toggle: ON

Allow / Block Toggle

Switch behavior:

ON → Auto-response enabled
OFF → Auto-response disabled

Purpose

Users may disable auto-responses for:

- family
- sensitive contacts
- personal relationships

Blocking is a strong **trust preference signal**.

Contact Preference Dropdown

Expandable panel.

When opened:

Options include:

Auto-response tone

Formal
Casual
Friendly
Professional

Example Preferences

Sarah Jenkins

Tone: Formal

Auto-response: Enabled

Mom

Auto-response: Disabled

David Kim

Tone: Professional

UX Principles

Design mirrors **standard mobile settings menus**:

- Simple toggles
- Expandable preferences
- Clear visual hierarchy

This minimizes cognitive load and encourages configuration.

Data Captured

- Contact ID
- Allow/Block status
- Tone preference
- Timestamp

These settings improve the system's ability to **adapt communication style to relationship context**.

Integration with Auto-Response System

Contact preferences modify the prompt context:

Example prompt variables:

- SenderRelationship: Manager
- TonePreference: Formal

- Activity: Meeting
- Urgency: Normal

These signals directly influence **response tone and phrasing**.

List of Feedback Signals Captured

Feedback Type	Source
Thumbs up/down	Per response
Star rating	End-of-day review
Edited responses	Pre-send preview
Context correction	Context tags
Free-text comments	Questionnaire
Contact preferences	Contacts tab
Implicit signals	User behavior