Lecture 16: The Safe Drinking Water Act

Prof. Austin
Environmental Economics
Econ 475

Motivation

In April, 2014, the water supplier in Flint, Michigan, switched sourcewater to the Flint River to save $5m.

Since the disaster, homes in the city have lost $480m in value, and $400m has been spent on relief (Christensen et al., 2021).

Figure 1: Search and Purchasing Behavior in Flint



(a) Google Water Quality Searches



(b) Bottled Water Sales



(c) Water Filter Sales

Why Regulate Drinking Water?

Unlike surface waters and air quality, public drinking water is generally sold at a price to consumers. There are nevertheless a few economic cases for regulation.

- Information asymmetries:
  - Full list of potential contaminants
  - Dose-specific toxicological impact
- Many public water systems are natural monopolies.

Aside from economics, the UN has declared safe drinking water access a human right.

The Safe Drinking Water Act

There had been prior drinking water safety acts. Widespread chlorination of drinking water supplies in the 1920s reduced the average risk of death from waterborne disease from 5% over a lifetime to 0.03% by 1940 (Morris, 2007).

A former brewer named Johannes Rook detected chloroform in public drinking water supplies from the Amstel River in the early 1970s. A 1972 International Agency for Research on Cancer suggested chloroform could cause cancer. The story was later picked up by the Miami Herald. Others followed, such as regarding “chemical-tasting” water on the Mississippi.

Shortly thereafter, the Safe Drinking Water Act was passed in 1974. While the Clean Water Act regulates discharges to surface waters, SDWA regulates contaminants at the tap and the practices of public drinking water systems.

Part 1: Regulatory Instruments in SDWA

Regulatory Instruments in SDWA

The Safe Drinking Water Act has three main regulatory instruments.

1) Regulating Contaminants
   - Maximum Contaminant Levels
   - Treatment techniques
2) Monitoring Requirements and Reporting Requirements
   - Consumer confidence reports
   - Public notification
3) Subsidy programs
   - The Drinking Water State Revolving Fund (SRF)

The Safe Drinking Water Act does not regulate private wells or bottled water.

1) Regulating Contaminants

EPA regulates 94 contaminants in drinking water. To regulate a new contaminant, the EPA has to rigorously establish three requirements:

I. The contaminant occurs with sufficient frequency in public water systems.
II. The contaminant is harmful to public health.
III. There is a meaningful opportunity for public health risk reductions.

Solely the administrator must determine if these three criteria are met for any given contaminant.

States and local jurisdictions can regulate more chemicals than the national requirements.

Maximum Contaminant Levels

Most contaminants are required to be below a **maximum contaminant level** (MCL) or concentration.

The MCL is based as low as feasible given cost, treatment technology, and other considerations.

The **MCL Goal** is a health-based threshold at which no effects are likely to occur.

Contaminant	MCL or TT[1] (mg/L)[2]	Potential health effects from long-term[3] exposure above the MCL	Common sources of contaminant in drinking water	Public Health Goal (mg/L)[2]
Acrylamide	TT[4]	Nervous system or blood problems; increased risk of cancer	Added to water during sewage/ wastewater treatment	zero
Alachlor	0.002	Eye, liver, kidney, or spleen problems; anemia; increased risk of cancer	Runoff from herbicide used on row crops	zero
Alpha/photon emitters	15 picocuries per Liter (pCi/L)	Increased risk of cancer	Erosion of natural deposits of certain minerals that are radioactive and may emit a form of radiation known as alpha radiation	zero
Antimony	0.006	Increase in blood cholesterol; decrease in blood sugar	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder	0.006
Arsenic	0.010	Skin damage or problems with circulatory systems, and may have increased risk of getting cancer	Erosion of natural deposits; runoff from orchards; runoff from glass & electronics production wastes	0
Asbestos (fibers >10 micrometers)	7 million fibers per Liter (MFL)	Increased risk of developing benign intestinal polyps	Decay of asbestos cement in water mains; erosion of natural deposits	7 MFL
Atrazine	0.003	Cardiovascular system or reproductive problems	Runoff from herbicide used on row crops	0.003
Barium	2	Increase in blood pressure	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	2
Benzene	0.005	Anemia; decrease in blood platelets; increased risk of cancer	Discharge from factories; leaching from gas storage tanks and landfills	zero

See full list of MCLs and other contaminant thresholds.

Common Classes of Contaminants

Disinfection Byproducts
- Total Trihalomethanes
- Haloacetic acids
- Bromate

Inorganic Chemicals
- Arsenic
- Cadmium
- Chromium
- Nitrates

Organic Chemicals
- Pesticides (e.g., atrazine)
- PCBS
- Dioxins

Radioactive particles
- Radium
- Uranium
- Alpha particles

MCLs are more common for contaminants that may be found in source-water.

Treatment Techniques

The two major treatment technique regulations:

- Lead and copper rule
  - Action level of 0.15 mg/l for the 90th percentile sample concentration of lead.
  - Action level of 1.3 mg/l for the 90th percentile sample concentration of copper.
- Total Coliform Rule
  - No more than 5% of total coliform samples.
  - Any detection of E. Coli in addition to a routine total coliform sample.

If a violation of these rules takes place, the water system needs to take corrective action to address the potential deficiency and return to compliance.

Figure: Most lead in drinking water comes from pipe and fixture corrosion (image source).

Why not an MCL?

Part of the rationale for the treatment technique approach is that the nature of the contaminant concern may come from the distribution network or deficient water system practices.

E. Coli detection Before and After Heavy Rains



2) Notification Requirements

The 1996 amendments to SDWA, promulgated after a notable cryptosporidium outbreak, created new information requirements.

- **Consumer confidence reports** show key information:
  - Where drinking water comes from
  - Any detected contaminants
  - Comparison to national detection rates.
- Timely **public notification** of any violations or deficiencies.

WATER ENTERING DC WATER'S DISTRIBUTION SYSTEM						
	Units	EPA Limits		DC Drinking Water		Description / Typical Sources of Contaminants
		MCLG	MCL	Highest	Range	
Synthetic Organics						
Atrazine	ppb	3	3	0.2	ND to 0.2	Herbicide runoff
Dalapon	ppb	200	200	1	ND to 1	Herbicide runoff
Di(2-Ethylhexyl) phthalate	ppb	0	6	1	ND to 1	Discharge from rubber and chemical factories
Simazine	ppb	4	4	0.1	ND to 0.1	Herbicide runoff
2,4-D	ppb	70	70	0.2	ND to 0.2	Runoff from herbicide used on row crops
Volatile Organic Contaminants – None detected other than TTHMs as shown below						
Radionuclides[1]						
Beta/photon emitters	pCi/L	0	50	4	ND to 4	Erosion of natural deposits
Combined Radium-226/228	pCi/L	0	5	4	ND to 4	Erosion of natural deposits
Gross Alpha Particles	pCi/L	0	15	6.9	ND to 6.9	Erosion of natural deposits

A snippet of DC Water's 2021 Consumer Confidence Report.

2) Notification Requirements

Information disclosure required under the 1996 amendments appear to have been effective in lowering water quality concerns.

Using data from Massachusetts from 1990-2003, Bennear and Olmstead (2006) show that annual consumer confidence reports:

- Reduced total violations by 30-44% overall.
- Reduced the most-serious violations by 40-57%.

Suggests that information asymmetries are a valid concern regulating water systems, but also that disclosures are not enough to ensure complete water safety.

3) Drinking Water State Revolving Fund

Funds are allocated to drinking water systems through a grants, loans, and financing from the Drinking Water State Revolving Fund.

Promotes activities such as:

- Renovating drinking water treatment facilities.
- Replacing lead service lines, corroded pipes, and maintaining the distribution network.
- Water supply infrastructure such as wells, pipes, etc.
- State programs like water manager training, source-water protection oversight, etc.

3) Drinking Water State Revolving Fund

Roughly $2 trillion was spent from 1970 to 2014 on protecting drinking water quality activities, the same as was spent on air pollution mitigation but less than surface water pollution mitigation (Keiser and Shapiro, 2019).

Figure 4
Annual Investments to Clean Pollution in Surface Waters, Drinking Water, and Air, 1970-2010



How Does SDWA Change over Time?

SDWA requires certain practices on strict timelines to ensure continued regulation of emerging contaminants. Key steps:

1) The contaminant candidate list, which must be updated every five years.
   - List of 2022 contaminant candidates.
2) Unregulated contaminant monitoring rule (UCMR) for some contaminant candidates.
3) Regulatory determinations for UCMR contaminants and then creation of a new National Primary Drinking Water Regulation (NPDWR).
   - None since 2006. It is very difficult to pass new NPDWRs.
4) Revisions to prior rules through the 6-year review process.
   - One major revision since 1996 (the Total Coliform Rule).



Health-based violations, from Allaire et al. (2018).

Part 2: Topics on Drinking Water

Probability of a SDWA Violation



A figure from my dissertation showing the effects of coal ash effluents on drinking water quality in the Southeast.

It shows increases in SDWA violations in years when effluent was released upstream.

Allaire et al. (2018)

Research goal: characterize trends in drinking water quality and determine factors that increase risk of a violation.

Methods: Mainly summary statistics and visuals, but also probit model on health-based SDWA violations predicted by water system characteristics, county characteristics, and year/state dummies.

$$P(y_{it} = 1 \mid X) = \Phi(\beta_0 + \beta_x x_i + \gamma_{jt} C_{jt} + \alpha_t T_t + \phi_k S_k)$$

Allaire et al. (2018)

Research goal: characterize trends in drinking water quality and determine factors that increase risk of a violation.

Methods: Mainly summary statistics and visuals, but also probit model on health-based SDWA violations predicted by water system characteristics, county characteristics, and year/state dummies.

$$P(y_{it} = 1 \mid X) = \Phi(\beta_0 + \beta_x x_i + \gamma_{jt} C_{jt} + \alpha_t T_t + \phi_k S_k)$$

Type of source water, service population, and ownership type.

Household income, housing density, and percent nonwhite population

Allaire et al. (2018)

Select Findings:

- In any given year from 1982-2015, 7-8% of systems have a health-based violation.
- Total coliform violations are the most common.
- Risk factors for violations:
  - Past violations
  - Public water system (non-private)
  - Rural small water systems
  - Lower income



A **Total SDWA Violations per CWS by County**



B **Total Coliform Violations per CWS by County**



Allaire et al. (2018)

Some other considerations:

- Why only 18,000 water systems? There are over 150,000 total systems in the US today.
- Reporting and monitoring violations are excluded. Why?
- What does a violation really represent?

Pullen Fedinick et al. (2022)

Research goals:

1) Characterize overall counts of SDWA violations and population affected (2016-2019).
2) Determine correlations between violation count, health-based violation count, and CDC social vulnerability indicators (socioeconomic, minority status and linguistic isolation, and household composition).
3) List concrete solutions.

Methods:

- Narrative
- Case studies
- Summary statistics
- Correlation plots
- Visualizations (chloropleths)

Select findings:

- 130 million people were served by water systems that had some type of violation from 2016-2019.
- 45 million served by systems with health-based violations.
- Counties with more minority and linguistically isolated individuals have more total violations and health-based violations.



These same communities are 40% more likely to be in chronic non-compliance, or active violation for 12 consecutive quarters.



Service Boundaries

Service boundaries approximate the geographic extent of a community water system customer base.

They allow us to join water quality data to:

- Demographic characteristics.
- Economic disadvantage.
- EJSCREEN vulnerability indicators.



Figure: Service Boundaries in the Greater Chicago Region. Water purchase links in blue.

Combining Demographics and Water Quality

Areal apportionment can be used to join service boundaries to Census information.

a) ACS (2015-2019) Tract Population



Data source: 2015-2019 ACS.
Data acquired with the R tidycensus package.

b) California Service Boundaries



c) Avg. TTHM Concentration and % Minority (2012-2020)



Created using R package @biscale by Chris Prener

A Simple Contaminant Index in New Jersey

Dark blue census tracts, those in the top third of the distribution for both contaminant index and percent minority, have high EJSCREEN vulnerability indicators.

EJSCREEN Indicator (2021)	Average over Dark Blue Tracts	State Average	National Average
Pct. Minority	46.7	23.9	31.4
Pct. Low Income	81.5	44.9	39.9
Pct. Linguistic Isolation	17.1	7.2	5.4
PM 2.5	8.8	8.3	8.7
Traffic Proximity	1386.3	852.2	705.0
Pct pre-1960 Housing	59.6	41.1	27.2

Notes: Population-weighted averages reported.
Data Source: https://gaftp.epa.gov/EJSCREEN/2021/



Figure: Contaminant Index and % Minority in New Jersey

Nitrates and Linguistic Isolation in Texas and California

Data coverage for linguistic isolation is incomplete across census block groups in the ACS (2016-2020).





Next class

- Next class will cover CERCLA and RCRA.
- No readings for Monday, but please watch the following spooky old news report on toxic waste in the 1970s. Have a nice Halloween weekend.
  - Link