

Procedure

1. Create Employee Table

```
CREATE TABLE employee (  
    id INT PRIMARY KEY,  
    name VARCHAR(50),  
    salary INT  
);
```

```
mysql> DESC employee;  
+-----+-----+-----+-----+-----+-----+  
| Field | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| id    | int           | NO   | PRI | NULL    |       |  
| name  | varchar(50)   | YES  |     | NULL    |       |  
| salary | int           | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
3 rows in set (0.01 sec)
```

2. Insert Sample Data (for testing)

```
INSERT INTO employee VALUES  
(101, 'Prajwal', 30000),  
(102, 'Prafull', 35000),  
(103, 'Pratap', 40000);  
SELECT * FROM employee;
```


```
mysql> SELECT * FROM employee;  
+-----+-----+-----+  
| id | name    | salary |  
+-----+-----+-----+  
| 101 | Prajwal | 30000  |  
| 102 | Prafull | 35000  |  
| 103 | Pratap  | 40000  |  
+-----+-----+-----+  
3 rows in set (0.00 sec)
```

Program 1. insert employee

```
DELIMITER //
CREATE PROCEDURE addEmployee(
    IN eid INT,
    IN ename VARCHAR(50),
    IN esalary INT
)
BEGIN
    INSERT INTO employee(id, name, salary)
    VALUES(eid, ename, esalary);
END //
DELIMITER ;
```

► Call

```
CALL addEmployee(101, 'Prajwal', 40000);
```



```
mysql> SELECT * FROM employee
+-----+-----+-----+
| id    | name    | salary |
+-----+-----+-----+
| 101   | Prajwal | 30000  |
| 102   | Prafull | 35000  |
| 103   | Pratap  | 40000  |
| 104   | Sarthak | 40000  |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

Program 2. search record

```
DELIMITER //
CREATE PROCEDURE getEmployeeById(
    IN emp_id INT
)
BEGIN
    SELECT * FROM employee
    WHERE id = emp_id;
END //
DELIMITER ;
```

► Call

CALL getEmployeeById(101);

```
mysql> CALL getEmployeeById(101);
+-----+-----+
| id | name   | salary |
+-----+-----+
| 101 | Prajwal | 30000  |
+-----+-----+
1 row in set (0.01 sec)

Query OK, 0 rows affected (0.02 sec)
```

3. Update

DELIMITER //

CREATE PROCEDURE updateEmployeeSalary(

IN emp_id INT,

IN new_salary INT

)

BEGIN

UPDATE employee

SET salary = new_salary

WHERE id = emp_id;

END //

DELIMITER ;

Call

CALL updateEmployeeSalary(101, 50000);

Select * from employee;

```
mysql> Select * from employee;
+-----+-----+
| id | name   | salary |
+-----+-----+
| 101 | Prajwal | 50000  |
| 102 | Prafull | 35000  |
| 103 | Pratap  | 40000  |
| 104 | Sarthak | 40000  |
+-----+-----+
4 rows in set (0.00 sec)
```